PHARM.
BATEANA

PHARMACOPOEIA BATEANA.

Quâ Nongenta

Circiter Pharmaca, pleráq; omnia è Praxi GEORGII BATEI Regi CAROLO Secundo Medici Primarii excerpta, ordine alphabetico concisè exhibentur, cum Viribus & Dosibus annexis.

Quorum *Nonnulla* in Laboratorio Publico Pharmacopœano *Lond.* fideliter parantur *Venalia*: Atq; in usu sunt hodierno apud *Medicos Londinenses.*

Huic accesserunt

ARCANA GODDARDIANA

ITEM

Orthotonia Medicorum Observata;

ET

TABULA POSOLOGICA

Dosibus Pharmacorum accomodata.

CUM

INDICE Morborum, Curationum, &c.

Curâ *J. S.* Pharmacopœi *Lond.*

EDITIO TERTIA

CUM

APPENDICE

Ex Autographo Eximii Authoris nunc primum desumpta.

Londini apud *Sam. Smith* & *Benj. Walford* Reg. Soc. Typograph. ad Insignia Principis in Cœmeterio D. *Pauli.* M DCC.

LLUSTRISSIMO
Medicorum Londinensium

COLLEGIO REGALI,

Et potissimùm

VIRO SPECTATISSIMO
ERUDITISSIMOQUE

Gualt. Charleton M. D.

Præsidi Insignissimo:

Nec-non

CENSORIBUS INTEGERRIMIS,

Cæterisque Omnibus,
Splendidissimæ hujus Societatis,
COLLEGIS,

Pharmacopœiam hanc Bateanam, &c.

Obsequii & Honoris ergô,
Quàm humillimè D. D. D. Q.

Ja. Shipton.

Pharmacopœiam hanc Bateanam haud indignam Censemus quæ Typis Mandetur.

Gualt Charleton, *Præs.* Coll. Reg. Med. Lond.

Tho. Burwell,	Censores.
J. Gordon, Eq. Aur.	
Will. Dawes,	
Tho. Gill,	

Datum 5º die *Sept.* A. D. 1690.

In Comitiis Censoriis ex ædibus Collegii Nostri.

LECTORI.

EN tibi (*Lector Optime*) *Georgii Batei* M. D. Collegii Regalis *Londinensis* quondam Socii *Pharmacopœiam* damus: Cujus fuit dixisse satis: nemini enim qui *Medicinam* ad Limina salutavit, ignotum est Nomen. CAROLI Secundi *Magnæ Britanniæ* Clementissimi *Principis* fuit Archiatrus, & ob *Elenchi Motuum Nuperorum in Angliâ* Tractatum elegantissimum, apud exteros etiam Clarus.

Hic dum vixerit *Medicinam* ornare semper studens, & ejusdem Amœniora Prata peragrans, *Hanc* (inter Cætera) concinnavit *Opellam* Felicissimus *medicus*, quam tibi non Invidimus.

Vale Lector & Fruere.

J. S.

Characteres,

Qui in hoc

LIBELLO

Occurrunt.

Acetum	🜊
Acet. deſtillatum	🜋
Aër	🜁
Æs	♀
Æs Viride	⊕
Alembicus	🝪
Alumen	O
Amalgama	$\overline{aaa}$
Antimonium	♁
Aqua	🜄
Aqua fontis	🜅ont.
Aqua fortis	🜅
Aqua Regia	🜆
Aqua Roſ.	🜄Roſ.
Arena	∴
Argentum	☽
Argent. vivum	☿
Arſenicum	∞
Audix.Sal.Arm.	✳
Auripigmentum	O-O
Aurum	☉
Balneum	B
Baln. Mariæ	MB
Bolus Armena	AB
Calx viva	♆
Cancer	♋

Caput

Term	Symbol
Caput mort.	🝎
Chalcanth. vitriol	🜖
Chalybs	♂
Chalybis limatura	♂
Cineres	🝗
Cinnabaris	🜍
Crucibul.	🝧
Cuprum	♀
Destillare	🝫
Dies	🝱
Ferrum	♂
Hermes Merc.	☿
Hora	🝮
Hydrargyrum	☿
Ignis	🜂
Jupiter	♃
Luna	☽
Mars	♂
Massa	⦶
Mercurius	☿
Merc. præcipiatus	☿
Merc. sublimatus	☿
Nitrum	🜕
Nox	🝰
Oleum	🝆
Plumbum	♄
Præcipitare	🝟
Pulvis Pulverare	🝫
Retorta	🝭
Sal Armoniacum	✱
Sal Commune	⊖
Sal Gemmæ	♉
Sal Petræ	🜕
Sol	☉
Spiritus	Sp.
Stannum	♃
Stimmi. Antim.	♁
Strat.sup.Strat.	S.S.S.
Sublimare	🝞
Sulphur	🜍
Tartarum	🜿
Terra	🜃
Venus	♀
Vinum	V.
Viride æris	⊕
Vitriolum	🜖
Urina	⊡

☿ ☽

☿ ☽ ♀ ♄ ♂ ♃ ☉

🜄 ⊡ ◎ ± ∇R V.

⊖ ⦶ ♉ 🜁 △ 🜨

🜔 ❉ ♋ ∴

🜍 $\overline{aaa}$ ∞ ♆ ▽ ♁

☍ 69 ⊕ O

🜍 ♂ ℞

♌. ♁ ♀ B. XX 🜛

🜚 ☉ ♎ ♌

☿ 🜨 ☿

⌽ MB ∇F Sp. ✳

S.S.S. ∇Rof. ⊖ ∇Font.

Notandum, *Medicamenta ſingula, quibus præponitur Aſteriſcus* *, in uſu fuiſſe frequentiori apud Autorem, cujus *Praxin ac Præſcripta in re Medicâ* non potui non animadvertere, quippe qui ſub *Illo ἐν τῷ φαρμακοποιεῖν* aſſiduè ſolebam verſari viginti circiter annorum ſpatio.

E R R A T A.

PAg. 21. lin. 3. lege *catharticorum*. p. 67. l. ult. lege *cubeb* ℥iij. p. 166. l. 7. lege *enul*. p. 168. l. 25. lege *lenit*. p. 181. l. 16. lege *Chamæmel*. p. 215. l. 24. lege *dentium*. p. 248. l. 17. lege *Tolut*. p. 278. l. antepenult. lege *Majalis*. p. 279. l. 1. lege ℔j.

PHAR-

PHARMACOPOEIA BATEANA.

A.

* ACetarium Scorbuticum. ℞ Fol. cochlear. mar. selectiſ. ℥iij. sacchar. albiſ. ℥vj. ⊖ cochlear. ℥j. contusis opt. adde succ. aurant. ℥vj. m. *In isto intingatur omnis cibus Scorbuticorum.*

Acetum Lithargyrites. ℞ ♃ Litharg. ⊙ ℥iv. ✠ opt. ℥viij. digere ♁ 3, sæpe agitando, & filtra. *Pro faciei Rubore, pustulis, &c. curandis.*

Acetum Mellis. ℞ Mel. ℔j. ✠ opt. ℔iij. ex ∴. ♌ a ac rectifica. *Præter alios usus solvere, & lapides sine ulla præcedente calcinatione, dicitur.*

Acet. Pestilentiale. ℞ Rad. Angel. zed. ā ℥j. bacc. junip. ℥ij. rutæ miij ✠ opt. ℔iij. macer. ac cola. *Pro suffitu, & oris collutione, grassante peste*

* *Æthiops Mineralis.* ℞ Fl. 🜍 p. ij. ☿ crud.

crud. p. 1. exactiſ. mixta incende, ut f. ♃ nigerrimus ſ. a. *Uſus in Lue ♀, Hydrope, &c. Ptyaliſmum non movet.*

* *Alkekengi Conditum.* ℞ Bac. Halicacab, rec. ℥vj. contuſ. affunde Aq. Lactis ℔iſs. exprime ſuccum, & clarifica cum album. ovor. Adde bacc. rec. Halicac. integras, & leniter coq. cum n. m. ʒiij. Troch. Gord. ʒij. rad. Eryng. Candefact. ℥ij. ad teneritudinem. Baccis coctis & exemptis, liquor cum ā Sacchari coq. in Syr. conſiſt. in quo Baccæ condiantur. *Nephriticum, diureticum ac lithontripticum.*

* *Allium Conditum.* ℞ Rad. allii mund. ℔j. coq. parùm in Aq. font. quæ abjiciatur. Tum coq. in Aq. Hyſſop. ad mollitiem perfectam. Liquor cum ℔j. ſacch. opt. coq. in Syr. circa finem addendo Allium, cum Ambr. griſ. gr. 24, Moſch. gr. 4, in nodulo ligatis, Sp. Hormin. ℥ij. *Uſus in Colica flatulenta, Tuſſi, Aſthmate, Calculo, Arthritide, &c.*

Alumen Dulce. Solve O in ▽, & coagula. Repete opus ter, ut O dulceſcat. Vocatur & *Sacchar. Aluminis. Commendatur in pectoris morbis, præſertim ex minerarum halitu contractis. Odontalgiam ſedat, gingivæ impoſitum. Doſ.* ℈ß.

Alumen Febrifugum. Solve O ℥iij. in ▽ cardui b. ſanguine draconis probè tinctæ ac filtratæ

filtra æ ℔ifs, & exhala ad ficcitatem f. a. *Dof. ℈j. ante paronyſmum febrilem, ſudorem movet, &c. v. Mynſicht.*

* *Aluminatum.* ℞ Succ. limon. ℔j. O ℥ſs. coq ac defpuma f. a. *Optimè valet in rubore faciei, puſtulis, &c. interim bibendo Cerevi-ſiam Catapſoras.*

Amuleta Peſtilentialia. ℞ O=O ℥iſs. rad. angel. ʒvj. mucil. tragac. q. f. ut f. Paſta: exinde f. Amuleta n° 12. globofa, ferico obvolvenda, *Ad cordis regionem geſtanda.*

Anima Hepatis, v. *Vitriol. Martis.*

Antifebrile Concharum. Teftis concharum oblongarum (vulgò Muscles) affunde ✠, & macera ☒ 24. Abrade mucorem extern. exicca ac ♃ a, inftillato fæpe inter ♃ andum ▽ cardui coch. 1. quo ♃ volatilis retineatur. exicca ad ufum. *Dof. ʒj. Febrifugum eſt nobile. Ciet ſudorem ſat largiter.*

* *Antihecticum Poterii.* fit ex Regul. ♁ ij. ♂ tiati & ♃is Anglic. ā, colliquatis, cum triplo ⦶ i detonatis, & ▽â edulcatis, f. a. *Dof. gr. vj. ad xx. In Lue ♀, Hydrope, Scorbuto, Tabe,* &c.

* *Antimon. Diaphoret.* f. ex ♁ p. i, ⦶ p. iij. detonatis ac ▽â edulcatis. f. a. *Dof. ℈j. bis in die per plures dies, augendo quant. gradatim quotidie uſque ad ʒj pro doſi. uſus eſt ad*

sanguinem mundificandum, in Cachexia, Hydrope, Scorbuto, Lue ♀, &c.

Antim. Diaphor. fixum. ℞ ♁ & ⦶ ā: Detona, ablue & exicca. Tum misc. cum ā ⦶i; detona, ablue, sicca: dein misce iterum cum ā ⦶i ac detona. ⏀m hunc in ▽ coctam filtra, & ⊕a cum ✠. Tum ablue & sicca. *Vires easdem obtinet cum priori in eadem dosi.*

Antim. Medicamentosum. ℞ ♁ p. v. ⊖ com. p. iij. ⊖ ♀ p. i. funde in Regulum ac edulcora. *Parùm differt à priori in viribus.*

Antim. Resuscitatum. ♎a ♁ & ✳ ā cum tribus cohobiis: Digere ♎atum cum ✠, exhala & ablue s. a. *Diaphoreticum habetur; leniter vomitum ciet.*

Apozema potenter expectorans. ℞ Decoct. Pectoral. ℔j. Syr. Scabios. comp. & Oxym. squillit. ā ℥ij. Aq. Jugland. comp. ℥iss. Infus. croc. metall. ℥j. m. *Dentur Cochlear. iij, ad vij, omni manè, ità ut provocentur tres circiter Vomitiones.*

* *Aqua Aluminosa.* O & ⊕ alb. ā commixt. coq. in vase ▽ reo △ lento, donec indurescant Lapidis instar. Injice ♋ris hujus coch. i, in ▽æ bullientis ℔ij, donec solvitur, ac filtra. *Ad Ulcera, vulnera, fistulas, &c. lavanda.*

* *Aqua*

* *Aqua Animalis.* ℞ △ris equi non defatigati rec. globulos n° xij. misc. cum Leucœn. ℔viij. Adde Sem. fœnic. d. petrosel. ā ℥ij. Theriac. Januens. ℔j. polypod. qu. Rusci, Fol. hepat. ā m. ij. zz. ℥iij. ♍a l. △ s. a. *Dos. ad ℥iv, super sudando, in Pleurisi, Doloribus, Rheumatismo, &c.*

* *Aq. Antiphthisica.* ℞ Sang. vitul. rec. agitatione à fibris separati, ℔iij. Terebinth. Ven. ℥x. glyc. rec. ℔j. uv. pass. exacin. ℥xij. ficus ping. n° 100. Limac. hort. n° 70. Rad. irid. rec. ℥vj. Fol. Tabaci Hispan. incis. ℥ij. micar. panis alb. ℔j. ♍a s. a. *Dos. ℥ij. cum debita olei quantitate supernatante, omni manè cum Syr. Pectoral. per dies 15.*

* *Aq. Antiscorbutica.* ℞ Fol. fumar. nasturt. aq. cochl. utriusque, becabung. ā m. xij. ling. cerv. cichor. pini, chamædr. prass. agrimon. Centaur. min. ā mx. absinth. Rom. Hepatic. ā m. iiij. Rad. bryon. ℥viij. filic. fœm. lapath. cort. dulcamar. fraxin. intern. ā ℥vj. Sem. fraxini ℥iss. angel. ℥ss. contusis omnibus rec. adde V. Rhen. ℔vj. in quibus ♂ ℔j. vigecies extincta fuerit, exprime prelo & ♍a in MB. (addendo Troch. de Cappar. ♃ator. ℥j. luti ♂ ℥iss.) ad mellaginem; quæ postea exhaletur ad consist. *Extracti*; quod servetur pro *Extracto Antiscorbutico. Bat.*

Aq. Antiscorbutica. ℞ Fol. Ari. cochlear. hort. nasturt. aquat. absinth. vulg. ā m. vj. cort. aurant. rec. ℥iiij. n. m. ℥ij. infunde per noct. in Cerevis. Brunsvicens. ℔viij. & ℞a s. a. *Miclethw.*

Aq. Arthritica. v. *Aq. omnium Florum.*

Aq. Asthmatica. v. *Aq. Pectoralis.*

Aq. Bechica. ℞ Fol. heder. ter. tussilag. botryos, ā ℔iij. hyssop. rorism. puleg. marrub. ā ℔iss. Rad. enul. glyc. ā ℔iss. irid. Fl. ℥xij. ficuum incis. ℔iij. croc. opt. sem. anis. fœnic. d. ā ℥ss. Sp. V. ℔x. ▽ Font. ℔48. macer. ac ℞a per vesicam ℔24, vel 30, *pro Syr. Tolutano magistrali conficiendo.*

* *Aq. Benedicta.* ℞ ♆ sonantis ℔j. cui affunde Hydropeg. bullientis ℔viij. Post compler. ebullit. & debitam residentiam, filtra ad usum. *Dos.* ℥iij, *vel* iv. *ter in die, vel pro potu com. per mensem. Multùm facit in plurimis Casibus epota; sc. in Faciei Rubore, Pustulis, &c. In strumis, Asthmate, Phthisi, Empyemate, Dysenteria maligna, Tumoribus Scroti aquosis, Profluvio albo, Arthritide vagâ, Ephelidibus, Herpete, Gangræna, OEdemate, Tumoribus genuum & tibiarum, ulceribus omnibus cum affluxu humorum, &c. In Diabete curandâ opt. Remed.*

* *Aq. Benedicta comp.* ℞ Glyc. rec. ℥j. cort. sassafr.

ſaſſafr. ℥ſs. uv. paſs. exacin. ℥vj. n. m. ʒvj. Aq. Bened. ℔vj. infund. in frig. ♁ ij. & f. colat. *Idem præſtat cum priori, efficaciùs autem in aliquot Caſibus.*

* *Aq Camphorata.* ℞ 🜔 Rom. ℞, ā ℥iv. Camphor. ℥j. m. f. ℞ : de quo projice ℥j. in ▽æ bullientis ℔iv. amove ab igne, & ſubſidant fæces. *Iſtâ tepidâ fove quævis ulcera : fluxiones omnes tollit : mundificat, ſiccat, roborat, dentes firmat, putredinem arcet, Ignem ſacrum, & manus ſcabioſas curat. In Ophthalmia, Epiphora, &c. mira præſtat.*

* *Aq.Caryophyllorum.* ℞ Fl. Caryoph.hort. rec. ℔ij. dactyl. ℔j. aniſ. glyc. ā ℥j. macer. in fæcum Vini ℔24, & ℞a per ⅩⅩ ℔iv. quibus adde ſacch. cand. ℥iiij : & ſuſpende in nodulo caryoph. aromat. nº 3, vel 4, cum Moſch. & Ambr. griſ. ā gr. v.

* *Aq. Cephalica.* ℞ Rad. pæon. mar. ℥iv. angel. Valerian. ā ℥iſs. caryophyllat. ℥j. Fol. ſalviæ roriſm. beton. majoran. meliſ. Fl. lavend. beton. pæon. calend. ſalv. roriſm. lil. conval. tiliæ ā, mi. ſtœch. ℥iſs. roſ. r. paralys. ā m. ij. Lign. rhod. ſant. citr. ā ʒvj. n. m. ℥iſs. galang. ℥ſs. cardamom. cubeb. ā ʒiij. Infund. in vin. alb. opt. ℔xiv. ♁ 10. deinde adde cinam. opt. ℔j. macer. per ♁ 2. & ℞a.ſ. a. *In capitis Intemperie, Cephalalgia,*

lalgia, &c. Dos. coch. ij. Attrahe inter nares, fricentur optimè Tempora, loca pone aures, ore teneatur & auribus: Linteolum eâ intinctum nuchæ adhibeatur. Plurimis levamen conciliavit, aliis incassum exhibitis.

* *Aq. Cerasor. comp.* ℞ Ceras. n. cum nucleis opt. contus. ℔x. lactis rec. vaccæ rubræ cong. ij. Fol. violar. rubi, prunell. caprifol. ā m. iv. ℞a s.a. *Dos.* ℔ß. *bis in die. In Tympanite curando Præstantiss. Remedium.*

* *Aq. Chalybeata.* ℞ ♂ mund. ℥iv. V. alb. ℔iv. Insolentur ac agitentur quotidie ad nigredinem Vini, & ♂ discolorationem: dein. adde fragor. recent. leniter expres. ℔iv. Sperm. ceti, rhab. mumiæ, ā ℥ß. ℞a ad fæcum siccit. *Dos.* ℥iij. *vel* iv. *bis in die, ad fistulas, præsertim urin. partium, Apostemata, hæmorrhoid. dolorem, mictionem purulentam, Contusiones, sanguinem coagulatum, &c.*

* *Aq. Chamæmeli comp.* ℞ Fl. Chamæm. rec. dupl. flore m. xxx. incid. contund. & infund. in Aq. stil. è fol. chamæm. ℔x. vin. Hispan. ℔xvj. ☧ 24. exprime & infund. 2da vice Flor. rec. m. xx. In 3tia expressione infund. Flor. rec. m. xij; addendo flaved. cort. aurant. rec. ℥ij. Fol. abs. pont. centaur. puleg. orig. ā m. iiß. Sem. aneth. ℥ij. anis. fænic. carui, cumin. cardui ben. card. Mariæ, ā ℥iß.

ā ℥iſs. Bac. laur. junip. ā ℥ſs. n. m. ℥iij poſt macerationem debitam ℞a ſ. a. *In flatu, Colica, Calculo, Menſibus obſtructis, &c.*

* *Aq. Cinamomi Cardiaca.* ℞ Succ. borrag. reſidentiâ depurat. ℔24. Fl. caryoph. ſimp. flore (ſc. Pinkes) m. ix. croc. ℈ij. cinam. opt. ℔iſs. Fl. borrag. m. iv. ℞a ſ. a. in MB. *In Syncope, Animi deliquio, &c. Inſignis.*

* *Aq. Cinamomi Hordeata.* ℞ Aq. Hordei depurat. ℔viij. Cinam. opt. ℥xij macera ac ℞a ſ. a. in MB. *Cum ā Oxym. Scillit. cochleatim ſumpta mirificè prodeſſe ſolet in Aſthmate.*

Aq. Cordium comp. ℞ Corda vituli valdè recentia per fruſtra ſect. nº vj. micæ panis à lacte vaccino inebriatæ ℔j. ▽Roſ. Dam. ▽ fl. aurant. ā ℔j. mala citria inciſa nº 3. cinam. ℥iv. macis ℥j. Gelat. c. c. cum V. alb. fact. ℔iv. ſanguin. Agni, Vituli, à fibris purgat. ā ℔ij. V. Hiſpan. ℔iij. ℞a ſ. a. *In virium dejectione mira præſtat.*

Aq. Coſmetica. ℞ Pedes Vitulin. confractos nº vj. Leptopityri ℥vj. ♓ris myrrh. ℥ivſs. œnogalact. ℔vj. ℞a ſ. a. *Cum iſta facies abluatur, perfricando aluminis fruſto lævigato.*

* *Aq. Crinalis.* ℞ Muſca. vivent. ℔iv. mel. ℔j. lactis ℔ij. ℞a ſ. a. *Præterquam*

quod in Alopecia mirè prodest, in surditate etiam valet auribus instillata.

* *Aq. Cucumerum comp.* ℞ Succ. cucumer. hort. ℔iv. vin. alb. ℔vj. Thecar. fabar. ℔iſs. Fol. cum radic. ononid. ℔j. Bac. junip. ℥vj. n. m. no xxi. Sem. petrosel. ℥iv. Saxifrag. alb. ℥iſs. Fl. genist. m. viij. sambuc. lamii. alb. ā m. vj. ℞a s. a. ad siccitatem. *Dos* ℥ij. *omni mane, præmissis pil. ex terebinth. Cypr. in calculo & arenulis expellendis.*

Aq. Cynosbati comp. ℞ Fruct. Cynorrh. cum sem. contus. ℥vj. Sem. raphan. ℥ſs. petrosel. ℥j. saxifrag. ℥ij. Rad. saxifrag. alb. ℥j. glyc. ℥iij. alth. ℥vj. seri lactis ℔x. ℞a s. a. *Dos.* ℥iv. *bis in die cum Syr. de Alth. & de portulac. præmiss. cons. cynosbati.*

Aq. Digitalis. ℞ Fol. Digitalis rec. ℥xij. glyc. ℥iv. anis. ℥j. cerevis. fort. ℔xij. fermenta ♂ 19. ac ℞a s. a. *Antasthmatica insignis est: & optimè valet ad promovendam expectorationem. Dos. Cochl. aliquot sæpe.*

* *Aq. Embryonum.* ℞ Rad. eryng. rec. ℔j. dactyl. ℔ſs. amygd. dulc. non decort. ℥iv. contus. in pulp. adde n. m. ℥iij. mac. ℥ſs. Aq. cinam. hordeat. ℔iſs. vin. Hispan. Aq. Melis. ā ℔ij. ℞a s. a. *Dos.* ℥ij. *ter in die cum sacch. perlat. præmis. elect. ex cons. ros. r. garyoph. n. m. condit. pul. ebor. margarit. &c.*

* *Aq.*

* *Aq. Epidemica.* ℞ Fol. chelidon. rorifm. rutæ, falv. artemif. abf. anagal. dracont. fcabiof. agrim. melif. fcord. centaur. min. card. b. beton. roris fol. ā m. ij. Rad. angel. torment. gentian. zed. glyc. ā ℥j. macer. in Vin. alb. ℔viij. ♁ 2 : dein ℞a f. a.

* *Aq. Febrifuga.* ℞ Summit. centaur. min. m. viij. abf. vulg. parthen. pentaphyll. calend. tormentil. nicotian. virid. acetof. card. b. dracont. chamæm. chamædr. ā m. vj. taraxac. m. xij, contuf. adde Leucœn. ℔iv, & ℞a, & ▽æ ℞atæ novis affufis herbis macer. ac ℞a ad ficcit. In ▽ ℞at. infund. Rad. fraxinel. tormentil. ā ℥ifs. Sem. citri, cardui ben. card. Mariæ, acetof. ā ℥ij. Fol. fcord. galeg. ā m. iv. ℞a f. a.

Aq. Formicarum. ℞ Formicar. major. (Majo vel Jun. collect.) ℔j. mellis ℔ij. hydropeg. ℔j. ℞a f. a. *Dof. coch. i. vomitum ciet & curat febres Tertianas.*

Aq. Fortis Duplex. Fit ex ⦶ & ⊖ ā, per ♉ ℞atis f. a. *Solvit* ☽ & ♀.

Aq. Fortis Aluminata. ℞ O calcin. ⦶, ā ℔j, ⊖ ℔fs. ℞a f. a.

Aq. Herpetica. ℞ O ℥j. ⊖ alb. ℥ij. ✠ opt. ℔j. Rad. Enul. rec. ℥ij. Fol. virid. Nicotian. m. i. coq. ad conf. 3tiæ part. colat. adde ⊖ uft. ℥fs. *Cum iftius q. f. pannis madefactis*

madefactis herpetem permitte ficcefcere, quater fc. dum Efchara adnata nova cuticula adnafcitur.

* *Aq. Hirundinum.* ℞ Hirundin. vivent. n° 40. *Caftor.*℥j. Vin. alb. ℔iij. ℞a. *Ad Epilepfiam curandam optimè valet.*

* *Aq. Hormini comp.* ℞ Fol. Hormin. rec. contuf. m. xij. Sp. V. ℔j. ℞a ad ficcitat. ▽æ ℞atæ affund. rec. fol. horm. m. x. Fl. Lamii m. vj, & ℞a 2da vice. repet. affufio & ℞atio 3tia vice cum rec. flor. & herbis, addendo n. m. ℥j. Liquor ℞ans ultimâ vice excipiatur fupra facch. albif. ℥vj. ambr. grif. in petia fufpenf. gr. iij. intra phialam. *In abortu præcavendo (apud Mulierculas) multùm facit. Profluvio albo fubvenit.*

* *Aq. Hungarica.* ℞ Fl. rorifm. rec. ℔ij. Alcoh. V. ℔viij. macer. ac. ℞a f. a. *Confert. ad Arthritidem vagam, & Ifchiadem. Detur Cocb. j. bis in feptimana. Facies & pars affecta quotidie lavetur. Attrahe in nares, &c. v. ufus Aquæ Cephalicæ.*

* *Aq. Lactis Alexiteria.* ℞ Fol. ulmar. card. b. galeg. ā m. vj. menth. abf. com. ā m. v. rutæ m. iij. angel. m. ij. contuf. adde lact. rec. cong. iij. ℞a com. organis.

* *Aq.*

* *Aq. Lactis Cardiaca.* ℞ Pomor. redolent. cum cort. & sem. ℔xij. Fol. melis. Scord. ā m. x. Rad. zed. Tormentil. ā ℥viij. lactis rec. ℔x. ℞ s. a.

* *Aq. Lactis Nephritica.* ℞ Fol. alth. parietar. aparin. ā m. 4. Rad alth. ℥xij. glyc. ʒiij. Saxifrag. alb. ℥iv. lact. rec. ℔xij. ℞a s. a. Aliter. ℞ Albumina ovorum cum testis suis (demptis vitellis) nº 24. contusis optimè & agitatis adde lact. rec. ℔viij. ℞a lentis. igne s. a. *Dos.* ℔ß. *omni manè per dies* 15 *vel* 20: *& præterea semel vel bis in mense per* ♄ 2 *vel* 3 *continuos circa plenilunium & novilunium*

* *Aq. Lactis Pectoralis.* ℞ Limac. hort. contus. ℔j. sang. porcin. ℔ij. cap. ♀, heder. terr. ā m. iij. ling. cervin. m. ij. glyc. anis. ā ʒiij. jujub. uv. pass. ā ℥iv. lact. rec. ℔xij. ℞a s. a. *Pulmonica, Phthisica, ad Tabem, &c.*

* *Aq. Lactis Scorbutica.* ℞ cochlear. mar. sedi major. ā m. xij. becabung. gramin. nasturt. aquat. ā m. vj. chærefol. m. 4. lact. rec. ℔xij. ℞a s. a.

* *Aq. Lamii comp.* ℞ Fl. Lamii alb. m. x. consolid. maj. m. viij. hormin. m. 4. dactyl. nº 24. n. m. ʒiij. cas. lig. ʒj. œnogalect. ℔xij. ℞a ad siccit. *Usus in Profluvio albo, &c. Dos.* ℥iv. *pro vice.*

* *Aq.*

* *Aq. Melluminata.* ℞ Fol.querc.lanceol.rubi, fragar. pentaphyll. bugul.millefol. periclymen. salv.rorism.ros.r. ā m.ii. Scob. guajac.℥iv. Rhodii ℥j. Radic.bistort.℥i. 🜍 viv. ℥iſs. ⊕ ℥i. ☉ ℥iv.mell.℔ſs.coq.in ▽ fluent.℔viij.ad consump. dimid. f. colat. fæce depositâ servabitur per annum totum. *Cum Ol. 🜍ris, ad ulcera oris, & gingivarum : Cum Flor. ⊕i, ad Pustulas, optimum Remedium.*

Aq. Mercurialis. ℞ Rad. lilior. alb. ℥ii. coq. in Hydropeg. q. s. ad ℔i. colat. adde amygd. amar. excort. ℥j. f. emulsio. In ista solve in Mortar. vitreo ☿ ʒj. f. Aqua Albissima f. a. *Ad faciei ruborem, pustulas,* &c. *Curand. certissima Aqua. Tange loca sæpe cum gutta minutissima, statim exiccando cum linteolo.*

Aq. Odorifera. ℞ Poma limon. & aurant. rec. ā n° vi. Rad. irid. Florent. santal. alb. cinnam. ā ℥ij. macis, Caryoph. ā ʒvi. Fl. lavendul. m. iv. Chamæmel. Rom. anthûs, ā mij. Fol. Majoran. mii. Ocim. miii. Styrac. calam. ʒiij. benzoin. ʒv. Fl. Rof. Dam. mxv. Cyperi. rot. ℥ſs. ▽ Font. ℔xxx. ℞a in ⚹ f. a. Reserventur aquæ primò ℞atæ ℔xv. cujus singulis libris adde (in nodulo ligat.) Mosch. opt. gr. ij.

* *Aq.*

* *Aq. Omnium Florum*, fit ex ftercore Vaccino Maio collect. cum Leucœni 3tia parte ℞ato. vel, ex sterc. vaccin. rec. & limac. cum testis contusis, ā, com. organis ℞atis. *Dicitur hæc Aqua Athritica. Arthritidi vagæ, Rheumatismo, Calculo, urinæ suppressæ,* &c. *maximè proficua. Dos.* ℥iv. *pro vice.*

Aq. Opthalmica, fit ex Aq. è gum. Guajaci (quæ fit per ♌ △e moderato ± erum cum ♃tre laterum, separando ⊙m & rectificando ▽m :) cum ℞os. alb. mixtâ s. a. *In morbis oculorum optimum Remedium.*

* *Aq. Opthalm. Sapphirina*, fit ex ▽ ♆ ℔i, ✱ ʒiii, solutis invicem, in pelvi ænea maceratis, donec colorem sapphirinum acquirant: filtra ad usum. *Morbis oculorum variis subvenit; guttis 3 vel 4 pro vice in oculos instillatis, Omnibus ulceribus, fluxionibus, pustulis, suffusionibus,* &c. *Medetur.*

* *Aq. Pectoralis.* ℞ Rad. Helen. aristol. rot. ā ℥iii. irid. nr. ℥iss. irid. Florent. Petroselin. fœnic. glyc. ā ℥i. Fol. Nicotian. virid. m. iv. scabios. Veron. tussilag. Hyssop. marrub. cap. ♀ , card. ben. ā m. i. jujub. sebest. ā nº 30. caric. dactyl. ā nº 16. Sem. nicotian. ʒiij. nigell. ʒi. lini. urtic. nasturt. sinap. ā ʒij. bacc. lauri, ʒvi. guajac. pul. ℥viii. Tereb. ven. (in Vitellis ovor. solut.) ℥iiss.

℥iiss. Leucœn. ℔xvj. macer. ♁ 3, & ℞a s. a. inter ℞andum milleped. contus. nº 60. in petia ligat. suspendendo in Receptaculo. *Egregii est usus in Asthmate, Dyspnœa, Tussi, in tartaro pulmonum & renum, &c. Dos.* ℥ij. *bis vel ter in die extra paroxysmum.*

* *Aq. Persicariæ comp.* ℞ Persicar. maculos. rec. ℔iij. pariet. portulac. thecar. fabar. ā ℔j. contus. adde lact. rec. ℔viij. ℞a s. a. *Arcanum magnum habetur in calculo renum ac vesicæ. Dos.* ℥iv. *bis in dies cum melle per* ♁ 20 *continuos.*

* *Aq. Picarum comp.* ℞ Pullos picar. nº vj. Sterc. albis. de Pavon. mar. ℔ss. Visci querc. veri, Rad. pæon. mar. ā ℥iv. Flor. primulæ veris rec. ℔j. Vin. alb. & Hispan. ā ℔v. Infund. ac ℞a s. a. *Dos.* ℥iv. *manè & vesperi ultimis diebus ante plenilunium & novilunium. Insigne Remedium in Epilepsia.*

* *Aq. Pneumonica.* ℞ Fol. Peti opt. nonconvolut. cort. extern. aurant. ā ℥iv. cort. Winter. ʒvj. anis. ℥iss. V. Hispan. ℔vj. Sp. V. ℔j. macera, ac ℞a organis vitreis. *In dolore Colico, Stomachi cruciatibus, inappetentia, &c. Medela probatissima. Dos. coch.* i. *ante cibum.*

Aq. Prolifica. ℞ Sem. Angelic. decort. ℔iss. fœnic. d. glyc. ā ℥iv. uvar. pass. exacinat. ℔j.

℔j. Fol. artemiſ. meliſs. ā m. iv. cardui, puleg. ā m. ij. Sem. amomi ℥iv. œnogalact. ℔xii. ℞a ſ. a. *Doſ.* ℥iv. (*præmiſſis præmittendis*) *cum Tinctur. Juniper* ʒj. & *Syr. è ſucco Salv. Coch.* 2, *manè* & *hora ſomni, præmiſſis Sem. ſeſel. pulv.* ℈ij. *cum Rhodoſaccharo.*

Aq. Regia, fit ex ⌽ & ✳, ā, ex ♎ vitrea ſatis ampla in ∴ poſita, per 2dum △is. gradum ℞atis ſ. a. *Soluit* ☉.

Aq. Salivalis. ℞ ☿, Theriac. Androm. zed. Cinnam. ā ʒij. croc. ʒſs. ▽Font. ℔iſs. Infund. per aliquot dies.

Aq. Sarſæ comp. ℞ Sarſapar. chinæ nodoſ. ā ℥xij. lign. guajac. ℔ij. cort. ejuſdem, Saſſafr. ā ℥iv. ſantal. alb. ſem. coriandr. ā ℥iſs. glyc. ℥vi. V. alb. ℔24. Aq. Hord. ℔xvi. ℞a poſt macerat. debit. per veſicam ℔xxiv. ſervando ▽am f. colat. quæ exhaletur in MB ad conſiſt. *Extracti* ſ. a.

* *Aq. Senelorum comp.* ℞ Senelor. matur. à ſtipit. liberat. cong. ij. contuſis opt. adde Rad. alth. glyc. ā ℥viij. ononid. ℥iij. Fol. parietar. Bacc. halicacab. ā ℥xij. menth m. ij. Sem. dauci com. ℥iv. coriand. ℥ij. Neogalact. ℔xij. ℞a ſ. a. *Doſ.* ℥iv. *cum Syr. de Alth.* &c. *In calculo multis auxilio fuit.*

Aq. Siphylica. ℞ Scob. guajac. ℔iſs. cereviſ. meracæ rec. ℔ij. macer. ad Ⅎ ♁ 3, & ℞a ad

ad ficcitatem. *Dof.* ℥i. *in liquor. conven. ad Luem* ♀.

Aq. Stimmios Sulphurata, fit ex ♄, ⊕, 🜍, ā 🜄atis in liquorem, filtrandum & rectificandum f. a. *Dof. q. s. ut liquor conveniens acidus reddatur. obstructiones reserat. Diureticum*, & *Diaphoreticum habetur nobile.*

Aq. Styptica. ℞ Colcothar. ☉is uft. facch. Cand. alb. ā ʒi ⊡æ juvenis, 🜄Rof. rub. ā ℥i. ▽ Plantag. ℥4. Digere ac filtra ad ufum.

* *Aq. Tuffilaginis comp.* ℞ Herb. Gerrard. hyffop. ā ℥viii. Fl. tuffilag. ℥xxiv. glyc. ℥iv. anif. ℥iii. uv. paffar. ℔i. cerevif. fortif. ℔xii. 🜄a f. a. *In Pleuritide, Empyemate*, &c. *Valet.*

* *Aq. Venuftatis.* ℞ ▽ menth. ℔i. ⊖ purifs. ℥ifs. coq. & defpuma. *Pro facie abluenda post variolas tollit furfuracea & pruritum.*

Aq. Vermifuga. ℞ ☿ crud. rectè purgat. ℥i. ▽ gramin. portulac. ā ℥iv. macer. 🝱 2, fæpe ac fortiter agitando: poftea decanta ▽am & cola, relicto in vafe ☿io. *Dentur coch.* iii. *ter in die.*

Aq. Vulneraria. ℞ ⊖ opt. ℥fs. ⊕ purif. ʒii. Impone ▽Font. cong. vi. per fe maneant hor. 48. Syphone fine fubfidentis materiæ agita-

igitatione extrahe. *Dos.* ℔ſs, *vel* ℔i, *bis vel ter in die. Citiſſimam efficit curam vulnerum aut Ulcerum. K. Digby Eq. Aurat.*

Arcanum Aluminis, fit ex ☉ dulc. ℥i, ⊖ fuſi, ℥vi. mixtis, reverberatis, & ▽ â ablutis, ſ. a. *Vires easdem habet cum Alum. Dulc.*

* *Arcan. Corallinum*, f. ex ☿ crud. ℔i. Sp. ⦶ ℔iii, ✓ratis cum 3 cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel ablutionem, ſ. a. *Dos. gr.* iv. *ad* vi. *vel ultra. purgat præcipuè per inferiora. Secretum eſt magnum in Lue* ♀, *Hydrope, Podagra, Ulceribus, Scabie, Cancro,* &c.

Arcan. Corallin. Paracelſi. ℞ ☿ crud. ⊕ calcin. ⦶, ā ℔ii. m. & ⌂a : ⌂atum miſc. cum ⦶, & ⊖is parùm calcin. ā ℔i. ✠ q. s. ut f. paſta, quæ rurſus ⌂etur, ſeparando rubrum a flavo, & abluendo utrumq; ſeorſim, & Sptu V. accendendo ſ. a. *Dos. gr.* 4, *ad* 8, *Vires æmulatur* ☿ *dul. Secretum eſt in Lue* ♀, *Hydrope, Scabie,* &c.

Arcan. Coſmeticum. ℞ Talchi Ven. ſubt. pulv. ſ. a. p. i. ⊙ camph. p. ij. Digere in MB ad ſummam albedinem. ſ. a.

Arcan. Duplex. elicitur ex ⊙o ▽ duplicis in ▽ calidâ ſoluto filtr. & exhalato, ſ. a. *Egregii uſus in Melancholicis affectibus, febribus omnibus, Calculo, Scorbuto,* &c. *Dos.* ℈i, *ad* ℈ij. Panacea Holsteniana *Arcan.*

Arcan. Joviale, fit ex ā ā ā (ex p. æ. ☿ mundat. & ♃ Anglic.) ♋ato, in Sp. ⦶i rectif. digesto, & per ♌ ad siccit. ♌ato, ⦶am infundo tritam edulcando accensione crebrâ Sp. V. s. a. *Dos.* ā *gr.* iij. *ad* viij. *Sudorificum magnum.*

Arcan. Scriptorium, fit ex ⊖ ♄ni ʒj, in ▽æ ℥i. soluta, pro liquore Scriptorio, ex ♋ ☍, ♆, ā ℥ß. in ▽æ ℥iv. digest. pro liquore oblineatorio.

Aurum Fulminans, f. ex ☉ in ▽R solut. & cum ◎ ⊡ri ⊡ato, edulcando siccandoq; s. a. *Sunt qui gr.* iij, *vel* iv. *ad sudores ciendos exhibent.*

Aurum Mosaïcum, f. ex ♃, ☿, ✳, & 🜍, mixtis ac ⊡atis s. a. *Sudorificum est nobile. Dos. ad. gr.* x, *vel* xij.

Aurum Potabile. Purgetur ☉ bis per ♁, quod calcina, primò cum ☿ & 🜍; 2dâ vice cum ⊖ marino fuso, ac 3tiâ cum ⊖ ⊡ri. dein extrahe cum 🜍re ♄ni s. a. *Remedium censetur universale adversus omnes quoscunq; morbos. Sudorificum est & alexipharmacum insignissimum. Dos. gt.* vij, *vel* viij, *in Vino generoso.*

Aurum Vitæ, fit ex ☉ ʒij, ☿ purific. ℥ij, seorsim propriis menstruis solutis, mixtis, & in ♌ ♌atis ad siccitatem, calcem residuam calcinando,

calcinando, & edulcando ablutione cum ▽â, & accenſione Spts. V. ſ. a. *Omnibus aliis Catharcticorum ſpeciebus antecellere dicitur: Eſtq; domitor Vermium Luis ♀, Petechiarum, Peſtis. Quartanæ &c Doſis ã gr. 3, ad 6, vel 8, cum Sacch. Roſa o. & in ovo. vel brodio, vel in pilulis. imprimis ſi conjungatur cum Scammonio, & humectetur ▽ vitæ, quæ deſuper comburatur.*

B.

Balſamum Anodymum. ℞ Sapon. Caſtil. ℥i. opii ℥ſs. Camphor. ʒvi. croc. ʒi. Pyrœni ℥xviij. Digere in ∴ (♁ ♀ 10) & f. colat. *Linteola in iſto intincta dolentibus locis adhibeantur, renovando 4ta quaq; hora donec ceſſent omnes cruciatus: Arthriticos enim dolores mirificè ſopit. Dentur internè gt. 30, 40, 50, in* Vino.

* *Balſ. Apoplecticum.* ℞ ⊙ ſtil. cinnam. caryoph. lavend. limon. majoran. menth. rutæ, roriſm. ſalv. rhod. abſinth. ã gt. xij. ſuccin. gt. vi. Bitum. Judaïc. ♋at. ʒj. ⊙ nuc. m. expreſ. ℥i. Balſ. Peruan. q. ſ. m. *Confortat caput, frigidoſq; humores diſcutit, adeoq; in Apoplexia, Syncope, Paralyſi, convenit, naribus inditum, vel quoquo modo applicatum. Internè*

ternè etiam exhiberi potest à gr. iij, *ad* vi, *&c. cum Electuar. aliquo cephalico.*

Balsam. Embryonum. v. *Sp. Embryonum.*

Balsam. Fœminarum. ℞ Flor. minimorum Geranii moschati ℥iv. ⊙ Amygd. dulc. recentis.℔iss.insolentur ♁ 40: f. expres.adde Fl. nenuphar.lilior.alb.rec.ā ℥iv. Insol. ♁ 20,& f. expres. cui adde ⊙ Jasmin. ℥iv. zibet ℈i. m. s. a. ut. f. Bals. *pro perinæo, inguinibus, & lumbis, ἐν τῇ δυστοχίᾳ inungendis.*

* *Balsam. Lucatelli.* ℞ ⊙ olivar.opt. ℔iij. V.Hispan.℔i.Tereb.Venet.in ▽Ros.lotæ, ℥viij. ceræ ℔i. coq. s. a. addendo santal.rub.♃at.℥ij. Bals.Peruan. ℥i.m. *Extrinsecus valet ad ambusta, Inflammationes, ulcera, vulnera, &c. Intrinsecus, detur ad* ʒi, *vel* ʒij *in vino, ad Contusiones internas, ulcera renum, calculos renum ac vesicæ cum difficultate urinæ.*

* *Balsam.Magistrale.* ℞ Tereb. Ven. ℥viij. Styrac.liquid.℥iv. ⊙ olivar.opt.℔iss ⊙ Hyperic. ℥iss. Laurin. spicæ, Petræ, ā ℥i.carann. ♃ sant. rub.ā ℥i.Benz.sang. dracon. ā ℥ss. ceræ ℥ivss. Bulliant per horam, dein addendo ⊙ stil.Bacc.junip.℥i.⊙cinnam.ʒss.caryoph.ʒi.m. s.a. *Ad vulnera interna & externa recentia sananda efficacissimum; nec-non ad omnes combustiones & contusiones. Dolores in ossibus nervisq; mitigat. Naribus & Temporibus illitum succurrit*

succurrit cephalalgiæ. Calidis cum pannis lateri adhibitum confert ad flatus ejusdem & dolores. Colicis & calculo laborantibus auxiliatur in vino tepido sumptum ad ʒiij. Tubercula tollit pedum callosa, resecata prius ad vivum ferè, calidè inunctum. Narium sistit Hæmorrhagiam, & aliarum partium. Coctionem juvat ventriculo inunctum horâ decubitûs. Vermes necat internè aut externè adhibitum.

Balsam Martiale. ℞ ♂ mundat. ℥iv. affund. ⊙ terebinth. ℥v. post guttatim immitte Sp. ⊕ i. ℥iij. Digere leni calore ♁ aliqt. deinde decanta purum f. a. *Summum est vulnerarium.*

Balsam. Momordicæ. f. ex fructu ejus ⊙o insolato per long. tempus. *Valet optimè in vulneribus, ulceribus, maximè hæmorrhodibus, matricis ulceribus, rupturis,* &c.

Balsam. Nucistæ. ℞ Nuc. m. contus. ℔i. V. Hispan. ℔ſs. Butyr. opt. insulſ. ℔ij. Insolentur (Vase opt. clauso) ad ♁ 5. Tum coq. leniter ad Vini consumpt. & f. colat. *Usus est tam internè quàm externè. Expellit fœtum mortuum, secundinas,* &c. *Exhibitum in vino ad* ℥ſs *confert etiam ad dolorem splenis, capitis,* &c. *Inunctum valet ad omnes dolores frigidos.*

Balsam. Paralyticum. ℞ Tereb. Ven. ℔iv. olib. aloës, castor. myrrh. xyloal. Fl. hyperic. ā ℥i. gum. elem. labdan. ā ℥iij. styrac. liq. ℥ij. Balsam. Peruvian.

Peruvian.℥iv. calam.arom. caryoph. galang. ā ʒvi.cinam.℥iſs.Fl.roriſm.ſalv. ā ʒx. omnia ritè præp.miſc.cum terebinthina, addendo Sp. V. ℔iv. Digere tepidè per ♁vi.dein.℞a per ♉ capacem: primò lentiſ. △e ♃rum per hor. 48,ut ſaltem tepeſcat ♉: deinde fortiori aliquantum,tandem fortiſſimo.excipiatur prima Aqua per ſe quamdiu effluit inſtar ▽æ: 2da per ſe inſtar olei flaviuſculi tenuis ſubſtantiæ: 3tia eſt craſſa. Vocetur 1, *Mater Balſami*: 2, *Balſam. Paralyticum*: 3, *Oleum Balſami. Confortat mirabiliter nervos: Paralyſin & contracturam ſanat, extrinſecus illitum, & intrinſecus exhibitum.*

Balſam. Podagricum, v. *Balſ. Anodynum*.

Balſam.Saturninum,f.ex ⊖ ♄ni ℥iv,Sp.Tereb.℥xij,digeſtis ſ.a. *Egregii uſus in Chirurgia: Convenit ulceribus inveteratis,nec non tumoribus. Curat vulnera, eademq; ab accidenti præſervat. præcipue ſi addatur camphora: Succurrit etiam Fiſtulis, Cancro, Morphæis*, &c.

Balſam.Sclopetarium. ℞ ⊙ lini, terebinth. ā ℔i.⊕℥ſs. coq.parùm.ſ.a. *Pro ulceribus veteribus & vulneribus ſclopetariis nulli ſecundum.*

Balſam. Spinale. ℞ Axung.human.℥iv.Ax. anſer.Taxi,ā ℥iij.⊙ laurin.℥ij. Fol.ſalv. majoran.ebul.ſambuc. calaminth. origan. lavend. ā mi.coq.ad ſuccor.conſumpt.ſ.expreſ. adde Bal-

ſam.

sam. Succini ℥i. Butyr. Macis, ℥ſs. Petrol. 🜖 ſpicæ, ā ʒij. m. ſ. a. *pro Spina dorſi in ungenda, in Rachitide. Utatur manè, & paulò ante ingreſſum lecti, ſuppoſita lana ſuccida lineo duplici aſſuta.*

* *Balſam. Succini.* ℞ Succin. alb. ſubt. 🜍 at. ij. 🜖 tereb. ℥vi. Tamdiu inſolentur, donec perfectè ſolvatur Succinum. *Cerebrum & ſenſus roborat. Omnibus nervorum affectibus convulſibus, Epilepſiæ, paſſioni hyſtericæ,* &c. *auxiliatur. Diureticum eſt inſigne.*

Balſam. Spleneticum. ℞ Fol. Rutæ, hederæ, Chamæmel. thymi, ā mi. contuſ. adde Fel bovinum, & Ol. ex pedibus bovinis ℔i. 🜄 vitæ ℥i. coq. per horam. f. colat. *Mira præſtat in Splenis doloribus, omnibuſq; frigidis doloribus.*

Balſm. Sulph. Antimonii. ℞ 🜍ris ♁ij. comuſtibilis, Salis 🜔ri ā ℥i. Sp. tereb. ℥iv. Digere ſimul ſ. a. *Ad ulcera ſordida, fiſtulas,* &c. *Doſ. ad gut.* x.

* *Balſ. Sulph. Aniſatum.* ℞ Fl. 🜍 p. 1. 🜖 Ani. p. 4. Digere donec ſolvatur 🜍, ut f. Balſam. rubicundum. *In Catarrhis pectoralibus, Tuſſi, Aſthmate, Phthiſi, Pleuritide, Colica, Peſte, Epilepſia, Apoſtematibus omnibus, putrefactionibus corporis,* &c. *valde proficuum. Doſ. ad* ℈*i.*

* *Balſ. Sulph. Bateanum.* ℞ Fl. 🜍 ℥i. 🜖 olivar. opt. ℥v. coq. l. △ (continuò agitando) ad

consist.Balsami. *Ad ulcera omnia tum interna, tum externa, efficacissimum. Dos. ad gut.* 20, & *ultra.*

Bals.Sulph.Benzoïnatum, f. ex Fl. 🜍,& ⊙ Benz.ut *Anisatum.Pulmonicum,ac Asthmaticum insigne est : & ad Catarrhos exiccandos maximè valet.*

Bals.Sulph.Knœphelii, f.ex Hepat. 🜍 ♋at. p. 4; ⊙ lini rec. p 3. ad crassitiem coctis, & cautè ex ♌ ♌atis; miscendo oleum (ab ▽ prius separatum) cum dimid. quantit. colcothar. ⊕li supra △em,& post refrigerationem ♌ando ex ♌ vitrea. Oleum quod extillat misc.cum quant.dimid. ⊙ Anisi,& Digere s.a. ut f. Balsam. *Balsamum est pulmonum præstantissimum consumens & exiccans. Catarrhis,Asthmati,Tussi,Phthisi,Colicæ*,&c. *subvenit. Promovet expectorationem, intercipit defluxiones ad articulos, ventositates præcavet ac discutit. Dos. à gt.* 4, *ad* 12.

* *Bals. Sulph. Minerale.* ℞ ⊙ Lini ℥x. 🜍 ♋at.℥ij.coq.leniter,continuò agitando, donec in mellis consist.devenerint. *Applicetur locis dolentibus & debilibus Podagræ super alutam vel linteum,renovando tertio vel quarto quoq; die*

Bals.Sulph.Rulandi. ℞ Fl 🜍 ℥i. ⊙ nucum vel rapar.℥vi.V.generoi.℥ij.macer.♁ 8,aliquoties agitando,& coq.leniter ad Vini consump

Anodynum

Anodynum eſt inſigne, maturativum ac digeſtivum in vulneribus partium nervoſarum. Auribus inditum dolores earundem tollit.

* *Balſ. Sulph. Succinatum*, f. ex Fl. 🜍 cum ⊙ Succini, ut *Aniſatum. Valet in Colica, &c.*

* *Balſ Sulph. Terebinthinatum*, f. ut ſuprà, cum ⊙ Tereb. v. *Vires Balſ. 🜍 Aniſati.*

Balſ. Tartari. ℞ ⊙ 🜕 p. d. ℥ix. crem. 🜕 Tart. ℥viij. Digere ac evapora ad ſiccit. affunde Sp. V. vel ✱, axtrahe inde Tincturam, filtra, & ad mellis conſiſt. abſtrahe ſ. a. *Præſtantiſſimum eſt adverſus Athritidem & Calculum, laxatq; alvum. Doſ. ad* ʒſs. *externè inunguntur partes dolentes. Confert. præterea in omnibus morbis chronicis ac obſtinatis.*

Balſ. Veneris, f. ex Lamin. ♀ cum Sp. Tereb. digeſtis ſ. a. ut f. Balſam. Viride. *Ad ulcera, vulnera, fiſtulas*, &c. *mundificanda apprimè conducit mixtum cum convenientibus.*

Balſ. Verum, f. ex Limacibus cum teſtis ſuis multúmque contuſis cum ā ſacchari candi, ut f. Balſam. *Ad foveas Variolarum.*

Balſ. Virilitatis. v. *Ung. Virilitatis.*

Bezoar Animale. ℞ C. C. ad ſummam albed. calcinat. & Tart. ℥iv. lævigа in pollinem ſupra marmor, affundendo guttatim Sp. 🜍li s. uſque paſta fiat. exinde fiant Globuli, qui ſtatim exiccentur. *Alexipharmacum, Sudorifi-*

 cum,

cum, & Vermifugum est. Fluxus alvi sedat, Sitim extinguit, &c. *Medicina est pro infantulis nulli secunda.*

* *Bezoarticum Joviale.* ℞ Reguli ♁ in ✠bulo fusi ℥iij. quibus adde ♃ Anglican. similiter fusi ℥ij, ut f.de novo Regulus : postea læviga & admisce ☿ti ℥vi. ℞a ex ♉ : Butyrúmque inde ℞atum cum Sp. ⊕i ternis ℞ationibus fige : postea calcina, & ignitum in Sp. V. extingue, & exicca : fit ♋ griseus. *Diaphoreticum est stupendum. Valet in omnibus matricis ægritudinibus, aliisq; mulierum morbis quàm plurimis. In Febribus, Peste, Scorbuto,* &c. *Dos.ā gr.iij, ad vi,* &c.

Bezoart. Lunare, f. ex ☽ in Sp. ⊕i solut. & Butyr. ♁ij. procedendo ut suprà cum Bez. Jovial. *Specificum est in Epilepsia, Convulsibus, Hemicrania, Apoplexia,* &c. *Anodynum est & sudorificum, optimè valet in curando Erysipelate. Dos.* ā *gr. vi, ad xij.*

Bezoart. Martiale, f. ex croco ♂ cum Butyro ♁ij. soluto : deinde figendo ut suprà, vel fit, solvendo ♂ ℥i. in ♒q.s. affundendo paulatim Butyr. ♁ ℥viij, & procedendo cum Sp. ⊕i. *Fluxus hepaticos, & alios potenter sistit: viscera roborat,* &c. *Dos. ad* ℈ß.

* *Bezoart. Minerale,* f. ex Butyr. ♁ ℔i. & Sp. ⊕ ℔iij, vel q. s. mixtis & ternis cohobii ℞atis

ꝶatis, ut in Bez. Jovial. vel, fieri pr ex ☉o ꝓts ☽i Bezoartici. *Magnum est Alexiterium saluberrimumq; Remedium, quod sudores promovendo magnos effectus monstrat in omnibus pestilentialibus & venenatis affectionibus. Dos. ā gr. vi. ad xij. & ultra.*

Bezoart. Mercuriale, f. eliciendo Tincturam ex Vitro ☿ ij. vitæ cum Butyro ♁ ij, & figendo cum Sp. ☽i ſ.a. *Insignis usus in Lue ♀.*

Bezoart. Saturni, f. Tincturam extrahendo ex vitro ♄ni (quod fieri.pt ex minio & ſilicibus) cum Butyro ♁ ij. non rectific. & cum Sp. ☽i figendo ſ. a. *Hystericum est. Conducit lienis affectibus. Dos. ad gr. vi.*

* *Bezoart. Solare*, f. ex Laminis ☉ in Sp. ☽i Bezoartico ſolutis, paulatim affundendo hanc ſolutionem Butyro ♁ ij, & procedendo ut ſupra. *Sudorificum est egregium. Usus est in Lue ♀, Peste, Podagra, Hydrope, Febribus, obstructionibus lienis*, &c. *Dos. ā gr. iij. ad viij.*

Bezoart. Veneris, f. Tincturam eliciendo ex ſquammis ♀ is cum Butyro ♁ ij. rectificato, & figendo per Sp. ☽i ſ.a. *Exhibetur ab aliquibus in Lepra, morbisq; capitis & cerebri. Dos ad gr. vi. Externè valet ad ulcera antiqua, fistulas, impetigines*, &c. *mixtum cum Unguento appropriato.*

* ***Bolus Alexiteria***, ſeu ***Cardiaca***. ℞ Fol.

angelic.melisf.cord.pimpinel.scabiof.ā mij.dracont.mi.Fl.calend.caryoph.hort. ā miij. xyloal. ℥ſs.Bac.Kerm.℥iſs.coccinel.ʒij. V. alb. ℔ij, vel q.s. macer.tepidè ℥ 24. f.expreſs. m. cum ℞ opt.♃at.℥viij.ut fiat inſtar pulmenti,☉e exiccand.Repet.opus 5 vicibus cum infuſ.dictâ : ultimò f.Troch.ſ.a. *Doſ.ā ℈i, ad ʒi in morbis malignis.*

Butyrum Amygdalinum. ℞ Amygd. dulc. largiſ. in ▽ frig. macerat. & decorticat. ℔i. contund. opt. in mortar. marmor. irrigando inter contundendum cum ▽Font. pauxillo. Tum adde ▽Font. q.s. ut craſſeſcat inſtar cremoris, coletur ſtrenuè, & l. △i imponatur ſæpe agitando, donec bullire incipiat. Tum adde (coagulandi gratiâ) ſucc.limon.℥i,& ſuſpende in panno ſatis ſpiſſo, ut ſeparetur Butyrum in panno relictum ab omni parte ſeroſâ ; quod condiatur cum ſaccharo & ▽Roſ. ad gratum guſtum. *Anodynum eſt Elegans. lenit, & maturat. ad tormina ventris infantulorum valde commendatur.*

Butyrum Ceræ, fit ex cerâ citr. in Sp. V. ſolutâ,& filtratâ, ut remaneat in charta inſtar Butyri. *Edulcatum atq; ad ʒi propinatum eximiè valet in Dyſenteria curanda.*

Butyrum Succini. v. *Balſ. Succini.*

C.

Calx Auri. (i. e.) *Aurum Fulminans.*

Calx Jovis, f. ex ♃ liquefacto, & rudiculâ ferreâ agitato, donec planè in Calcem abierit. Vel fieri pt ex ♃ in 🜅 soluto, 🝖ato, & edulcato f.a. *In utero strangulato specifica. Dos. ad* ℈ß.

Calx Lunæ, f. solvendo ☽ in 🜅, & 🝖ando per 🜄 salsam. Vel f. $\overline{aaa}$ mando cum ā ☿ij, adjectâ ⊖is 4tâ parte. Vel, cementando per 🜍atum, per ♉, per 🜂, &c. Vel reverberando per ♄ 8 cum ⊖, 🜂, ✳, &c. f.a. *Hysterica, Epileptica, Apoplectica,* &c. *habetur. Dos. ad* ℈ß.

Calx Saturni. (i. e.) *Plumbum ustum.*

* *Cardiacum Cœleste.* ℞ Sacch. albis. ℥xvi. 🜄 Borrag. ℥iv. coq. penè ad consist. dein bullientibus injice Fl. Borrag. recentis. ā nigris puncturis liberat. ℥vi, coquendo perge usque Flores torrescant. ab 🜂e remotis ad misc. Fol. Auri n°xvi, Amb. gris. gr. 24. *Cardiacum est Elegantissimum, Spiritus Vitales ac animales recreans, omnibus affectibus ex atra bile ortis eximiè conducit. In Melancholia hypochondriaca nulli secundum.*

Cardiacum Magnum. v. *Flos Cordialium.*

* *Caryophylli Odorati.* ℞ Styrac. Calam. labdan. ā ℥ij. Benz. ℥i. caryoyhyl. aromat. ℥ß. ἀνθεϱικῶν, ℥iij. f. ♓ subt. adde 🜄 gummosæ q. s. ut f. ⏀, ex qua fiant Caryophylli f. a. *Ad cubiculum ægrotorum fumigandum.* * *Ca-*

* *Cashew,* seu *Catechu.* ℞ ▽æ Japponic. ♃at. ℥iv. sacch. cand. alb. ℥ss. Stypter. glacialis gr. i. ambræ gris. gr. iv. mucilag. gum. tragac. in ▽Ros. extract. q. s. ut f. pasta: ex qua formentur Pilulæ oblongæ minutæ instar Muscerdæ. *Ad exiccandos catarrhos,& caput roborandum insigniter conducit, in ore sæpe retentum.*

* *Cataplasma Apoplecticum.* ℞ Rad. bryon. rec. ℥iij. Sem. sinap. sapon. nigr. ā ℥i. cantharid. ʒvi. contus. opt. adde ✠ opt. q. s. f. catapl. pro capite raso.

Catapl. Cephalicum. ℞ ♃ris caryoph. nuc. m. ā ʒij. Piper. Indic. ʒss. Diasinap. ʒvi. Ferment. acris ʒiij. Spts Lavend. comp. ℥iss, vel q. s. ut f. catapl. pro capite raso.

* *Catapl. Cynanchicum.* ℞ ♃ albi canis ℥i. pulp. cons. ros. r. ℥ij. Syr. de Mecon, q. s. m. f. Catapl. *Sub mento adhibendum ab aure ad aurem, post Phlebot.*

Catapl. ad Paronychiam. ℞ Vitell. ovi unius rec. adde resin. com. tenuissimè ♃rat. q. s. Bals. Peruv. gt. vi, vel viij. optimè misc. donec reducantur ad formam cataplasmatis, *applica loco affecto. Egregium est Medicamentum.*

* *Catapl. Pestilentiale.* ℞ Stercor. columb. ♃at. ℥iv. croc. ℥ss. Mithridat. Theriac. Lond. Sem. sinap. ā ℥i. Tereb. q. s. ut f. catapl. *Pro*

Pro Bubonibus rumpendis. Post ruptos Bubones Empl. adhibe ex Empl. de Mucilag. Diach. cum gum. & Stictic. ā ℥iſs. galb. ʒſs.

* *Catapl. Podagricum.* ℞ Melanoſmegmat. ℥iv. Vitell. ovor. nº2. croc. ʒi. ⊙ ſpicæ ʒi. m. f. Catapl. ſ. a.

* *Catapl. Soleare.* ℞ Fol. Rutæ rec. ℥ij. Rad. bryon. rec. ℥iv. ferment. acerr. Salis nigr. ſapon. ā ℥iſs. Muſtardæ ℥iij. contuſ. adde 🜊 q. s. *Pro plantis pedum, in febribus.*

Catharticum Cæſareum. ℞ Pulp. zz. condit. ℥ij. Reſin. Scammon. ℥i. confect. Alkerm. ʒſs. roſ. r. ♃ at. crem. □ ri, ā ʒij. ⊙ ſt. cinnam. gr. xx. Sp. ⊕ li gt. xvi. Syr. de zz. condit. q. s. f. Electuar. *In omnibus affectibus frigidis utile est & jucundum Catharticum. Corpus ſine moleſtia purgat. animum recreat. appetitum excitat. fœtorem oris & naſi emendat. Sanguinem rectificat. flatus diſſipat, & cruciatibus colicis mirè confert. Doſ.* ā ʒi, *ad* ʒij.

* *Caudela Amygdalina.* ℞ Cereviſ. opt. illupulat. ℔ij. Aq. font. ℔i. cinnam. acut. ℥i. coq. ad conſumpt. 3tiæ partis. f. colat. cui adde Amygd. d. largiſ. mundat. ſed non decort. contuſ. nº60. coq. parùm, & cola per cribrum exprimendo, adde ſacch. albiſ. duri ℥ij. f. Caudela. *Pro puerperis Diarrhœâ laborantibus.*

* *Caudela Nenupharina.* ℞ Rad nymph. ℥i. ichthyocol. c. c. raſ. ebor. ſant. alb. ā ℥ij. Rad. biſtort. ʒſs. dactyl. n° 4. orizæ coch. 2. coq. in cerviſ. illupul. ℔ſs. Aq. font. ℔i. ad conſumpt. 3tiæ part. f. colat. adde Vitellum cum album. ovi unius & ſacch. q. s. *Pro duabus doſibus. In abortu præcavendo, dorſi infirmitatibus, Gonorrhea, Profluvio albo,* &c. *Eximii eſt uſus. Detur bis in die.*

Cauterium Lunare. Solve ☽ p.i.in 🜄 p. iij. & evapora ad ſiccitatem. auge poſtea △em ad calorem fuſorium, donec ceſſant fumi, & ſtatim materiam funde in vaſcula ænea aut ferrea magnitud. convenientis. *Cauſticum eſt perpetuum, ſi ab aëre ſervetur. Tollit verrucas tangendo eas.*

* *Ceratum Album.* ℞ Ceræ albiſ. ℥iv. ⊙ amygd. amar. ℥v. Sperm. ceti puriſ. ℥i. ceruſſ. in 🜄Roſ. lot. ℥iſs. camph. ℥ſs. m. f. a. *Lenit, reſolvit, anodynum eſt. Cicatrices Exanthematum illitum, eas replet. Coſmeticum etiam eſt Elegans.*

Cereviſia Butleri. ℞ Beton. ſalv. agrimon cochl. hort. abſinth. Rom. ā miij. Rad. enul raphan.ruſtic. ā ℥iv. m. f. Sacculus in cereviſi non-lupulat.cong.iv. ſuſpendendus,cum lapide in fundo ſacculi. *Cephalica,Stomachica,Hepatica,Splenetica,Pulmonica,Diuretica,* &c. *Sanguinem*

guinem rectificat. fixos ac crudos humores reddit volatiles. Tartarum pulmonum renúmq; attenuat ac educit, Cachexiæ, Hydropi, Scorbuto, Melanch. Hypochondriacæ, Scabiei, &c. subvenit. Sit pro potu communi, aut saltem ter in die bibatur.

* *Cerevisia Catapsoras.* ℞ Fol. Senæ, ℥vi. mechoac. ℥iij. glyc. ℥iſs. sem. carui ℥i. Rad. oxylapath. ℔iſs. polypod. rubiæ tinctor. ā ℔ſs. Fol. Scabioſ. agrimon. ā miij. ♁ crud. craſſ. pul. ℔i. m. f. Sacculus pro cong. 5 vel 6 cereviſ. *Sanguinem purgat. Optimè valet in Pruritu, Scabie, aliisq; cutis fœditatibus curandis. Detur* ℔i. *(plùs minùs) bis in die per dies aliquot.*

* *Cerevisia Embryonum.* ℞ Raſ. ligni cotonei ℔i. ſant. alb. ebor. ā ℥iv. muſci roboris ℥ij. Rad. tormentil. ℥iſs. biſtort. ℥i. nuc. m. Sem. coriand. ā ʒvi. uvar. paſſar. ℔iſs. m. & ſuſpende in ſacculo in cereviſ. rec. cong. vi. *pro potu ordinario. Abortum præcavet, infirmum fœtum roborat, uteri ligamenta firmat.*

* *Cerevisia Hydropica.* ℞ Fol. praſſii. ling. cervin. Hepatic. abſinth. vulg. acetoſ. ā mi plenum. Incide, & poſtea in farina hordeacea obvolvantur: dein coq. in clibano. Tum paſtæ cum herbis in fruſtra fractæ adde ⊖ abſ. ʒij. ſuſpend. in ſacculo in cereviſ. rec. cong. iv. *pro potu commi. Multos curavit hydropicos.* * *Ce-*

* *Cerevisia Jovialis.* ℞ Limat. ♃ ℔i. sant. alb.ras.ebor.ā ℥iij. uv.pass.℔i.Fol.abs.Rom.ling. cervin.veron.agrim.ā mij.cort.aurant.℥ij. m.f. Sacculus,pro cong.iv. cerevis. rec. *pro potu ordinar. Uteri morbis peculiariter curandis inservit. Hepatica etiam est, & splenetica.*

Cerevisia Oxydorcica. ℞ Fol. rutæ, salv. verben. Euphrag. ā mi. millepedes vivas n° 400. Sem. fœnic.d.℥i. uv.pass.exacinat.℔ss. Indantur sacculo pro cong. iv. cerevis. rec. *pro potu ordinario. ad visus hebitudinem. Tern.*

* *Cerevisia Scorbutica.* ℞ Fol. cochl. marin. parùm siccat. ℔i. salsapar. ℥iv. sassafr. ℥i. nasturt. aquat. becabung. ā miij. salv. rubr. mij. caryoph.ʒiij. nuc. m.ʒvi. contund. & impone cong.v.cerevis. rec. cum frustulis ♂is ℥vi. in fundo sacculi. *pro potu communi.*

* *Cerevisia Scrophularia.* ℞ Sarsapar. ℥vi. lign.sanct.℥viij. cort.arbor.jugland. Rad. Scrophular.sassafr.ā ℥ij. Herb.Roberti mij. uv.pass. exacin. milleped. vivent.ā ℔i. m. f. Sacculus pro cong. iv. cerevis. rec. *Usus præcipuus in Strumis Scrophulosis, ficis & mariscis ani, cancrosis ac similibus serpentibus ulceribus, maligna scabie*, &c. *bibendo hanc cerevisiam pro potu communi, & purgando semel in septimana cum appropriatis.*

* *Cerevisia Vernalis.* ℞ Fol.Senæ ℥v. Rad. polypod.

polypod. qu. ℥vi. Rhab. Monach. oxylapath. ā ℥x. uv.corinth.℔i. glyc. Sem. fœnic. d. ā ℥iſs. raſ. ſaſſafr. ℥ij. Fol. ſalv. rub. agrimon. naſturt. aquat. cochl. marin. ā mii. m. f. Sacculus pro cereviſ. cong. v. *Eaſdem vires obtinet, quas Cereviſia Catapſoras.*

* *Ceruſſa Antimonii*, fit ex Regulo vice ♁ij. crud. comburendo, &c. ſ. a. v. *Vires Antimon. Diaphoret.*

Ceruſſa Martis, f. ex Regulo ♂is, omninò ut Ceruſſa ♁ij. Paratur etiam cum nonuplo ⊕o. *Diaphoreticum eſt inſtar Ceruſ. Antim.*

Chalcanthum Rubefactum, f. calcinando ⊕ ad rubed. *Maximè adſtringit, & deſiccat. Valet in Dyſenteriis, Hæmorrhagiis*, &c. *In evulſione dentis (ſi fluxus ſanguinis accidit) utiliter applicari pt cum aceto & linteo.*

* *Chalybs ſine Acido*, paratur humectando ♂ decies ⊖e abſinthii in ▽ cichor. ſoluto, & ſiccando in aëre ſicco ac tepido. Poſtea f. ♃ ſubt. *Potenter aperit obſtructiones. Doſ. ℈i, ad ʒß.*

* *Chalybs Tartariſatus.* ℞ ♂ mund. ☐ alb. ♃ at. ā ℥vi. ▽ fumar. q. s. f. ⌀ inſtar electuar. coq. in vaſe fictili in clibano (calore lento) ad ſiccit. f. ♃ ſubt. cui adde ▽ fumar. q. s. & coq. iterum ad ſiccit. Repet. opus ter. dein f. ♃ ſubt. ſ. a. *ex hoc fit Mars Potabilis.*

* *Cicera*

* *Cicera Tartari.* ℞ Tereb. Chienſ. opt. ℥ij. Acidi □ri ℥i. Spec. Diaireos ſimp. ⦶ præp. ā ʒij. m. f. ⌽ Pilularis. *Ad Podagræ præcautionem detur* ʒſs. *bis in die per menſes aliquot. v. Mynſicht.*

Cinnabaris Antimonii, fit ♎ando ☉ poſt ℞ationem Butyri ♁ij. relictum, & rectificando ſ. a. *Sudores movet copioſos. Valet in Podagra, Lue* ♀, *Epilepſia, Paralyſi*, &c. *Doſ.* ℈ſs. *ad* ℈i.

* *Cliſſus Portulacæ.* ℞ Succ. portulac. depurat. ℔viij. ſacch. alb. ℔i. clarifica, & coq. ad mellis conſiſtentiam. Eodem modo fieri pt. *Cliſſus Argentinæ, Beton. Farfaræ, Heder. ter. Prunell. Agrimoniæ*, &c.

Cliſſus Vitrioli. ℞ ⊖li ♂lis viridis ternâ ſolutione & cryſtalliſatione purificati, & ad flaved. calcinati q. v. Solve in ✠, filtra & cryſtalliſa, repetendo opus ad 3tiam vicem. calcina iterum ad flaved. & ℞a ex ♌ cum cohobatione ad ſiccit. Tum ℞a △e aperto donec Spts omnes extillantur, ex ☉ in aëre expoſito eliciatur Sal, quod crebrò ſolvendo, filtrando & cryſtalliſando depuretur. ℞ ⊖is hujus p. i. Sp. predict. part. 4. extrahe Tincturam digerendo per menſem. Deinde filtra ad uſum. *Noxios humores expellit per inſenſibilem tranſpirationem, Venerem ſtimulat,*

uterum

uterum roborat, ejus motus inordinatos sistit, & in utroq; sexu vim seminis ad generationem operatur. Dos. gr. 2, ad 4.

Colcothar Vitrioli. Nihil aliud est quàm ⊕ ad rubedinem calcinatum. Vel, ☉m post ♌ationem ⊙i ⊕li relictum. v. *Chalcanth, rubefactum.*

* *Conf. Aurantiorum.* ℞ Flaved. cortic. Aurant. recentis. minuti s. incis. ℔ß. contund. opt. cum sacch. alb. ℔i. in mortar. marmor. ut f. Cons. s. a. *Usus in Colica, torminibus ventris*, &c.

* *Conf. Hepatica Corallitana.* ℞ Fruct. cynosbati matur. à sem. & capillamentis exactè liberat. q. v. custodiantur simul in loco clauso per ♁ vi: deinde adjectâ V. Rubelli q. s. coq. ad mollitiem, & per setac. trajic. Pulpæ adde sacch. opt. ā, & ad unamquamque libram ♒Ros. rub. ℥iß. coq. in MB. ad mivæ consist. *Confert ad urinam cruentam, calculum, &c. Diuretica habetur. Potenter hepar refrigerat, & scorbutica est.*

Conf. Nicotianæ. ℞ Fol. Nicot. rec. ℔ij. styrac. cal. ℥ij. cinam. ℥i. sacch. ℥vi. mann. opt. ℔iß. contund. & insolentur ♁ 48. *Mira præstat in Asthmate & Catarrho suffocativo. Dos. ℥ß. quarta quoq; hora.*

Corpus sine Anima. ℞ Rad. irid. Florent. ʒiß. mosch. gr. iij. sacch. ℥vi. m. f. ♃. *Usus*

in

in tartaro pulmonum, Tussi, Asthmate, &c. *oris fœtorem tollit.*

Corvus Epilepticus. ℞ Corvum majorem deplumatum & evisceratum, abjectis pedibus & rostro, immitte in ventrem cor, jecur, pulmones, vesicam fellis, cum galang. & Sem. anis. ā ℥iv. coq. in vase terreo novo benè occluso & lutato cum pane domestico in clibano. post frigefactionem à lateribus separetur, & 2da vel 3tia vice fiat, cavendo tamen nè aduratur: dein f. ♃ s. a. *Dos.* ʒi. *quotidie in morbo comitali. Insigne Remedium.*

* *Cremor Hordei.* ℞ Hord. perlat. mundat. ℥iv. coq. (primâ ▽ â abjectâ) in ▽ Font. q. s. ad mollitiem. contunde opt. Hord. cum amygd. d. decort. n° 20, addendo ▽ hord. ℔iiss. f. express. fort. s. a. adde sacch. opt. ℥ij. ▽Ros. Dam. ℥iiss. ut f. cremor. *Diureticum est & Nutritivum, sitim in febribus extinguit.*

Crocus Jovis. Fiat āāā ex ♃ ℥ss. & ☿ij. ℥iss: à quo (evaporato ☿io) relinquitur crocus Jovis. *Sudorificum est magnum. Dos. à gr.* iv, *ad* x: *In Lue* ♀, *Podagra, Peste, Utero strangulato*, &c. *mirè valet. Usus externus ad ulcera inveterata, cancros, fistulas*, &c.

Crocus Veneris, fit reverberando ⊖lum ♀ is s. a. *Diureticus est, colicus, uterinus, Febrifugus. Dos.* ℈ss.

Cryſtallum Lunæ. v. *Vitriol Lunæ*.

* *Cryſtallum Minerale*. Solve ⊖ prunellæ in ▽ filtra & cryſtalliſa ſ. a. Si addas Sacchari ā, ante cryſtalliſandum, vocatur *Saccharatum. Putredini reſiſtit, ſitim ac æſtum in febribus compeſcit, tartaream ſaburram incidit, coagulatum ſanguinem reſolvit, dolores mitigat*, &c.

D.

* *Decoctum Album*. c. c. c. ♃at. ℥ij. ▽ Font. ℔4. coq. ad dimid. f. colat. citò per lineum rarum cum levi expreſſione. Liquori lacteſcenti adde Syr. de ſucco Aurant. ℥iij. vel q. s. m. *Ad ſitim extinguendam in febribus*, &c. *uſus eſt egregii*.

* *Decoct. Amarum*. ℞ Summit. Centaur. min. Fl. chamæm. Fol. agrimon. ā mſs. Sem. cardui ben. citri, ā ʒiſs. Fl. calend. p. ij. Rad. gentian. ʒij. Fol. Senæ, ʒvi. Rhab. ʒi. V. alb. ▽ Font. ā ℔i. coq. ad dimid. f. colat. *pro* 3 *vel* 4 *doſibus*.

* *Decoct. Amarum alterans*, fit omittendo purgantia.

* *Decoct. Ambroſianum*. ℞ Sem. milii panici contuſ. ℥viij. ▽ Font. ℔vi. coq. ad 3tiæ part. conſumpt. addendo ſub finem V. alb. ℥xij. poſt refrigerationem, f. colat. trajiciendo ſæpe per

per manic. Hipp. ad limpitudinem. Dicitur & *Syr. Ambrosianus. Detur inter sudandum sæpe* ℔ſs. *pro vice tepidè. Diaphoreticum est nobile. utatur in Hydrope, Arthritide vaga, Podagra, Febre maligna,* &c.

Decoct. Analepticum. ℞ Cancros fluviat. contuſ. n° vij. coq. in Vin. alb. & aq. f. ā ℥xij. ad med. colat. adde ſacch. cand. q. s. *Dentur coch.* 3 *ſæpius in die, in febribus hecticis.*

Decoct. Antimoniale. ℞ Lign. lentiſcin. Viſc. quercin. ā ℥vi. Fol. beton. mi. raſ. ſaſſafr. ℥i. ♁ crud. craſſ. ℞ at. in petia ligat. ℥ij. coq in 🜄 Font. q. s. ad ℔ij. f. colat. *Doſ.* ℥vi. *manè calidè ad ſanguinem mundificandum,* &c. *Ad Catarrhos, Scabiem, omneſq; impuritates confert. Liberat corpus ab omnibus humoribus noxiis.*

Decoct. Antiphthiſicum. ℞ Cancros fluviat. n° xij. Rad. Enul. ℥ij. ireos Florent. conſolid. major. ā ℥i. glyc. ℥ſs. Fol. alchimil. heder. ter. milleſol, plantag. min. veronic. pulmonar. macul. ſemperviv. maj. a mij. conſ. roſ. r. ℥vi. coq. in 🜄 Font. q. ſ. ad ℔vi. colat. clarif. cum album. ovor. adde Sp. 🜁 q. s.

* *Decoct. Aſtacorum.* ℞ Aſtac. fluv. n° 20. Rad. ariſtoloch. rot. ℥ſs. ſymphyt. maj. ℥i. Fol. ſanicul. alchimil. bugul. agrim. heder. ter. beton. ā mi. coq. in 🜄 Font. ℔vi. V. alb. ℔ij. ad conſumpt. 3tiæ part. adde Syr Limon. & Sp. 🜁 q. s. m.

q.s.m. *Pro Vulneribus pectoris*,&c. *Dos.*℥vi.*bis in die 4 horis ante pastum: & plagulis isto instinctis tege bis in die. Mirum in deploratis.*

* *Decoctum Digitalis.* ℞ Fol. rec. Digitalis ℥4,vel mij.uv.corinth.mundat.℥ij. contus.adde cerevis.non-lupulat.℔ij.coq.ad dimid.f.express. fortis. *Pro vomitorio in Epilepsia,* &c.

Decoct. Diureticum Augenii. ℞ Rad. apii, petroselin.ā mi. rubiæ tinctor. ℥ss. spicæ,adianth.cuscut.agrim.cicer.rub. ā mss. Rad. Asari ℥i. calam.arom.℥ss. sem. anis. apii, petroselin. fœnugræc.dauci,carui,ā ʒij. melon. cucumer. ā ʒiij. coq. in ▽Font.℔vi. ad consumpt. ℔ij. f. colat.adde sacch.q.s. *datur in urinæ difficultate, Dos.* ℥vi. *pro vice.*

Decoct. Dysentericum. ℞ Trium panum corticem inferiorem.coq.in aq.font.℔vi. ad ℔i. in qua infunde per duas horas caryoph. contus. ʒij.colat.adde vin.claret.℔i. sacch. albis. q. s.

* *Decoct.Ictericum.* ℞ sterc. anser.ras. ebor. ā ℥i. chelidon.cum toto, ling.cervin. Fl. hyperic.ā mij. croc. ʒss.V. alb.▽Font.a ℔ij. coq. ad dimid. f. colat. adde sacch.alb. q.s. & clarifica cum album. ovor. *D.* ℥v. *bis in die, præmissis præmittendis.*

* *Decoct.Limacum.* ℞ Limac. hort. è testis suis exempt. mundat. nº xij. Neogalact. vaccæ rubræ ℔ij. coq. ad dimid.colat.adde ▽Ros. ℥i.

℥i. facch.cand.℥ſs. m. f. hauſtus, *omni manè ſumendus per totum menſem Maii.*

* *Decoct. ad Morſum Canis rabidi.* ℞ Fol. rutæ ℥vi. Rad.allii, Theriac.Lond.ā ℥4.Limat. ♃ ℥4.cereviſ.illupulat.veter.℔iv. coq.ad conſumpt.dimid. & macera. *Sumat Æger morſus de colatura coch.*vi. *bis in die per* ♁ ix. *contin. & applic. magma loco affecto.*

* *Decoct. Pacificum.* ℞ ⊖ □ri cum ⦶ fact. ℥viij. Fl. pap. rhœd.rec.Bacc. junip. Rad. Helleb. nig. ā ℥viij. ▽æ Bened. ſimp. ℔viij. coq. l. △. (vaſc. opt. clauſo.) per ⅍24. poſt refrigerationem f. colat. per manic. Hipp. *Dentur coch.* 3 *hora ſomni, & coch.* 5 *manè quotidie cum Leucæno ſaccharato.*

* *Decoctio Polychreſta.* ℞ Rad. polypod. qu. ℥iij. cichor. ℥ij. rhab. Monach. ℥vi. Fol. ſenæ ℥ij. ſem. fænic. d. glyc. ā ℥i. uv. paſſ. exacin. ℥4. coq. & infund. ſ. a. in ▽ Font. per hor.4. colat.℔ iſs, adde ſucc. cochlear. marin. depurat.℥viij. Sacch.rub. mann. ā ℥iij. clariſ. cum album.ovor. *D.* ℥4. *ad* 8 *ſing. auroris, ad ſanguinem purgandum*, &c.

Decoct. Præſervatorium. ℞ V. Malvat.℔iij. rutæ mi. zz. macropiper.inciſ.ā ʒij. nuc.m.ʒi. coq. ad conſumpt.3tiæ part.f.colat.adde Theriac. Androm.ʒij. Mithridat. ʒi. ▽æ Angelic. fort. ℥4. m. *Doſ. coch.* 1. *ad præſerv. à Peſte, & coch.* 3 *pro vice in cura.* *Decoct.*

Decoct. ad Rachitidem. ℞ Rad. polypod. qu. apii, fœnic. ā ℥i, glyc. aniſ. ā ℥ſs. Fol. linguæ cerv. capil. ven. cuſcut. beton. chelidon. tamariſc. ā mi. uvar. corinthiac. cærul. ℥iv. coq. in Hydrocrith. ℔iv, ad dimid. f. colat. *Dentur coch.* 2, 3, *vel* 4, *pro vice, bis vel ter in die: interim purgando ſemel in ſeptimana cum Syr. de Cichor. cum Rhab.*

Decoct. Rubiæ Tinctorum. ℞ Rad. Rubiæ tinctor. ℥ij. aniſ. glyc. ā ℥ſs. coq. in hydropeg. ℔iv. ad dimid. f. colat. Doſ. ℥iv. bis in die per ♁ 20. *In faciei Rubore, Puſtulis,*&c. *curandis præſtantiſ. remedium.*

Decoct. Rubicundum. ℞ C. c. c. ℥i. coccinell. integr. ʒſs. coq. in 🜄 Font. q. s. ad ℔iſs. colat. adde Aq. cinnam. hord. ℥iſs. ſacch. albiſ. q. s. *Detur hauſtus frequenter in Variolis, Morbillis,* &c.

* *Decoct. Reguli,* fit coquendo Regul. vel Pocul. ♁ij. ℔ſs. (plus minùs) in V. alb. ℔iſs. ad conſumpt. 3tiæ partis. *Pro vomitorio.*

* *Decoct. Rhabarbari.* ℞ Rhab. ʒii. uv. corinth. contuſ. ℥4. Rad. acetoſ. ℥iij. Sem. fœnic. d. ʒi. coq. in 🜄 Font. ℔iij. ad ℔ij. colat. adde ſacch. alb. ℥i. clarif. ſ. a. *Doſ.* ℥4. *ter in die in Rheumatiſmo,* &c.

* *Decoct. Scorbuticum.* ℞ conos abietis no4. incide unumquemque in part. 4. adde Fol. tritici

tici virefcent, ℥ij. liquor. p. fl̄èt. cum vino albo fact. ℔iij. coq. ad ℔ij. colat. frigidæ adde Sp. cochlear. ʒſs. Syr. de aurant. de pomis alter. ā ʒiſs. m. *D.* ℥4. *bis vel ter indies.*

* *Decoct. ad Sitim.* ℞ Fol. acetof. mij coq. in ▽ Font. q.f. ad ℔s. colat. adde fuccum 12 limonum, V. Rhen. ℔ij. facch. alb. ℥iv, vel q.s. ut f. gratiffimum. *Bibatur ad libitum. Empiricus quidam hujus gratiâ mirè celebris evafit.*

Decoct. ad Strumas. ℞ Geran. Robertiani, becabung. ā miij. urticæ mort. mvi. glyc. anif. ā ℥i. uv. paff. ℥iv. fenæ ℥iij. cartham. ʒij. agaric. ʒvi. Hydropeg. ℔viij. infund. & coq. ad ℔iv. *D.* ℥iij. vel 4 *ter in die, & præterea bibat (omiffis purgantibus) pro potu com. interim adhibendo locis affectis unguent. Digitalis.*

Decoct. Traumaticum. ℞ Summit. hyperic. veronic. utriufq; vincæ pervincæ, agrimon. ā mij. Rad. chinæ, fymphyt. fantal. alb. lign. nephritic. ā ℥i. dactyl. incif. n° xxx. glyc. ʒifs. Infund. per hor. xij. in Aq. Calcis q. f. colat. ℔iv. adde Syr. de Pilofell. è fucco Elatin. ā ʒj. fervetur loco frigido. *Dof.* ʒiv. *horis medicis.*

* *Decoct. ad Tuffim.* ℞ Fol. cynoglof. m4. hyffop. cap. ven. tuffilag. ā mi. anif. glyc. ā ʒvi. coq. in ▽ hord. ℔vi. ad ℔4. colat. adde facch. cand. q.s. *Dof.* ʒ4. *ter vel 4ter in die.*

* *Decoct.*

* *Decoct. Ulmi.* ℞ cort. interior. ulmi rec. ℥4. coq. in 🜄 font. ℔iij, ad dimid. colaturæ rubicundæ (instar V. Rubelli) adde Syr. de Rubo Idæo, & de moris ā ℥iss. m. f. gargaris. Elegantiss. *Optimè valet in linguæ asperitate, aphthis, omnibus oris calidis affectibus & ulceribus cujuscunq; generis. Pro potu communi cum pauco leucœni liberavit ab Elephantiasi, & Lepra Græcorum. Graveolentissimos movet sudores.*

* *Dentifricium Dominarum.* ℞ cryſtall. præp. ʒiss. 🜍ris laterum, Lap. pumic. ā ℥ss. oss. sepiæ, corall. utriusque ā ʒij. margarit. caryophyll. ā ʒi. mosch. gr. 4. m. f. 🜍 subt. cui adde Rhodomel. q. s. ut f. pasta mollis. *Aliter.* ℞ 🜍ris laterum ℥i. Sp. 🜂ris q. s. ut fiat pasta : cui exiccatæ adde 🜍ris 🜔ri ʒvi. panis cremat. ℥ss. m. *Pro dentibus fricandis, colluendo os cum vino.*

* *Dentrificium Infantum.* ℞ Butyr. rec. ℥i. Anaphromelit. ʒvi. corall. rub. præp. ℥ss. f. mixtura s. a. *Quâ fricentur gingivæ bis vel ter in die, ad Dentitionem facilitandam.*

* *Dentifricium Scorbuticum.* ℞ 🜔is cochlear. macis, ā ʒi. Salv. ℈iv. ☉nis ust. ʒij. 🜔 decrep. ℈ij. f. 🜍 subt. cui adde Rhodomel. q. s. f. mixtura : *Pro dentibus fricandis ante usum Lotionis seq.*

* *Denti-*

* *Dentilavium Scorbuticum.* ℞ Rad.bistort. Sem.cochlear. ā ℥ij. O ʒi. mastich ℥iij. coq. in ▽ Font. q. s. ad ℔i. colat. adde Rhodomel. ℥ij. m. f. lotio.

* *Diachylon Odoratum.* ℞ Emp. Diachyl. simp. ℔iij. ♃ris Rad. irid. Florent. ℥iij. ⊙ stil. Rhod. ʒss. mosch. gr. iij. m. s. a.

Diacreta. ℞ Cretæ albis. ▽â Viol quater lotæ, ℥i. glyc. Sem cydon. ocul. 69. ā ℥ss. nuc. m. Lap. carpion. ā ʒij. margarit. coral. r. à ʒss. croci, macis parùm torrif. ā ℈ss. m. f. ♃ subtilis. *In Ardore stomachi mirè valet. dolorem sistit, & causam hujus mali tollit. Dos. ʒi.*

* *Diapalma Odorata.* ℞ Emp. Diapalm. (cum Ung. Oleoq; Rosato, loco Axungiæ & ol. olivar. fact.) liquat. ℔iij. ⊙ stil. Rhodii ʒij. m. s. a.

Diatartarum. ℞ Res. Scammon. ☐ ⊖ lat. ā ℥i. turpet. hermodact. ā ℥ss. ⊙ cinnam. & caryoph. ā gt. xij. m. f. ♃. *Dos. ℈i, ad ℈iv.*

* *Diatessaron Potabile.* ℞ Sp. V. Gallici ℥iv. Succ. limon. ℥ij. Syr. Viol. ℥v. Hydropeg. ℥xij. m. f. Julap. gratum, *ante paroxysmos febriles bibendum.*

* *Diatrachia.* ℞ Arter. asper. (Wind-Pipes) ovium mundat. & in clibano siccat. ℥iv. Arter. asper. Capon. similiter præp. ℥iij. ras. ebor. priap. Tauri, cervi. & Hippopotami ā

ʒij.

℥ij. Dent. Hippopot. ℥iſs. m. f. 🜔 ſubt. adde Rhodoſacch. ℥viij. m. *D.* ʒi *ter in die cum Syr. de Symphyto. Ad urinæ incontinentiam maximè valet.*

E.

* *Elæoſaccharum Cardiacum.* ℞ ⊙ chym. nuc. m. ʒiij. ⊙ cinnam. ʒi. ſacch. opt. ℥xviij. m. fiat. 🜔 ſ.a. *Ad edulcoranda Julapia,* &c.

* *Elæoſacch. Carminativum,* f. ex ⊙ chym. chamæm. gt. xxiv, ſacch. albiſ. ℥xij. m.

* *Elæoſacch. Fœniculi,* f. ex ⊙ ſtil. Sem. fœnic. d. gt. 40. Sacch. albiſ. ℥xij. m.

* *Elæoſacch. Nuciſtæ,* f. ex ⊙ ſt. nuc. m. ʒi, ſacch. albiſ. ℥xij. m. *Detur* ʒi *ſæpe urgente ventris inflatione.*

* *Elæoſacch. Saſſafras,* f. ex ⊙ ſt. Saſſafr. ʒij, ſacch. albiſ. ℥vi. m.

* *Electuarium Album.* ℞ ceruſ. ♄ij. iv. ſacch. albiſ. ℥xij. m. f. 🜔 : cui adde Syr. de Radic. Eryngii ℥iv, vel q. s. ut f. Elect. albiſſimum. *Doſ.* ʒij, *vel* iij *bis in die, augendo quantitatem quotidie gradatim ad* ʒvi *pro vice. Sanguinem purificat. Datur in Cachexia, Hydrope, Ictero, Scorbuto, Lue* ♀,&c.

* *Elect. Asthmaticum.* ℞ Flo. △ ℥iij. cinnam. ʒi. zz. ℈iv. croc. ʒij. mosch. gr. vi. mell. despumat. ℥vi, vel q. s. m f. Elect. *D.* ʒiij *bis in die.*

* *Elect. Caryophyllatum.* ℞ Conf. caryoph. hort. ℥iv. Conf. rof. r. ℥vi. Syr. de cort. citri ℥ij. contuf. opt. trajic. per fetac. & adde Arom. Rofat. ʒiij. caryoph. Indic. incif. ʒiij. Ambr. grif. ℈ſs. m. f. Elect. *Usus est egregii in Anorexia, ventriculi dolore*, &c. *Dof.* ʒi, *ad* ij, &c.

* *Elect. Castitatis.* ℞ Sem. vitic. hyoscyam. ā ʒi. camph. ʒij. glyc. ℈iv. m. f. ♃. adde Conf. Fl. nymph. ℥iij. Syr. de Nymph. q. s. f. Elect. *D.* ʒij. *vel* iij *bis in dies, superbibendo Serum chalybeat. & inungendo interim Renes, ac testes oleo Sem. Hyofc. expreff.*

Elect. Chalybeatum. ℞ ♂ præp. ℥i. ♂ mundat. ℥ſs. Pulp. paſſular. minor. ℥xij. ol. cinnam. vel caryoph. gt. 40. m. ſa. *Datur utiliter in Chlorosi, Hydrope,* &c.

* *Elect. Diarrhodi.* ℞ Spec. Diarrhod. Abbat. ℈iv. Mivæ Berber. ℥iij. facchar. alb. in ▽ Fragor. folut. ℥iij. m. f. Elect. *Dof.* ʒiij *bis in die, superbibendo haustum feri de fedo.*

Elect. Ducis Sabaudiæ. ℞ Sarſaparil. ℥iij. Sem. ebuli ℥vi. Sem. hyperic. Fol. chamædr. chamæpit. ā ℥iij. Rad. angelic. ʒiij. ariſtol. rot. ʒvi. cinnam. ʒiiſs. caryoph. ℈iv, croci ℈ij, m. f. ♃ fubt. & cum mell. deſpumat. triplo f. Elect. *D.* ʒiij *per*

per annum totum, quotidie. Ad Arthritidem curandam optimum remedium.

* *Elect. Epilepticum.* ℞ Sterc. albiſ. Pavon. ſiccat. Rad. pæon. mar. ā ℥ij. Rad. Valerian. ℥i. ſem. pæon. excort. ℥iij. carui ℥ſs. m. f. ♃ : cui adde Mel. Anthoſat. q.s.m. *Doſ.* ʒij, &c.

* *Elect. Juniperinum.* ℞ Bacc. junip. ſucculent. contuſ. ℔i. infund. in 🜄 Font. ℔ij. per ☧ 3. f. colat, adde ſacch. opt. ℔i. coq. ad Syr. craſſior conſiſtentiam. Tum adde Elect. è Saſſafr. ℥iv. calam. arom. ♃ at. ʒiſs. macis ʒi. croc. ℈ij. m. ſ.a. *Diureticum, Stomachicum,* &c.

* *Elect. Lithontripticum.* ℞ Tereb. Ven. ℥ij. vitell. ovor. n° 2. exactiſ. mixtis adde ♃ ris ſem. bardan. milii ☉is ā ℥i. Alkekeng. ʒiij. lap. Judaïc. ʒvi. Syr. de Alth. q.s.m. *Doſ.* ʒij *bis in die (præmiſſis præmittendis) ſuperbibendo Aq. Senel. comp.* ℥iv. *cum Syr. de Alth.* ℥i.

Elect. Macis. ℞ Macis in Oxyrrhodino per 24 hor. infuſ. & exiccat. ℥i. Sem. citri, cardui, lign. vitæ, ā ʒiſs. fiat omnium ♃ ſubtiliſ. cui adde Spec. Liberant. ʒi. cort. citri condit. ℥i. Theriac. Androm. ʒiij. Conſ. Borag. & Lujul. ā ℥ij. Syr. Lujul. q.ſ.f. Elect. *Uſus eſt in Peſte, ac morbis malignis.*

Elect. Oxydorcicum. ℞ Succ. Rutæ & chelidon. depurat. ā ℥4. mell. opt. ℔i. coq. deſpumando ad debit. conſiſt. deinde adde ♃ ris ſummit.

mit.euphrag.(nigris ſurculis) ℥ij.ſem.fœnic.d. ʒvi.cinnam.cubeb.caryoph.macis,macrcpiper. ā ʒi.m.f.Elect.ſ.a. *Ad viſum acuendum inſigne eſt Remedium. Doſ.* ʒiii *bis in die.*

* *Elect. Paralyticum.* ℞ Sem. ſinap. ſiccat. & pul. ℥v. ſem naſturt. ℥ij. Syr. de ſucco ſalviæ ℔i, vel q. s. f. Elect. *D.* ℥ſs. *quotidie per menſes aliqt. Optimum remedium.*

* *Elect. Pectorale.* ℞ Pulp.uv.paſſar.exacin. Pulp.conſ.roſ.r.Syr.Capill.ven. ā ℥4. ſacchar. cand.♃at.℥iij. Spec.Diatrag.frig. ℥ſs. Sp. 🜍 gt. 25. m. f. Elect.

* *Elect.Piperinum.* ℞ Piper. l. minutiſ.inciſ. ℥iſs. ♃ fol. rutæ ℥ſs. ♉ ʒv.Ther.Januenſ.℥xij. m. *In colica, ventriculi dolore,*&c. (*poſt varia incaſſum uſurpata*) *ad miraculum hoc præſtitit.*

Elect. Vermifugum. ℞ Fol. helleboraſtri ♃at ℥ij. Anaphromel. ℥vi. m.ſ.a. *Ad lumbricos necandos & educendos certiſſimum eſt remedium. Doſ.* ā ℈iv, *ad* ʒij.

Elixir Camphoratum, f. ſolvendo camph. ℥ſs,in Pyrœni croco tincti ℥vi,ſ.a. *Utiliſſimum eſt in peſte, tum præſervando, tum curando. item, in paſſione hyſterica. Doſ.* ℈i.

* *Elixir Propriet. Dulce*, fit ex myrrh. aloës,croc.ā ʒi. Alcoh. v. ℥viij, *maceratis filtratiſq; ſ.a. Uſus eſt proficui in morbis malignis, hypochondriacis, uterinis ; ſtomachi cruditate,* &

& indè appetitu imminuto. Extrinsecus ulceribus sordidis mundificandis inservit.

· *Elix. Prop. Pestilentiale*, f. ex myrrh. aloës, croc. ā ℥ſs, Sp. c. c. ℥ij, unitis cum Alcoh. v. ℥iv. digestis & filtratis ſ. a.

Elix. Prop. Tartarisatum, f. ex myrrh. aloës, croc. ā ℥i, Tinctur. ⊖is ♀ri ℥xij, digerendo filtrandoq; ſ. a.

Elix. Salutis. ℞ Fol. Senæ ℥iv. Lign. ſanct. Rad. Enul. ſicc. ſem. aniſ. carui, coriand. glyc. ā ℥ij. uv. paſs. exacin. ℥viij. ▽ Vitæ ℔vi. macer. in frig. per ♄ 4, dein. f. colat. per manic. Hipp. Sunt qui addunt Sal. ♀ri, Rhab. Scammon. &c. *Doſ. c.* 1, 2. *h. ſomni &* 3, 4. *manè.*

Elix. Vitæ. ℞ Nuc. m. macis, cinnam. opt. ā ℥i. caryoph. ℥ſs. Flaved. cort. aurant. & citri, ā ʒiij croc. opt. ℥ij. Pyrœni ℔iij. Digere ac filtra ſ. a.

Elix. Vitrioli. ℞ Cinnam. zz. caryoph. ā ʒiij. calam. arom. ℥i. galang. ℥iſs. Fol. ſalv. menth. criſp. ā ℥ſs. cubeb. nuc. m. ā ʒij. xyloal. cort. citri, ā ʒi. f. ♋ adde ſacch. cand. alb. ℥iij. Sp. V. ℔iſs. ⊙ ⊕li ℔i. extrahe Tincturam digerendo per ♄ 20. ſ. a. deinde filtra ad uſum. *Stomachum ac intestina maximè confortat, & appetitum excitat. ab Epilepſia & Apoplexia præſervat. Cerebrum purgat. Caput, totúmq; corpus multis phlegmaticis catarrhis repletum*

 exiccat,

exiccat, illudq; à dolore mirè tuetur. Dos. ℈ſs, *ad* ℈i.

* *Elleborus albus præp.* fit affundendo Rad. ♋at. ▽am Sptu ⊖li impregnatam diſſolutionis coralliorum : macerando per ♉ 24, & exiccando. Repet.opus ter. *Dos.*ā ℈ſs,*ad* ʒſs.

* *Emplaſt.Adhæſivum.* ℞ Diachyl.ſimp.Diapalm.ā ℔i.pic.Burgund.& Sarcocoll.ā ℥iv.tereb.ʒvi.vel q. s. m. ſ. a. *Pro Fontanellis apertis ſervandis, & tutandis ab inflammatione.*

* *Empl.Burgundicum.*℞ Pic.Burgund.℔i.♋ caryoph.ʒx.⊙ ſtil.piper.ʒiij. m.ſ.a. *In Cephalalgia,Opthalmia,Catarrhis,Vaporibus,*&c. *humeris & nuchæ applicatum uſus eſt inſignis.*

Empl. Camphoratum. ℞ Camphor.℥iſs.Balſ. de Tolu,℥i.galb.colat.℥vi.m. *Uſus eſt in uteri ſuffocatione, vertigine,* &c. *umbilico adhibitum vires & habet Emp. Diagalb.*

Emp. Catarrhale. ℞ Taccamah. carann. ā ℥iſs.Emp.de Beton.℥iij. ♋ ſuccin ℥i. caryoph. ℥ſs. cort. ſaſſafr. & Winter. ā ʒij. Balſ. Peruv. q. s. m. f. ⏀. *Pro capite raſo.*

* *Empl. Diagalbani.* ℞ Galb. ✠ præp. ℥xij. ceræ ℥viij. tereb. ℥v. m. ſ. a. *Tophos,nodos,ſcrophulas,ac tumores duros,digerit,emollit,reſolvit, eorumq; dolores ſedat. Verrucas & clavos pedum tollit. Nervos ac uterum roborat.*

Empl.Diaſulphuris Rulandi. ℞ Balſ. 🜍 ℥iij. ceræ

ceræ ℥ſs. colophon. ʒiij. liquatis adde myrrh. opt. ♃at. ℥iijſs. coq. ſ. a. *Curat omnis generis ulcera, & vulnera quæcunq; infallibiliter.*

Empl. Epiſpaſticum. ℞ Pic. Burgund. ℥xviij. ol. olivar. ℥ſs. liquatis adde cantharid. ſubt. pul. ℥iv. ſem. Ammeos pul. ʒij. f. maſſa admodùm adhæſivum.

* *Empl. Febrifugum.* ℞ ♃ gum Lentiſc. ʒvi. aloës ʒij. Æ ℥iij. Euphorb. ſtaphiſagr. Bacc. lauri, fœnugræc. hyali Venet. ā ʒij. fuligin. ex ligno contract. ⊖is nigr. ā ʒiſs. tereb. ℥iij. vel q. s. m. f. Empl.-⏀ ſ. a. *Carpis adhibitum horis 3 vel 4 ante acceſſionem paroxyſmi, ſæpe curat Tertianas, aliquando etiam Quartanas.*

Empl. Hæmorrhoidale. ℞ Litharg. ☽æ ℔i. Axung. ℥i. vel q. s. contund. opt. ut f. ⏀ convenienter dura, pro Empl. Fieri etiam pt *Suppoſitoria* ex eadem ⏀ ſ. a.

* *Empl. Laterale.* ℞ Fl. △ ℥v. Rad. irid. Flor. ℥ij. caryoph. ℥ſs, cumin. ℥iſs. ♃atis adde Picis naval. & Burgund. ā ℥iv. tereb. ℥iij. ⊙ſt. carui, Rhodii, ā ℈iv. m. ſ. a. *In doloribus pleuriticis multùm facit, præmiſſâ phlebotomiâ.*

* *Empl. Mammillare.* ℞ Sperm. ceti ℥i. ceræ alb. ℥ij. galb. ✠ præp. ℥ſs. ol. Samb. q. s. *In omnibus mammarum tumoribus, imò ſcrophuloſis, lacte concreto, œdemate, &c. nil huic æquale.*

* *Empl. Nuchale.* ℞ Gum. Elem. tereb. ā ℥ſs.

olib. maſtich.gum. tragac. ā ʒiij. ℞ ℥iſs.ſem. pſyll.myrti,balauſt.ā ʒi.Euphorb.℈i. ſuccin.ʒij. Pic. Burg.℥viij.carann.ʒx. ⊙ caryoph. Balſ. Peruan.ā gt.vi. m. f. 🜔 ſ. a. *Ad Odontalgiam tollendam pone aures applica. Ad defluxiones in oculos, Opthalmiam,* &c. *nuchæ adhibe.*

* *Empl. Opiatum.* ℞ Diachyl.magn.℥iv. ☿ viv.℥ij.opii ℥i. m. ſ. a. *Ad dolores arthriticos & venereos mitigandos eximiè conducit.*

* *Empl.Paralyticum.* ℞ ♋ Lumbricor.℥iv. calam.arom.℥iſs. galang.ʒvi. mellis q. s. f. Empl. *pro membris affectis, nulli ſecundum.*

Empl. Podagricum. ℞ Opii, Sapon.Ven. ā ℥ſs. Emp. Diachalcit. ℥j. m. ſ. a.

Empl. Saturninum. ℞ ♄ni alb. ℥iv. cretæ alb.℥ſs.myrrh.ʒij.ā ā ā(ex p.ij. ☿,& p.j. ♄ni) ʒvi. Axung. veter. q. s. ad formand. Empl. in mort. calido duræ conſiſtentiæ. *Vlcera calloſa & maligna, imò peſſima unâ ſolâ admotione curat, abluendo ea primò (ſi ſordida ſint) aqua ſolutionis Lap. Salutis, mox Empl. in alutam ſat ſpiſſè extenſum admoveatur ulceri, & (ſi opus ſit) Emplaſtro Diachalciteos contineatur, ſuperinducta faſcia lanea ſatis ſtricta, neq; removeatur ante 15 dies.*

* *Empl.Scorbuticum.* ℞ Fl.Hyperic. Fol. Piloſell. Veronic.mar.cochlear. marin. ā mii.abſinth.com.mi.coq. in ⊙ Roſ.℥vi. ad herb.putrilag.

trilag. expressioni adde sevi cervin. ceræ, Rhodomel. ā ℥iſs. Fl. Tritici ℥i. m.ſ.a. *Confert ulceribus & tuberculis Scorbuticis.*

* *Empl. Smecticum.* ℞ ♄ni rub. ℔iſ. ⊙ ℔ij. ſapon. alb. ℥iv. ceræ ℥ij. coq. ſ. a. *Detergit ac resolvit. Dolores dorsi & juncturarum compescit. contusiones dissipat. Dolores sublevat podagricos. Abortum præcavet feliciter dorso & umbilico adhibitum, & continuò gestatum.*

* *Empl. Soleare.* ℞ Sevi ovill. ℥iv. pic. naval. resin. ā ℥viij. thuris ʒxij. ♃ croc. ʒſs. caryoph. mac. ā ʒvi. cumin. ʒiſs. labdan. ʒvi. m. ſ. a.

* *Empl Spasmicum.* ℞ Picis naval. ℥iv. castor. Ol. costin. ā ℥i. m. f. ⏀ *Titulus vires indicat.*

* *Empl. ad strumas.* ℞ Emp. è cicuta cum ammon. ʒiv. gum. elem. ʒſs. ☿ corrosiv. ʒx. m. *scrophulis & strumis medetur.*

* *Empl. Synanchicum.* ℞ Alb. canis ♃ at. ℥vi. mellis crud. ʒviij. Fl. tritici. ʒiiſs. ceræ ʒiv. ⊙ Rof. ʒvi, vel q.s. ut f. empl. ſ.a. *Adhibeatur jugulo & colli partibus post aures ubi dolor.*

Empl. Tibiale. ℞ ♀ ʒij. ſolve in 🜄 ʒij. adde Axung. porcin. ʒ4. coq. in Vaſe fictili, continuò agitando rudiculâ ferri, ad consist. Empl. mollioris, & exhalationem humiditatis. Tum adde ceræ fl. ʒi, ♃is mastich. & oliban. ā ʒiij. m. f. ⏀ ſ. a. *Ad nodos*, &c. *in Lue* ♀.

* *Empl. Vermifugum.* ℞ ♃ aloës ʒi. colo-

 cynth.

cynth.myrrh. ā ʒiij. Fol. ſabin. rutæ, abſinth. tanacet.jugland.Rad. bryon.ā ʒij. ceræ, reſin.ā ℥iv. ⊙ Rutac. ℥ij. m. f. ⌽ ſ. a. *Pro umbilico. Vermes enecat ac educit.*

**Emulſio de Avellanis.* ℞ Nucl. Avellan. nº 40. ſem.cannab.pepon.& melon. ā ℥i. portulac. ʒvi. amygd. d. decort. nº viij. contuſ. adde ▽ lact. ſimp. ℔iiſs. ▽Roſ. rub. ℥iv. ſacch. cand. ℥ij. f. expreſſio. *Doſ.* ℔ß. *bis in die cum priapi cervi* ʒi, *ad Ardorem urinæ, Gonorrhæam,* &c.

Emulſio Cathartica. ℞ Sem. Cartham. ℥i. mann. opt. ℥iij. Amygd. d. decort. ℥ij. ▽æ Hordei, vel Ebſham. ℔ij. f. Emulſio ſ. a.

**Emulſio Expulſiva.* ℞ Sem. citri decort. ℥ſs. contuſ. adde ▽arum Citri, Cardui Ulmar. Scordii comp.ā ℥iij ſacch.alb.℥i. f. Emulſ. ſ.a. *Dentur coch.* 3 *ſecunda quaq; hora ad malignitatem variolarum,* &c. *expellendam.*

**Emulſio Cretacea.* ℞ Cret. alb. ♈at. ℥iij. ▽ Hord. ℔iij.coq.ad ℔ij adde frigefactis ſem. 4.frig.major. ā ʒij. amygd.d.nº viij.carui ℈ſs. f. Emulſio, adde cret.ſubt.♈at.ʒiij.Sacch.Perlat. ℥i, vel Diacod. ℥iſs, *pro re natâ.*

**Emulſio Dactylorum.* ℞ Dactyl. (oſſibus exemptis) nº 15. coq.in cerev.illupulat.℔iiſs. contund.Dactyl.cum amygdal.d.nº 24. f. expreſſio cum cerev. dictâ : adde ſacch. cand. & nuc.

nuc. m. q. s. *Dos.* ℔ſs *ter in die per dies* 40 *vel* 50. *in Abortu, Infirmitatibus dorſi, Gonorrhœa, Tabe, Tuſſi, Macilentia,* &c.

* *Emulſio Pæoniata.* ℞ Sem. pæon. decort. ℥i. contuſ. adde ▽arum Rutæ, Ceraſ. n. Pæon. comp. ā ℥vi. f. emulſ. adde ſacch. perlat. ℥iſs. *Dentur coch.* 3 *manè,* & *hora ſomni, præmiſſo Electuar. conveniente. In Epilepſia, Vertigine, Hemicrania,* &c.

* *Enema Alexiterium.* ℞ Fol. ſcordii miſem. citri ʒiij. Fl. ſambuc. chamæm. roſ. rub. centaur. min. ā p. i. coq. in ▽ ont. q. s. colat. ℥x. adde ſucc. cherm. ℥i. ſacch. opt. ℥ſs. m. *Ad extrahendum venenum,* &c. *ab inteſtinis,* &c.

* *Enema Colicum.* ℞ Decoct. com. (cum Bacc. junip. & fœnugr. ā ʒiij. præp.) ℥x. Infuſ. croc. metallor. ⊙ Anethin. ā ℥ij. Sapon. Caſtil. Elect. Lenit. ā ℥i. ⊙ ſtil. Bac. juniper. ʒſs. m. ſ. a. *In Colica, Iliaca, Calculo,* &c. *Inſigne.*

Enema Balſamicum. ℞ Decoct. fort. Equiſeti ℥vi. ⊙ Hyper. ʒvi. Balſ. Lucat. ℥i. Peruan. ʒiij. m. *Ad Dyſenteriam, excoriationes inteſtinorum ſanandas,* &c. *maximè proficuum.*

* *Enema Dyſentericum.* ℞ Caput ovis mactati cum lana confract. (demptis lingua & cerebro) coq. in ▽ q. s. ad ℔vi. f. colat. pro enematis. Addi pt. Fl. chamæm. malv. alth. &c. vel, fieri pt ex Butyr. inſulſ. ʒx. ſang. dracon.

dracon. ℥ij. vin. rub. ℥ij. Vel, ex Neogalact. ℥xij, opii ℈i. croc. ʒſs, coctis, addendo ſacch. alb. ℥iſs. vitell. ovor. n° 2. *Eaſdem vires obtinet cum priori.*

Enema Hyſtericum. ℞ Decoct. com ℥x. camph. ʒi. ⊙ Rutac. ℥ſs. mell. Mercurial. ℥iij. m. f. Enema.

Enema Oleoſum. ℞ ⊙ Lini ℥iij. ⊙ Chamæm. Aneth. ā ℥ij. Scorpion. Rutac. ā ℥i. ⊙ Tereb. ℈i. m. *In Colica, Calculo,* &c. *Egregium.*

Enema Terebinthinatum. ℞ Decoct. com. ℥xij. Tereb. Ven. ℥ſs. vitell. ovi unius. Syr. Viol. ℥iſs. Diaphœnic. ℥i. m. f. Enema ſ. a. *In dolore calculi valde proficuum.*

Enema Vinoſum. ℞ V. Hiſpan. ℥xij. ⊙ Aniſ. ʒſs. ſacch. rub. ℥iij. m. f. Enema, *ad Tormina.*

Enema Urinoſum. ℞ Sem. rutæ, dauc. cumin. ā ʒij, Senæ, ℥i. ▣æ ℔iſs. coq. ad dimid. colat. adde Spec. Hier. ſimp. ʒij. ſacch. rub. ℥iij. f. *Enema Hydragogum. valet in Hydrope.*

* *Ens Veneris.* ℞ ⊕li ♂tis opt. reverberat. & loti p. 1. ✳ p. ij. ♎a ſ. a. cum tribus cohobiis. *Anodynum eſt & pacificum. Uſus eſt eximii in Rachitide, & vermibus infantum necandis. Proficuum in Pleuritide, ac uteri ſuffocatione. Obſtructiones aperit,* &c. *D. gr. iv. ad* xii.

* *Epicarpia Febrifuga.* ℞ Helleb. alb. ♉at. ʒſs. ⦶ ʒij. Pulp. ficuum q. s. ut f. ⌽ Cataplaſmatis

plaſmatis inſtar. *Carpis adhibend. horis 2 ante parox. Tertianæ.*

Eſſentia Abſinthii. ℞ Sp. ardentis Herbæ fermentatæ ℥xij. ☉ ſtil. ʒij. extracti ſpiſſi.& ⊖is ſoluti, ā ℥ſs: Digere ſ. a. ad uniendum: dein filtra. Eodem modo parari pt *Eſſentiæ Cardui, Pulegii, Hyſſopi,* &c.

* *Eſſentia Martis.* ℞ ♂ ℥iv. Affunde guttatim in vitro capaci Sp. ⦶i ℥iij, Sp. ⊕li rectif. ℥ij, ſpatulâ ter vel ſæpius verſando. Tum diluatur ⌽ (antè nimiùm compacta ſit) Phlegm. ⊕li ℥x: & efficietur Tinctura rubicunda, vel ſummè flava, quæ filtretur ad uſum. *Potentur aperit obſtructiones cujuſcunq; generis. Menſes movet,& curat cachexiam, chloroſin, Hydropem,* &c. *Doſ. gut. 5, ad 15.*

* *Extractum Abſinthii.* Fit ex ſummitat. ſiccis in Sp. V. digeſtis, ut Eliciatur Tinctura, quæ filtrata ad conſiſt. Extracti evaporetur, addendo ſing. unciis extracti, ⊖is Abſinth. ʒſs. Eodem modo fiant *Extr. Cardui, Centaur. Gentian,* &c. Vel, fieri pt ex ſuccis depuratis, evaporando in MB ſ. a.

* *Extract. Alhandal.* ℞ Pulp. colocynth. à ſemin. opt. liberat. & ♋at. ℥4. glyc. aniſ. ā ℥ſs. ▽æ ♆ filtrat. ℔4. Diger. ♁ 20. f. expreſ. & exhal. ad debit. conſiſt. ſ. a. *Humores aquoſos educit ad miraculum. Doſ. à gr. 5, ad 15, & ultra.*

* *Extract. Antiscorb.* v. *Aq. Antiscorb.*

* *Extract. Chalybis.* ℞ Succ. oxalid. depurat. ℔iv. Tamarind. ℥i. coq. parùm, & clarifica. In isto macer. tepidè ♂ ℥v. per ♌ 4, sæpe agitando, f.colat.quæ in MB inspissetur ad debit.consist. Vocatur & *Magist. Martis.* Aliter paratur cum succo pomor. vice Oxalidis & tamarindorum. *Dos.* ā ʒs, *ad* ʒi.

* *Extract. Diatessaron.* ℞ Spec. Diatessar. ℥iij. Rad. angelic. ʒi. zed. ʒs. sem. cardui ʒij. ▽ Scord. comp. Cardui, Melis. Angel. ā ℔i. extrah. Tincturam s. a. & exhal. ad debit. consist. *Confert ad affectus frigidos, tum cerebri, ut Paralysin,* &c. *tum ventriculi, ut Inflationem & ab ea dolorem, tardam coctionem: tum hepatis, ut Hydropem, Cachexiam, Obstructiones. Valet etiam efficaciter ad morsos venenatos, & potionem veneni.*

* *Extract. Drasticum.* ℞ Scammon. ♃at. ℥iij. succ. aurant cum cortic. express. ℔ij. Digere tepidè ♌ vi. f. express. & exhal. ad Pil. consist. *Dos.* ā ℈s *ad* ʒs.

Extract. Ecphracticum. ℞ Xyloal. galang. caryoph. ā ℥s. cinam. gent. cort. Winteran. ā ℥i. Rad. Raph. rustic. ℥ij. Fol. calaminth. puleg. abs. ā mi. ♂ cum 🜂 præp. ℥viij. V. alb. & Decoct. □ri albi, ā ℔iis. macer. s.a. colat. exhal. ad debit. consist. addendo aloës ℥i. myrrh.

myrrh. ℥ij. *Micklethw. In morbo virgineo ac Scorbuto est efficacissimum : magnas enim vires obtinet in aperiendis obstructionibus, præsertim lienis, hepatis, uteri, ac mesenterii : adeoq; morbis indè natis subvenit.*

* *Extract. Febrifugum.* ℞ ♃ Cort. Peruvian. ℥iv. centaur. min. Rad. gentian. ā ℥ij. serpent. Virgin. ℥i. Sp. V. ℔iv. vel q. s. extrahe Tincturam, & exhale s. a. *Titulus vires indicat. Dos.* ℈ss, *ad* ʒss.

Extract. Fellis. ℞ Fell. bubuli in ☉e exicc. ℥ij. Sp. V. ℔iss. extrahe Tincturam, & exhala s. a. *Confert ad menses suppressos. Dos.* ℈i, *vel* ʒss. *indies. operatur per sedem.*

* *Extract. Ictericum.* ℞ Sterc. ovill. rec. ℥iv. Rad. chelidon. ʒx. curcum, ℥iss. lumbric. præp. ʒvi. centaur. min. mii. ♂ præp. ℥ij. succi limon. ℥vi. ▽ cichor. ℔iv. Infund. ☿ 48. f. expres. quæ exhal. ad Pil. consist. addendo Lumbric. præp. ʒiss. *ter in die, superbibendo Decoct. Icteric.* ℥iv.

Extract. Maltæ comp. ℞ Fol. Tussilag. pulmonar. maculos. rec. ā ℥vi. glyc. ℥viij. uv. pass. exacin. ℔ij. cerev. illupulat. fort. debit. ætatis cong. vi. coq. ad consumpt. cong. 4. f. expres. fort. & exhala ad mellaginem. *Dos.* ℥ij. *bis vel ter in die, in Phthisi,* &c.

* *Extract. Melampodii.* ℞ Rad. Helleb. n. veri

veri cum fibris craſſ. ♃at. ℥vi. ſem. aniſ. ℥i. Sp. V. ℔iij. Infund. tepidè per ♁ vi. f. expreſſ. & exhala. *Doſ.* ℈ſs, *ad* ℈i.

Extract. Peregoricum. ℞ Philon. Rom. ℥iſs. Mithrid. ʒv. Theriac. Lond. Diaſcord. ā ʒiij. ▽ cardui ℔i. Sp. V. ℥iij. macera, cola, & exhala ſ. a. *Proficuum in morbis contagioſis, Catarrhis, doloribus, vigiliis,* &c.

* *Extract. Pectorale.* ℞ Fol. ſcabioſ. hyſſop. heder. ter. ā mxij. marrhub. alb. jaceæ ā mx. Tuſſilag. Helen. ā mxviij. contuſ. exprimatur ſuccus, depuretur, & ad mellaginem evaporetur ſ. a. *D. coch. i. ter in die, ſuperbib. Decoct. Pector.*

* *Extract. Peticum.* ℞ Fol. peti exotic. ℥ij. glyc. ℥i. Fol. Aſari rec. ʒx. ſem. aniſ. ʒiij. coriand. ʒij. Rad. angelic. galang. ā ℈viij. macer. tepidè in Hydromel. ℥xx. ☧ 24. f. expreſ. & exhal. ad debit. conſiſtentiam. *Doſ. ad* ℈ij. *Craſſos humores per vomitum & non nunquam per ſeceſſum potenter expurgat. feliciter datur in Aſthmate, & pulmonum tartaro, nec-non in febribus, præcipuè Tertiana, & Quartana. Utile etiam in Ictero, Hydrope, ac Arthritide.*

* *Extract. Sarſæ.* v. *Aq. Sarſæ comp.*

F. *Febri-*

F.

Febrifugum Salis. (i. e.) *Sal Armoniac. Volatile.*

Febrifugum Crollianum. v. *Antifebr.Conch.*

Febrifugum Riverii. ℞ Flor. ♁ ij. ter cum ✱co ♎ator. & edulcatorum, Vitri ♁ii. in ℥iv. 🜄 (ex ☽ & ☉ factæ) 🜔ati,ā ℥ss. ☿ii. cum 🜄 (ex ☽, ⊖, & ☉ factâ) 🜔ati ℥vi. ☉is in 🜂 soluti ℥i. m. ac 🜍a ex ♉ gradatim ad siccit. cum 12 cohobiis. ♋ri quinquies loto & siccato adde Alcoh. V. ℔ij. 🜍a ex ♉ novâ sexies cohobando. effunde Alc. V. & ⌽m calcis pone in ✠bulo benè lutato, △e rotæ, per 3 ☧. Dein Alc. prædictum 🜍atum super incende s. a. *D. gr.* vi. *ad* ℈i, *cum* ā *Scammon.* ♀*rat.* &c.

Flores Antimonii. ♎a ♁ △e forti, aut per se, aut cum ∴ ; vel ☐ro calcin. admixto. Flores albis. colligantur, usuiq; serventur. *Vomitum nonnunquam promovent. Dos. gr.* 2,*ad* 4. *Sudorifici sunt.*

Flor. Antim. Diaphoret. Fiant ex Flor. ♁ij. ⊙o ♀ris irroratis, & ✠bulo clauso calcinatis s.a. *Viribus pollent cum prioribus.*

Flores Benzoïni. f. ex ♋re Benz. opt. vasi vitreato indito, desuper ponendo chartam duplicem

duplicem pyramidatam, & l. △. ♎ando f. a. Flores chartæ adhærescentes (chartâ sæpius mutatâ) eximantur. v. *aliter in Pharmacop. Londin. Pulmonici, bechici, ac asthmatici sunt insignes, & Catarrhos sistunt. Sudorem movent. Dos. gr. 5, ad 12.*

Flores Bismuthi. ℞ Marcasit. calcin. & ✳ ā, & ♎a f. a. in cucurb. forti. *Cosmetici sunt celebrati ad dealbandam faciem, cum duplici quantitate Pomati. Conferunt ad cutis Vitia, Lichenes, Impetigines, &c.*

Flores Joviales. ℞ ♃ p. i. Ⓘ p. ij. ♎a f. a. Ablue Flores ▽â calidâ. *Præstant magnopere in uteri suffocatione, tum intrinsecus quàm extrinsecus adhibiti. Dos. gr. ij, ad vi. repetitis vicibus.*

Flores Salis. fiunt augendo △em post ℞ationem ☉i ⊖is, & ♎ando. Flores collo ☊ adhærescentes colligantur. *Alexiterii sunt. Dos. ad* ℈i.

Flores Salis Armoniaci, f. ex ⊖ fusi & ✳ ā, ♎atis f. a. *Diuretici, & Diaphoretici. Dos. gr. 5, ad 15.*

Flor. Sal. Armon. Martiati, f. ex ♂, & ✳ ā ♎atis, △ri exponendo ☉ m, miscendo cum dimid. quant. ✳ci, siccando, & ♎ando f. a. *Tollunt perfectè cruditates ventriculi, cum Vino Absinthiaco, aut Decocto sassafras,*

ssafras, sudorem promovendo. Optimè valent in Quartana.

Flores Sulph. Albi. ℞ Lap. prunell. ℥ 2 calcinat. in ♁bulo optimè operculato cum carbonibus vivis supra operculum positis, ℥iij. 🜍 ℥vi. m. ac ♎a △e ∴æ s. a. *Lacti 🜍ris viribus æquivalent. Dos.* ℈i, *ad* ʒss.

Flores Viridis æris. Solve ⊕ in ✱: dein filtra ac crystallisa s. a. *Summum est mundificativum in vulneribus.*

Flores Vitrioli. ♎a ⊖ fusi & ⊕li ā, s. a. *Inserviunt plagis putridis mundandis, incarnandis, & cicatricibus inducendis.*

Flores Zinci, s. uti *Bismuthi* ; *easdemq; vires obtinent.*

Flos Cordialium ;
Nec-non
Cardiacum Magnum.

℞ Flor. siccat. Rorism. calthæ, tunicæ, superbæ, borag. buglos. ros. rub. ros. pallid. rorellæ, viol. acetos, beton. aurant. jasmin. ā ℥i. croc. ℈iv. Fol. siccat. Card. ben. scord. angelic. apiastri, menth. amarac. valerian. ā ʒvi. Rad. Heptaphyll. zedoar. aristol. rot. caryophyllat. ā ℥ss. gentian. ʒij. sem. ocimi, cort. citri, sant. citrin. Bac. junip. kerm. cardamom. ā ℥ss. cubeb. ʒiij. cort. sassafr. & xyloal.

xyloal. ā ℥i. contusis contundendis adde Sp. V. ℔xxx. post macerat. debitam abstrahe per MB ℔xx: quæ serventur ad usum, nominatæ, *Flos Cordialium*. Residui fiat expressio & colat. quæ per ulteriorem ℞ationem exhaletur ad mellaginem. Singulis hujus unciis accuratè admisce sacch. cand. alb. ℥ij. succ. chermesin. ℥i. Tinct. Corall. ʒvi. margarit. præp. ℥ß. terr. sigil. ʒij. Bezoar Animal. Bez. orient. ā ʒi. ambr. gris. ℈ij. mosch. ℈ß. Fol. auri nº 20. m. s. a. ut fiat *Cardiacum Magnum*.

* *Fotus Arthriticus*. ℞ Salv. rorism. chamæm. artemis. hyperic. abs. vulg. ā mvi. ⊖ nigr. miij. coq. in ▽ cong. iij. ad ij. f. colat, pro fotu.

* *Fotus Scorbuticus*. ℞ Artemis. hyperic. cochlear. utriusque, chamæpit. ā miij. abs. com. & Rom. ā miv. rorism. mij. Rad. raph. sylv. ℥iv. coq. in ▽ s. a. pro fotu.

* *Frontale Cephalalgicum*, fit ex Rhodostagmatis q. s. in ✠, vel Sp. V. frixâ, inspergendo ♈ ris nuc. m. ʒi. zedoar. ʒß. camph. ℈ij. *Adhibe fronti & temporibus*.

G.

Galbanetum Hartmanni. ℞ Galb. p. i. Sp. Tereb. p. ij. Digere ac ℞a ex ♌ s. a.

Galbanet. Sennerti, f. ut suprà, addendo

) ſt. Lavendul. ℥i, & ♈ando ſ. a. *Ad membra paralytica inungenda inſigne remedium.*

Gargariſma Album. ℞ Aq. Plantag. ℥iij. Roſ. rub. ℥i. albumina ovorum in aqueam ſubſtantiam agitata n° 3. ſacch. cryſtall. ℥i. m. f. Gargariſma. Vel ℞ Rad. alth. ʒiij. Sem. cydon. ℈iſs, coq. in Aq. hordei ℔iiſs. ad ℔iſs; circa finem addendo liquirit. raſ. ʒij. colat. adde albumina ovorum agitata n° 2. ſacch. cryſtall. ℥ij. m. f. Garg. *quo os ſæpè colluatur, & parùm ſenſim deglutiatur. Pro Aphthis*,&c.

* *Gargariſma Apoplecticum.* ℞ Sem. ſinap. ☿at. Sp. caſtor. ā ℥ij. Oxyrrhodini ℥i. f. Muſtarda ſ. a. cui adde Decoct. fort. roriſm. & beton. ā ℔i. Mel. Anthoſ. ℥ij. m.

* *Garg. Scorbuticum.* ℞ Roriſm.mi.caryoph. n° 40. ⊖ cochlear. ʒij. omphac. ℔iij. coq. ad ℔ij. *Ad gingivas putridas in Scorbuto.*

* *Garg. Synanchicum.* ℞ Spong. ſambuc. ℥i. Albi canis ʒvi. Fol.rubi mi.roſ.r.mſs.geran. columbin.mij.ficus n° viij. coq. in ▽ q. s. ad ℔ij. colat adde ✠ Sambucin. ℥i. Rhodomel. ℥iij. *Ad ulcera oris, aphthas*, &c.

* *Gelatina Cornu Cervi.* ℞ C. C. raſ. ℥vi. ▽ont. ℔vi. infunde tepidè & coq. l. △. (vaſe clauſo) ad 3 vel 4 ☓, ut fiat Gelatina. colat. adde ſucc. limon. ℥i. ſacch. opt. ℥ij. *Reſtaurativa eſt in Tabe*, &c.

* *Gela-*

* *Gelatina Corroborans.* ℞ Pedes 4 ovillos, 2 vitulinos. raſ. ebor. Rad. Satyr. ā ℥ij. virgæ Hippopot. ℥i. c. c. ʒx. Fol. alchimil. bellid. ā mij. 🜄 Font. ℔x. coq. ſ. a. ad ℔iij. f. colat. adde ſacch. cand. alb. ℥iij. Refrigerent & reſideat Gelatina, auferendo pinguedinem ac fæces ſ. a. *Detur hauſtus manè cum Priap. cerv. pulv.* ℈i, *præmiſſis pilulis adſtring.*

* *Gelatina Ichthyocollæ.* ℞ Ichthyocoll. albiſ. inciſ. & contuſ. ℥ij. 🜄 Font. ℔ij. coq. ſ. a. ad med. adde colaturæ Neogalact. ℔i. ſacch. cand. ℥i. *Doſ.* ℔i. *bis in die. Ad Profluvium album, Gonorrhœam,* &c.

Gilla Theophraſti, Nihil aliud eſt, quàm 🜕 album depuratum.

H.

Helleborus. v. *Elleborus.*

Hepar Sulphuris, fit ex Flo. 🜍 liquat. ℥iv, addendo Sal. ♀ri puriſ. ℥iſs, & miſcendo opt. cum ſpatula agitando. remot. ab 🜂 ſerva ⊖m ad uſum. *Inſervit Tincturæ & Syrupo* 🜍*ris præparandis.*

Hercules Bovii. v. *Aurum Vitæ.*

I.

Ignis Philoſophicus. v. *Phoſphorus.*

* *Infuſio Arthritica.* ℞ Anthûs ℔i. ✳ volat.

it. ℥i. Pyrœni ℔vi. Digere in Lagena opt.obturata in fimo equino ♁ 40,dein insoli ♁ 20, . expressio. *Applicetur in declinatione Arthritidis. extrahit valde frigidos, crassos, & latuosos humores in articulis, & fortificat.*

* *Infusio Benedicta.* ℞ Rad.polypod.qu.turbet.senæ opt.ā ℥vi. sem. carui ℥i. V. alb. ℔xij. macer. (vase clauso) super ♄ calidos ad ☧ 24, colat.cum expressione factæ adde mann. opt. Syr.Rof.cum Agar.facch.ā ℔i. clarific.cum album.ovor.s.a. *Bilem utramq; cum pituita è capite, Ventriculo aliisq; partibus insigniter educit sine fastidio. Dos.* ℥iv, *ad* ℥vi.

* *Infusio Cachectica.* ℞ Rad.Enul.rec.incis. ℥vi, uv. corinth. incis. ℥viij. facch.alb.℥vi. V. alb.℔iij.macer.in frig.☧ 48,& cola. *Dos.*℥iv. *bis in die in cachexia, chlorosi, Dyspnæa,* &c.

* *Infusio Icterica.* ℞ 🜂 anserin.rec.℥vi.Fol. chelidon.mij.V.alb.▽ chelidon.simp.ā ℔i. Infunde tepidè ☧ vi. cum facch.alb.℥ij. f.colat. sæpe per manic.Hippoc. *Dos.*℥iv. *bis in die.*

Infusio Ireata. ℞ Rad.irid.nr. rec. incis. uv. pas.exacin.incis.facch.alb. ā ℥vi. V. alb. cerevis. ten.ā ℔iij. macer dies 3,& f.colat. *Detur haustus manè & vesperi in Scorbuto, Hydrope,*&c.

Infusio Sancta. ℞ Guajac. ℥ix. ⊖ ☐ri ℥iv. glyc. ℥iv. Digere tepidè in Hydropeg. ℔xx. ad ♁ vi. dein.f.colat. *Alexipharmacum nobile habetur.*

habetur. Sanguinem mundificat, omnes obstructiones & putrefactiones tollit, & sanitatem optimè præservat. In Scorbuto, Hydrope, Febribus, Lue ♀, Arthritide, cæterisq; morbis tartareis multùm facit. Dos. ℥vi. *quater in die.*

* *Injectio Alba.* ℞ Troch. alb. Rh. ʒiij. camph. ℈i. solvantur in ▽ sperniolæ ℥xij. f. a. *Inflammationes & dolores mitigat. efficax admodum ad ulcera virgæ, Gonorrh.* &c.

Injectio Auricularis. ℞ Anthûs mij. coq. in ⊡ pueri ℔iss ad ℔i. colat. adde Rhodomel. ℥iv. m. *In Surditate, & dolore.*

* *Injectio Benedicta.* ℞ ▽ Benedict. ℥viij. ☿ d. subt. ♋at. ʒiij. m. exactis. s. a. *Vires habet Inject. alb.*

Jovis Amalgama. (i. e.) *crocus Jovis.*

Julap. Antiscorbuticum. ℞ Vin. chalyb. ℔ss. Tinct. sacræ ℥iij. Sp. cochlear. ʒ. v. Sp. Lâvend. comp. ℥ss. ☐ ⊖lat. ℈i. Syr. Scelotyrb. ℥iss. m. *Dentur, coch. ix. omni manè.*

Julap. Asthmaticum. ℞ Milleped. vivor. nº 400. contusis adde ▽ Hyssop. ℥vi. ▽. Limac. magistr. ℥iss. sacch. cand. ℥iij. f. express. fort. *Dentur coch. 2 cum Decoct. Pector.* ℥iij. *quarta quaq; hora calidè.*

* *Julap. Cretaceum.* ℞ Cretæ albis. ♋at. ʒi. sacch. opt. ℥iss. ol. st. nucist. gt. iij. Hydropeg. ℔ij. misc. optimè s. a. *D.* ℥iij. *pro vice sæpe.* Ἐν τῇ καρδιαλγίᾳ ἄριστον.

* *Julap.*

* *Julap. Fragorum.* ℞ Fruct. fragor. matur. ℔iſs. Hydropeg. ℔i. Leucœn. ℔i. ſacch. alb. Syr. Limon. ā ℥iſs. macer. in frig. 🜍 3, & cola. *In æſtu febrili refrigerat*, &c.

* *Julap. Hyſteric. Camphoratum.* Incende camphor. ʒij, & ſæpe extingue in 🜄 ont. ℔i, ad totalem camphoræ conſumptionem. Tum cola. *Dentur coch.* 4, *vel* 5 *ſæpe in paroxyſmo.*

* *Julap. Hyſt. Farinaceum.* ℞ Farinæ tritici purif. ʒij. ſacch. alb. ℥ſs. Hydropeg. ℥viij. Agitentur opt. in Phiala, ut f. Julap. albif. *Dentur ſæpius coch.* 4. *in paroxyſmo.*

* *Julap. Hyſter. Fœtidum.* Solve Aſæ fœtid. opt. ʒiſs, in 🜄 Ceras. n. ℥vi, ſine calore in mortar. frig. ut lacteſcat, ſ. a. *Sumatur coch. i. initio paroxyſmi, & repetatur poſt finitum ejus.*

* *Julap. Hyſt. Mithridaticum.* ℞ 🜄 Bryon. c. ℥vi. Mithrid. ʒij. Tinct. caſtor. ℥ij. Syr. Ceraſ. n. Gran. Actes ā ℥iſs. m. ſ. a. *Doſ. coch. i. vel* 2 *in languoribus.*

* *Julapt. Hyſt. Moſchatum.* ℞ 🜄 Naphæ ℥vi. Moſch. ℈ſs. ſang. drac. ℈i. m. *pro* 2 *doſ. in parox.*

* *Julap. Idæum.* ℞ Fruct. rubi Idæi rec. ℔i. ſacch. alb. ℥ij. Hydropeg. ℔iſs. ſerva ſimul in frig. ad 🜍 3, & cola. *Bibatur ad libitum in æſtu febrili ad ſitim extinguendam.*

* *Julap. Perlatum.* ℞ ▽ Citri, Borrag. Melis. ceras. n. ā ℥iij. Sp. ceras. n. vel. Sp. citri ℥i. facchar. albis. ʒvi. margarit. præp. ʒiss. Agitentur opt. s. a. *Dentur coch. 5, vel 6 in languor.*

Julap. Purpureum. ℞ Syr. Viol. ℥iij. Sp. ⊕li gt. 30. Hydrocrith. vel Hydropeg. ℔ij. m. f. a. *In febribus ardentibus ad sitim extinguendam utilissimum.*

* *Julap. ad Rachitidem.* ℞ ▽ Ling. cervin. cum 2 cohobiis ♃at. ℥iv. Conf. Alkerm. ʒij. Syr. Caryoph. ℥i. Sp. 🜂 gt. vi. Fol. ☉ n° 2. m. f. Julap. Elegans. *D. coch. 2 bis in die. Miranda præstitisse narrant Dominæ.*

Julap. ad Sitim. v. *Decoct. ad sitim.*

* *Julap. Tartarisatum.* ℞ ♃ subt. ♀ alb. ℥i. ⊖ ♀ ℥ss. V. alb. ℔iiiss. m. *Dos.* ℥iij. *bis in die per dies* 8, *in Icteritia curanda.*

* *Julap. Vitæ.* ℞ Vitell. ovor. rec. n° 2. facch. alb. ℥ss. ◎ cinnam. gt. iij. V. alb. vel Hispan. ℥vi. exactiss. misceantur s. a. *In animi deliquio, viriumque maximâ debilitate vel in moribundis auxilio fuit.*

* *Juniperi Baccæ candefactæ*, f. irrorando Bacc. selectis. ℔i. vino Hispan. dein ex cribro facch. opt. ♃at. ℥iv. inspergendo, & lento siccando s. a. *Sudorificæ, Hystericæ, Nephriticæ*, &c.

Jupite

Jupiter Diaphoreticus, f. ex ☉o Florum ♃is, in 🜄 cocto, ato, & edulcato f. a. *Dos. à gr. iij. ad x. Potenter sudorem movet. utilis in utero strangulato, Peste, Lue ♀, Podagra*, &c.

Jupiter Nitratus, f. ☉m post ationem Flor. ♃is coquendo in 🜄, filtrando, exhalandoq; ad siccit. f. a. Dicitur & *Nitrum Joviatum. Vires & dosis cum priori.*

* *Jusculum Galli.* ℞ Gallum antiquum admodùm fatigatum, donec lassitudine cadat. Tum trucida, depluma, exentera, farciaturq; ingredientibus idoneis. coq. in 🜄 Font. q. s. (℔ 5, vel 6.) donec caro ab ossibus ferè decidat, & cola. *Nutritivum est & restaurativum in Tabe, Hectica*, &c.

L.

Lac Aluminis, fit ex 🜄æ album. ovor.℥vi, ris Ois ℥i, Sp. V. ℔ij, opt. & diu in vase vitreo conquassatis, ut f. instar Lactis. *Arcanum habetur in Gonorrhœa, Profluvio albo, Mensibus immodicis*, &c. *Dos. coch.* 2, *vel* 3 *ter in die. Assumptum ad* ℥ij. *hora ante paroxysmum sæpe curat Tertianam.*

* *Lac Ammoniaci.* ℞ Gum. Ammon. puf. ʒiij. solve in 🜄æ Hyssop. frigidæ ℥vi in

 mort.

mort. frig. f. a. *Detur ſæpe coch.* i. *pro vice in difficultate anhelitus.*

Lac Aſæ fœtidæ, v. *Julap. Hyſt. Fœtid.*

* *Lac Benzoïni.* ℞ Sp. Benz. ℥i. ▽æ Hyſſop. vel ſcabioſ. ℥xij. m. ſ. a. *Aſthmaticum, Pectorale*, &c.

Lac Mercurii, f. ex ☿ corroſ. ʒvi, fricatis & agitatis in diſco ſtanneo cum ▽ fumar. ℥xij, ut f. lactis inſtar ſ. a. *v. Vires in Aq. Mercurial.*

Lac Saturni. v. *Magiſt. Saturni.*

Lac Scammonii. ℞ ♋ ſcammon. ʒvi. affunde in mort. frig. paulatim ▽ cinnam. hordeat. ℥viij, inter affundendum diu agitando Liquor lacteſcens ſeparetur à picea ſubſtantia, & ſervetur ad uſum. Vocatur & *Liquor Acuens.* *Doſ. coch.* i. *ſuaviter purgat.*

Lac Sulphuris. ℞ 🜍 p. i. ♆, vel ⊖ ... p. iij. coq. in ▽æ q. ſ. ad 🜍ris ſolutionem filtra calidè, ...a cum ✠ vel Sp.⦶i, edulcora & ſicca ſ. a. *Balſamum eſt pulmonum conſumens & exiccans, valet in Catarrhis, Aſthmate, Tuſſi, Phthiſi, Colica*, &c. *Doſ.* ℈ſs. *ad* ℈i.

* *Lapis contrayerva.* ℞ Magiſt. c. c. coral. alb. rub. margarit. ſuccin. alb. ocul. 69, ā ʒi. Rad. contrayerv. ℥ſs. apic. nig. chel. 69 ʒi. omnibus ritè præp. & commiſtis adde Gelatin. viperar. q. s. ut f. Globuli, foliis ... obd...

obducendi, atque cautè ſiccandi, ſ. a. Sunt, qui addunt Ambr. griſ. ℥iſs. *Cardiacus, Alexiterius & ſudorificus inſignis eſt. Valet maximè in Peſte, Variolis, Morbillis, Febribuſq; malignis omnibus. Doſ.* ℈ß. *ad* ʒß.

Lapis de Coa. ℞ Lap. Hyacinth. Topaſ. Sapphir. Rubin. Margarit. ā ℥i. Smaragd. ℥ſs. Bezoar orient. Corall. alb. rub. ā ℥ij. Moſch. Ambr. griſ. ā ℥ſs. Fol. ☉ n° 40. F. ♃ ſubtiliſ. qui cum ▽Roſ. in paſtam ſubactus efformetur in Pilas oblongas, ovulis non abſimiles, in umbra probè ſiccandas. Poſtea Dentalio, Entalio, ſeu ullâ aliâ hujuſmodi conchâ accuratiſſimè (ut eleganter niteant) poliantur ſ. a. *Eaſdem obtinet vires cum priori. Præterea ſpecificus eſt contra Spaſmum & contracturas. Doſ. à* ℈i, *ad* ʒſs, *& ultra.*

* *Lapis Medicamentoſus.* ℞ ⊕ alb. ℥iv. ✳ ℥ſs. O, ceruſſ. Æ ā ℥i. m. f. ♃ coq. cum ✠ q. s. ad lapidis duri conſiſt. ſ. a. *Virtutes hujus variæ ſunt. Ulcera & defluxiones tollit: Vulnera inveterata deſiccat: Eryſipelas, Scabiem, Tineam,* &c. *curat. Modus utendi itá eſt. Liqueſcat* ℥i *in Aquæ pluvialis* ℔i, *& filtra. Dein utere, tum lavando, tum linteolum imbuendo ac imponendo.*

Lapis Salutis. ℞ ✳ ℥i, O, Æ, ā ℥ij. ⊕ virid. ℥vi. ⊕ ℥iij. ceruſſ. ℥ij. m. f. ♃ coq. l.

△. cum ✠ q. s. donec. redigantur omnia in lapidem durum. *Easdem vires habet cum priori Lapide.*

Laudanum liq. Cydoniat. ℞ Opii correct. ℥iv. croc. ℥ij. succ. cydon. ℔iiss. Flor. cerevis. coch. 4. fermententur simul in digestione, donec subsident crocus & opium, exprime & filtra: adde liquori cinnam. ʒij. caryoph. xyloal. sant. citr. ā ʒi. Digere ♁ 14. filtra & exhala ad dimid. *D. Willis. Dolores maximè sedat, somnum inducit, omnes fluxiones sistit, ardorem mitigat, naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epilepsia,* &c. *compescit. Odontalgiam mirè sedat (impositum).*

Laudan. liq. Tartarisat. ℞ Opii ℥ij. croc. ℥i. cinam. caryoph. mac. nuc. m. xyloal. ā ʒi. Tincturæ ⊕is ⊔ri ℔ij. Digere dies aliqt. filtra & exhala ad dimid. *Vires & dosis cum superiori.*

Laudanum sine Opio. ℞ Myrrh. opt. mumiæ, sant. rub. citr. ā ℥iss. macis, cardamom. piper. galang. ā ℥ivs. Sp. V. ℔iij. extrahe Tincturam s. a. cui filtratæ admisce △ris ⊖li narcotici ʒiij. & digere per mensem: deinde ad mellagin. exhala, addendo croc. ℈iss. Sal. perlar. ʒiss, ut f. ⏀. s. a. *Anodynum est potentissimum. Omnes fluxiones, catarrhos, tusses,* &c. *sistit: Atq; easdem habet virtutes cum præcedente.* *Laudan.*

Laudan. Starkii. v. *Pil. Matthæi.*

* *Linctus Benedictus.* ℞ Sapon. Ven. V. Bened. ā ʒij. Lohoch Sani ℥ij. Syr. Jujubin. Tussilag. Cap. ven. ā ℥i. m. s. artem pharmacopoeticam. *Dicitur & Linct. Potentialis. Detur coch.* i. *quarta quaq; hora Potenter expectorationem promovet.*

* *Linctus Expectorans.* ℞ Smegmat. Castil. ʒiiſs. ⊙ Amygd. d. Syr. Viol. ā ℥iiſs. sacch. alb. q. s. m. s. a. Vel, ℞ Lohoch Domest. ℥iij Smegm. Castil. ʒi. m. *Idem facit cum supradicto.*

Linctus Hæmoptoïcus. ℞ Lap. Hæmatit. Gum. Arab. succin. alb. ā ℈ij. amyl. ℥ſs. glyc. ℈i. albumin. ovor. q. s. m. f. Linctus; *subinde lingendus cum bacillo liquirit.*

* *Linctus Synanchicus.* ℞ Pulp. Conſ. roſ. r. ℥ij. Rob. granor. Actes ℥i. Rhodomel. ℥iſs. cynocopri ♒at. ʒvi. m. s. a. *Detur coch.* i. *sæpe in Angina*, &c.

* *Linimentum Melluminatum.* ℞ ♒ris Aquileg. salv. menth. nuc. m. ā ℥ſs. O usti ℥i. mellis ℥iv. m. *Ad ulcera gingivarum, inflammationes, laxitatem*, &c.

* *Linimentum Simplex.* ℞ Succi Solatri, ⊙ Roſ. ā ℥xx. coq. ad succi consumpt. colat. adde Litharg. ceruſ. ā ℔i. m. s. a. *Valet in mammarum Cancro, Rosâ, Erysipelate*, &c.

* *Linteum Crocatum*, fit coquendo linteum cum croci ʒſs in ▽ Rutæ, & exiccando. *Hoc perpetuò ſub mento, variolis durantibus, geſtandum.*

Liquamen Silicum. ℞ Silic. uſt. p. iij. ⊖is ☐ri per ⌽ calcinat. ℥iv. exactè miſce, & per vices in ✠bulum candens injice, urgendo △em ſ. a. Poſtea ⌽m 🜁ri expone, ut ſolvatur per deliq; ſ. a. *Ad tartaream mucilaginem incidendam, calculum reſolvendum, ac proinde ad obſtructiones reſerandas multùm facit. Doſ. gr.* 20, *ad* 30, *in liquore conven.*

Liquamen Sulphuris. ℞ Fl. 🜍, ſacchar. cand. alb. ā ℥i. m. f. ♋. Induratis 4 ovis (exemptis vitellis) include, & probè ligata ſuſpende ſupra prunas, ut Liquamen exudat: quod ſerva ad uſum. *Pectorale eſt egregium in Aſthmate, Tuſſi, Phthiſi, Pleuritide*, &c. *Doſ. gt.* 20, 30, &c.

Liquor Acuens. v. *Lac Scammonii.*

* *Liquor Cephalalgicus.* ℞ Camph. ʒij. ſolve in Pyrœni ℥ij. qui Rhodoſtagmatis q. s. excipiatur in diſco, calfaciendo ad mediocrem ſiccit. Tum inſperge ♋ nuc.m.℈i. zedoar. ʒſs. *Fronti adhibe in cephalalgia.*

Liquor Limacum, fit ex Limac. rubr. concis, & ⊖, ā, in manic. Hippocr. injectis, & in cella ſuſpenſis, ut defluant in liquorem, ſervan-

ſervandum ad uſum. *Dolores podagricos mitigat illitus, verrucas curat. optimè valet in Atrophia membrorum, illinendo cum iſto calefacto, & tegendo ſæpe lanâ carptâ. Mulier quædam cum guttulis hujus aliquot ex hauſtu cerevisiæ ſolebat curare Tuſſim Infantum ſingultuoſam.*

* *Lohoch Album*, f. ex ⊙ Amygd. d. rec. & Sacch. Penid. ā, exactiſ. ità mixtis, ut in ⌽m unam homogeneam conſpirent albiſſimam. *Fieri nequit ſine arte Pharmacopæi.*

* *Lohoch Domeſticum.* ℞ ⊙ Amygd. d. rec. ℥iv. Syr. Jujubin. Capill. ♀ ā ℥ij. ſacch. alb. ʒij. miſc. exactiſ. in mortar. marmor. ſ.a. *Confici etiam pt multò elegantiùs ac inſeparabiliùs (ſi Ars non deſit Pharmacopæo) ſine ullâ ſacchari additione. Expectorationem promovet.*

Luna Potabilis. ℞ ☽ ▽atæ ℥i. ⊖ ℥ij. ✳ ʒij. m. ac reverbera ♁ viij. Ablue à ſalſedine, & extrahe Tincturam cœruleam ope Sp. ⊕li dulcis, decanta ac abſtrahe. *Uſus eſt maximè in morbis capitis, & in primis Epilepſia, hydropicam aquam exiccat. Doſ. gr.* 4, 5, 6, &c.

M.

Magiſt. Antim. Diaphoret. f. ex ♁ Diaphor. in ▽ cocto & filtrato, affundendo

☉ solutum, ⊽ando ac abluendo f. a. *Dos.* ℈ß, *ad* ℈i, *vires obtinet ceruss.* ♄ij.

* *Magist. Benzoïni*, f. ex Benz. albis. in Pyrœno soluto, ⊽ando ▽â Lactis, & siccando f. a. *Dos.* ℈ß, *ad* ℈i. *Pectorale est nobile.*

Magist. Bismuthi. ℞ Marcasitæ ♓atæ, p. i. Solve in Sp. ⦶i rectif. p. iij. ⊽a ▽â salsa, edulca & sicca f. a. *Confert ad cutis vitia, Lichenes, Impetigines Scabritiem manuum, & simil cosmeticum est insigne.*

* *Magist. Git.* ℞ Gum Git. puris. ℥iij. Tinct. Ros. r. ℔iss. succ. limon. ℔ß. Sp. ⊖li ʒi. macera ac evapora ad consist. extracti: vel f. ♓. Fieri etiam pt ex Gum Git. ℥ij, ⊙ ♀ri p. d. ℥i, Sp. V. ℥vi, digestis ac evaporatis f. a. *Purgat ἄνω ϗ κάτω, precipuè humores serosos. Usus est proficui in Hydrope, Scabie, Pruritu*, &c. *Dos. gr.* x, *ad* ʒß.

* *Magist. Jovis*, f. ex Fl. ♃ial. in ▽ solut. & filtratis, ⊽ando vel ⊙o ♀ p. d. vel ☉ne soluto, edulcando sæpe ▽ tepidâ, & exiccando. *Dos. gr.* 4, 5, 6, &c. v. *Salis Jovis Vires.*

Magist. Lithargyrites, v. *Sal Litharg.*

Magist. Lunæ. v. *Vitriolum Lunæ.*

Magist. Martis. v. *Extract. Chalybis.*

Magist. Saturni. coq. ♄ rubr. in ✠: filtra, ⊽a ⊙o ⊖li, & edulca f. a. *Usus est in*

in Phthisi, Hectica, Febribus ardentibus, aliisq; inflammationibus internis. Item in Quartana, Lienis affectibus, Colica, & Lue ♀ rea Secretum est. Dos. gr. 4, 5, 6, &c. *Externè valet in Putredine oris, Ulceribus malignis, cancerosis, Lupo, Fistula, Ambustis, Pustulis faciei rubris, Rubedine oculorum,* &c.

Magist. Sulphuris. v. *Lac Sulphuris.*

Magist. Tartari. ℞ ⊖is ☐ri q. v. Impraegna ✠ opt. donec ☐ nil ampliùs aciditatis retinere velit. dein affund. Sp. V. eumque abstrahe, aliquoties cohobando: Tandem repone ☐ ad liquescendum, & habebis Oleum rubrum, per inferiora purgans. *Utile est in omnibus morbis deploratis. Dos.* ℈ß *ad* ℈i.

Magist. Turpethi. ℞ ☿ q. s. coq. in ▽ pluviali ad solutionem, filtra, & cum ⊙ ☐ p. d. ♒a; Tandem edulcora ▽ ♌atâ s. a. *Insigne est in Lue ♀ rea; Tinea, Scrophulis,* &c. *Dos.* ℈ß, *ad gr. xv, cum Conf. Hamech,* ʒj, *vel* iij.

Magnes Praep. f. ex ♋ris candefacti in ✠bulo, & ⊙i ♂tis ā, l. △. exhalando s. a. *Cum cera mixt. in Emplastr. dolores podagricos mirè mitigat.*

Mars Diaphoreticus. ♎a ✳ cum ā ♂ s. a. ♎atum solve in exigua quant. ▽Font. filtra, & ♒a affundendo guttatim ⊙ ☐ p. d.

p. d. vel Sp. ✳ci. ♁atum exicca ſ. a. *Sudores movet, & diureticus eſt. Eximii uſus in Melanch. Hypochondriaca, Quartana*, &c. *Doſ.* ℈ſs *ad* ℈i.

Mars Fulminans. ℞ ⦶ ℥ivſs. ⊖ ♀ ʒiſs. 🜂 ʒij. m. f. pul. ſ. a. *Diureticus, & menſes movet*, &c.

Mars Potabilis. Solve Chalyb. ♀riſatum in 🜄 Font. filtra, & coagula ſ. a. *Optimè valet in Cachexia, Hydrope, Scorbuto, Chloroſi, Quartana*, &c.

* *Maſticatoria.* ℞ Maſtich. ʒiij. pyreth. ſtaphiſagr. ā ʒij. Rad. angelic. ʒſs. cubeb. nuc. m. ā ʒi. euphorb. ℈ſs. ceræ q. s. f. ⌽ : ex qua fiant Maſticatoria ſ. a. *ſc. f. globuli, vel pil. Majores, ſæpe maſticandæ. Sputationem promovent: Cerebrum purgant. Valent in Auditu depravato, Paralyſi, & morbis capitis frigidis. Odontalgiam curant.*

Mater Balſami. v. *Balſam. Paralyt.*

Mel Saponis. ℞ Sapon. com. mellis ā ℥iv. ⊖ ♀ri ℥ſs. 🜄 Fumar. ʒij. m. ſ. a. *Coſmeticum eſt, inſerviens apprimè manibus & faciei lavandis ac dealbandis, valet etiam in ambuſtis, inflammationibus, podagra*, &c.

Mercurii Purgatio, Diverſimodè perficitur. Vel trajiciendo per alutam, vel lavando cum 🜔 & ⊖ mixtis ; aut cum 🜄 â ♆, ſæpius

rius agitando. Vel fortiter agitando cum Sp. V. in vitro obturato. Vel ♌ando in ∴ per ♉m △e forti; idque per se, vel addito ⊖e ♀ri, ♃, &c. vel āāāndo cum ☉ vel ☽, ac postea per ♉ à corpore admixto separando.

* *Merc. præcipitat. Albus.* Solve ☿ in 🜅: ♎a ▽â falsa, ablue, exicca. *Albus subdulcis.* Solve ☿ in Sp. ⦶i, ♎a cum Sp. V. sicca, & sæpe combure cum Sp. V. s. a. *Dosis eadem cum ☿io dulci. Usus in Lue ♀, Hydrope, Podagra, Ictero,* &c.

Merc. præcip. correctus. ℞ ☿ per ⊖ & ✠ purgat. ℥ij. 🜅 duplic. ℥viij. Abstrahe 🜅em ex ∴, cohobando. Tum mriæ tritæ affunde ◎ ⊕li ℥ij. Digere, & ◎m abstrahe. super ☿m affunde Sp. V. Digere ♁ iij. decanta, aliumque Sp. V. affunde; idq; 3tiâ vice repete: tandem sicca. *Dos. gr.* 3, *ad* 10. *Purgat per inferiora, in Lue ♀rea curanda præstantissimum remedium.*

Merc. præcip. fixus. ℞ ☿ purgat. ℥iij. ✳ ℥ss. Fl. △ ℥ij. m. & ♎a: ♎atum cum fæcibus tritum ♎a iterum: dein auge △em ut candescat. id quod in fundo remanet fixum *Panacea Vocatur. Omnes humores noxios exiccat, perq; diaphoresin expellit. Dos.* ℈ss, *ad* ʒss.

Merc. præc. Flavus. (i. e.) *Turpeth. miner. Dos. à gr.* 5, *ad* 10. *Easdem habet vires quas Arcan. Corallinum.* *Merc.*

Merc. præc. griſeus. Turpeth. mineral. in ♈Roſ. lotum & ſiccatum imbibe cum Pyrœno, & (addit. camph. in Pyrœno ſolut. ā,) l. △. Pyrœnum abſtrahe ſ. a. *Doſ.* ā *gr. iij, ad viij*, &c. *Purgat per inferiora.*

Merc. præc. Incarnatus. ☿ ℥i in 🜂 ℥ij. ſolutæ adde ▽ fervidæ ℥iij. 🝆a ⊡â rec. ablue ac ſicca ſ. a. *Solùm per ſeceſſum movet. Virtutes obtinet Arcani Corallini. Doſ. gr. vi, ad xij.*

Merc. præc. Laxativus, f. ex ☿ cum ☉ 🜔li, vel 🜍 in ∴æ B. cryſtalliſato, & in 🜥bulo indito ut per horam candefiat ope △is: dein in ▽am calidam projecto, ut f. ♋ flavus. ▽am decanta, lava, exicca, & Sptum V. ſupra eum incende ſ. a. *Purgat* ἄνω ϗ κάτω. *Doſ gr.* 3, *ad* 10. *mirè proficuus in Lue* ♀*rea extirpanda, Podagra, Ictero, Hydrope, Scabie*, &c.

Merc. præc. per ſe. ☿ pone in vitrum inſernalem, exactè in ∴. colloca, & gradatim auge △m, donec ☿ in ♋rem rubicundiſ. converſus ſit. Ablue Sptu V. *opus eſt multorum dierum. Sudores valde movet. Luem* ♀*ream ſexies vel ſepties exhibitus penitùs eradicat. Febres omnes tollit. Lumbricos eliminat. ut plurimùm vomitum quoq; movet ſat violentum. Doſ. gr.* 3, *ad* 6. *præſtantior erit præcipi-*

præcipitatus, si fiat cum parte octavâ ☉is. v. infra.

Merc. præc. Ruber. Solve ☿ p. i. in 🜅 p. ij. Abstrahe 🜅 à ☿io per 🝪ationem cum tribus cohobiis, donec in ♋rem rubrum evadat. *Vires imitatur præcedentis.*

Merc. præc. Solaris per se. f. ex ā ā ā facto ex ☿ ℥iv. cum ☉ per ♄ fusi ℥ss, in vitro infernali posito ut suprà, mriam sæpe eximendo, & conterendo, f. a.

Merc. præc. Viridis. ℞ ☿ ℥iv. ♀ ℥ss. Solve separatim in 🜅, & misc. postea, abstrahe 🜅em, digere 🜔atum cum ✱, filtra ac sicca f. a. *Specificum est in Gonorrhœa virulenta, quam nimiam tollit, insufficientem promovet: ideóq; quotidie continuandus ejus est usus, donec omnis fluxus sedatus sit. Dos. gr. ij, iij, ad viij.*

Merc. sublimat. Ruber & Flavus. ℞ ☿, ⊕, 🜖 calcin. ā ℥vi. exactè mista 🝞a: cum 🝞ato misce ⊕ & O pa'ùm calcin. ā ℥iij. Impasta 🜍to, & 🝞a iterum. Rubrum à flavo separatum seorsim 🜄â ablue, & Sptum V. supra utrumque incende f. a. *Purgat præcipuè per inferiora, magnumq; Secretum in Hydrope, Lue ♀, Podagra, Scabie, Ulceribus, Cancro, &c. Dos. gr.* 5, 6, 7, &c.

Merc. Vitæ correctus. ☿m Vitæ in phiala

△e

△e ∴æ fove, donec rubere inceperit: poſtmodum Sp. V. ſæpius ab eo abſtrahe ſ. a. *Purgat ſat benè per alvum, Impuritateſq; quaſcunq; educit. Doſ. gr.* 4, 5, 6.

Merc. Vitæ purgans. Si ♀m vitæ cum ⊖e aliquoties teras, & ſalſedinem poſtea per ▽am abluas, vim ſolam purgandi per ſedem obtinebit. *Doſ. à gr. vi, ad xij.*

* *Miva Borraginis.* Coque Rad. Borrag. ad mollitiem, contuſ. trajic per ſetac. cujus ℞ ℔i. & ſacch. opt. ℔i. coq. ad mivæ conſiſt. ſ. a.

* *Miva Conſolidæ*, f. ex pulp. Radic. & Sacch. ā, ut ſuprà, addendo ſing. libris nuc. m. ʒvi. *Uſus in Hæmoptyſi, Rupturis*, &c.

* *Miva Dialthææ*, f. ex pulp. Rad. & ſacch. ut ſuprā, addendo ſing. libris mivæ nuc. m. ℥i.

* *Miva Satyrii*, f. omnino ut ſuprà cum nuc. m. additâ. *Venerem ſtimulat*, &c.

Mixtura Anticolica. ℞ Mann. opt. ℥ij. Crem. ♁ri, Sperm. ceti, ā ʒij. m. *Detur in hauſtu juſculi pulli. Remed. probatiſs.*

* *Mixtura Simplex.* ℞ Sp. Theriacal. camphorat. ℥x. Sp. ⊕li ℥ij. Sp. ♁ri rectific. ℥vi. Digere in phiala hermeticè obſignata ad 3 ſeptiman. ut uniantur exactiſ. ſ. a. *Ciet ſudorem, reſiſtit putredini: in Febribus malignis*

nis admodum proficua. Dos. ʒi, *plus minus.*

* *Mixtura Tubularis.* ℞ Cort. extern. pistach. ℥ij. Fol. tussilag. beton. rorism. sicc. ā ℥iij. Incidantur, & adde Xylagii præp. ℥iij. succin. alb. olib. cras. contus. ā ℥iss. gum. Lentisc. ℥i. ol. st. nuc. m. ʒi. f. Mixtura: *instar Nicotianæ haurienda.* Vel ℞ Fol. beton. tussilag. ā ℥ij. Anthûs, cort. pistach. extern. ā ℥i. Sem. Cardamom. min. ℥iss. Incide s. a. Adde ◎ anis. gt. xvi. ◎ cinnam. gt. viij. m. Aliqui addunt Nicotian. opt. præp. ℥i. *Utilis est præcipuè in Catarrhis exiccandis, Defluxionibus sistendis, Tussi,* &c.

* *Mucilago Nephritica.* ℞ Gum Tragac. ℥iss. Arabic. ʒiij. ceras. ℥ss. ▽Ros. rub. ℥xx. ▽ Plantag. Portulac. ā ℔iss. macer. in frig. Ⅹ 48. colat. adde sacch. cand. alb. ℥iv. m. *D.* ℥4. *bis in die cum Aq. lactis haustu, præmisso Bals. Peruan.* ℈*i in Pil. cum pulv. glyc.*

N.

Nitrum Antimoniatum. ℞ ⦶ in ♁bulo liquati, p. iij. paulatim injice Vitri ♁ per se facti, p. i. Hisce unitis, effusis, ♁atisque, elue ⦶m ▽â: filtra ac crystallisa s. a. *Dos. gr.* 5, 6, 7, &c. *in Febribus malignis, Hydrope, Lue venerea,* &c. *Nitrum*

Nitrum Cachecticum. ℞ ⊕li ♂tis p. 4. Arcan. duplic. p. 5. ⦶ p. 7. m. ac in ∴ ad rubed. calcina. s. a. *Summè confert in Appetitu prostrato, Cachexia, Febribus, Scorbuto, Nephritide, Catarrhis, Lue ♀rea. Contractura, Paralysi,* &c. *Somnum inducit. Sudorem movet; aliis leniter alvum ciet. Dos. gr. vi, ad xx.*

Nitrum Catharticum. Candefac ⦶ in ✠bulo, & per vices carbonem vivum injice, ut ⦶ inardescat: continua, donec flagrare desinat: quod restat solve in ✠: filtra, coagula, idque ter cum novo ✠ repete. Tandem solve in Sp. V. & evapora ad siccitatem. *Dicitur & Terra foliata Nitri. Obstructum Mesenterium & lienem liberat, suaviterq; purgat. Dos. ℈i, ād ʒß.*

Nitrum Corallatum. ℞ ⦶ p. iij. ⊖is corall. p. 1. solve separatim in ▽Ros. ac filtra: dein misceantur & coagulentur s. a. *Utile in Febribus & virium restauratione. Dos. ad ℈i.*

Nitrum Fixatum. Solve ⊖em Prunellæ in ▽Font. filtra ac coagula s. a. v. *Cryst. mineral.*

* *Nitrum Hermaphroditicum.* ℞ ⦶, & ⊖is □ri purif. ā. solve in ▽Rosar. rub. filtra & crystallisa s. a. *Præstantissimum ad humores crassos & tartareos incidendos & detergendos;*

nec

nec-non meatus obſtructos aperiendos : ad calculum renum expellendum, urinamq; movendam, &c. *Inſuper, in febribus putridis ac malignis optimè conducit. Doſ. gr.* 20. *ad* 30.

Nitrum Joviatam. v. *Jupiter Nitratus.*

Nitrum Nitratum. ℞ Sp. ⦶ rectif. p. 4. ⦶ purificat. p. 6. m. ac 🝩a ad ſiccit. cum terno cohobio, urgendo △em poſtea ſ.a *D.℥ſs.*

Nitrum Perlatum, fit ut *Corallatum,* ex ⊖e Perlar. & ⦶o. *Egregium eſt Cordiale, & mitigat æſtum febrilem. Doſ. ad ℈i.*

Nitrum Saturniſatum. ℞ ⊖is ♄ni, ⦶, ā. ſolve in ✱, & cryſtalliſa ſ.a. *Prodeſt Aſthmaticis. Doſ. gr.* 5, 6, 7.

Nitrum Sulphuratum. ℞ Sp. 🜍 ℥4. ⦶ purific. ℥4. m. ac 🝩a ad ſiccit. ter cohobando, & urgendo △em poſtea ad vaſis excandeſcentiam. *Vires habet Salis Prunellæ.*

Nitrum Vitriolatum. v. *Arcan. Duplex.* Vel, parari pt ex ⦶ p. ij, ⊙ 🜖li p. i, 🝩atis, ut in ⦶o 🜍rato.

Nodulus Facialis. ℞ Hordei toſti q. v. redige in pollinem, fiatq; cum ſindone Nodulus, *quo circa diem undecimum faciem conſperge. In Variolis optimè faciem defendit à foveis.*

* *Nodulus Hyſtericus.* ℞ Caſtor. ♃at. ℈ſs. Aſæ fœtid. ℈i. ol. ſuccin. ℈ſs. m. & in ſerico involve, ut f. Nodulus, naribus ſæpe admovendus in parox. hyſterico.

O *Oleum*

O.

Oleum Aloëticum. ℞ Aloëpat. ℔i. myrrh. ℥ij. thuris ℥ſs. m. ac 🜋a in ∴. l. △. *Illitum umbilico purgat, & vermes necat.*

Ol. Antim. Saccharatum, f. ex ♉ris ♁ij. crud. & ſacch. ā, ex ⊙ △e fortiſ. 🜋atis ſ. a. *Utile eſt tum ad externos, tum internos morbos. Doſ. à gut. iij, ad vi in Quartanis ante paroxyſmum.*

Ol. Balſami. v. *Balſam. Paralyticum.*

Ol. Balſamicum. ℞ Anchuſ. ℥ij. ⊙ olivar. ℔ij. coq. ad colorem rubicundum. colat. adde Tereb. Cypr. in ▽ Viol. lot. ℔ſs. ⊙ Bacc. lauri, ⊙ Hyper. ā ℥i. ⊙ Junip. & Petræ, ā ℥ſs. ⊙ Rhod. & Spicæ, ā ʒij. ⊙ ſt. è ſem. Angel. & Aniſ. ā ʒi. m. ſ. a. *Omnibus affectibus frigidis ſubvenit; flatuſq; diſſipat. In Paralyſi, Surditate, Otalgia, &c. Multùm facit. In Spaſmo, Colica, Hydrope, &c. internè & externè uſurpatum præſtans eſt Remedium. Doſ.* ℈ʒ. *ad* ʒi. *in vehiculis appropriatis.*

Ol. Bufonum. Coq. Bufones 4 vivos in ⊙ oliv. ℔ij. per ☓m, vel ad crepaturam, colatumque ſerva. *Confert in Puſtulis labiorum, cancroq; mammarum. In Hydrope valet ad urinam ciendam inungendo renes.*

Ol.

Ol. Camphoræ. ℞ Camph. ℥ij. argillæ, ℥vi. ♑ in ∴ ex ♌ vitreâ s. a. Vel, fieri pt solvendo camph. ℥ij. in Sp. ⦶ ℥iv, in loco tepido. *Diaphoreticum, & Hystericum. Dos. ad gut. x*, &c.

**Ol. Chartæ.* Accende Chartam ac impone laminæ ♃is, ut comburatur. Sic adhærescet ♃i oleum colligendum. *In Alopecia, Herpete, Impetigine*, &c. *mira præstat. Anodynum est, & Odontalgiam sedat.*

* *Ol. Cosmeticum.* ℞ ☉ Amygd. amar. ℥iv. ☉ ♀ri p. d. ℥ij. ☉ Rhod. gt. 4. m. s. a. *Ad cutem detergendam & erugendam.*

* *Ol. Cremoris.* ℞ Cort. intern. virid. rec. Sambuci, miij. Crem. lactis opt. ℔ij. coq. benè, donec in ☉m effluatur cremor. f. express. adde cort. rec. alior. Sambuc. miv. coq. iterum ad cortic. siccitatem. f. expressio. *In Hæmorrhoidibus, combustionibus, erysipelate*, &c. *optatiss. Remedium.*

Ol. Heracleinum, fit ex ligno Coryli Septemb. aut Martio collecto, in taleolas secto, & gradatim per ♌ in ∴ ♑ato, ☉m, ab ▽â separetur s. a. *Calfacit, incidit. Anodynum, Epilepticum, ac præcipuè Odontalgicum est Guttæ* 2, 3, 4, &c. *assumptæ cum mica panis lumbricos in instanti necant, & per secessum educunt.*

* *Ol.*

* *Ol. Linteorum.* f. ex Linteis accenfis & fuffocatis in laminam ♃is f. a. *Optimè valet ad Ophthalmiam curandam cum gutta una falivæ mixtum.*

Ol. Ludi. Materiam 🜿ream matulæ inhærefcentem calcina, & folve p. d. f. a. *Ad tartarum in omnibus corporis partibus, imò ad calculos etiam grandiores refolvendos, & expellendos, adeóq; ad obftructiones indè ortas referandas mirificè conducit.*

Ol. Lumbricorum, ℞atur in ∴ ex Lumbric. terr. V. Hifpan. lotis f. a. *Ad Paralyfin curandam mira præftat.*

Ol. Martis, fit ex Rubigine ♂tis per ▽am Stygiam irrigatam contractâ, abluendo ▽â, filtrando, & exhalando ad oleaginofitatem f. a. *Summum eft obftructivum.* *Dof.gr.* 4, 5, &c.

* *Ol. Milvinum.* ℞ Milvum è nido, vel antiquiorem, exenteretur deplumatus, cum Picis n° 4. coq. in Aq. ceraf. n. q. f. (adjectis Rad. Pæon.℥iij. caftor. ℥i. rutæ miij. Flor. rorifm lavend. ā mij. Hyperic. ℥i. Rad. Valerian. ℥ij.) ad putrilaginem cum ◎ olivar. ℔ij. f. expreffio. ◎ innatans auferatur pro ufu. *Inftante Paroxyfmo epileptico inungantur plantæ pedum, nares, & nucha cum feq.* ℞ *Ol. Milvin. dict.* ℥i. *ol. ft. Rutæ, & fuccin.* ā ℈i. m.

* *Ol. Paralyticum.* ℞ Sem. finap. ℔iij. Caftor.

ſtor. ℥ſs. caryoph. ℥ij. nuc. m. ℥iij. Sp. V. ℥iv. contuſa opt. macer. in MB 🝐 24. Deinde valenter prelo exprime oleum. *Spina, nucha, cum partibus affectis ſæpe inungantur.*

Ol. Polypodii, f. ex Radic. ſiccis per 🝫 ex ∴. 🝋atis ſ. a. *Inſervit piſcibus capiendis.*

* *Ol. Pomoſum.* ℞ Fol. ſtrammon. pomoſi rec. ℔i. contuſ. adde ◎ olivar. ℔iiſs. coq. ad ſucci conſumpt. expreſ. adde Fol. rec. ℔ſs. Inſolentur ♁ 14. poſtea coq. ad ſucci conſumpt. & exprime. *Ad miraculum omnes inflammationes, omneſq; combuſtiones ſive ab igne, ſive ab aqua fervida, plumbo fuſo, pulvere bombardico, vel à fulgetris contractas, ſubitò ſanat.*

Ol. Ranarum. Coq. Ranas vivas nº 12. in ◎ oliv. ℔iſs per 🝐m, & exprime. *Faciei Ruborem & Impetigines curat. Eryſipelati & Gangrænis ſubvenit. In cancro eſt ſpecificum.*

Ol. Sacchari ſimp. fit ex ſacch. cand. & Sp. V. ā, adurendo Sptum ad Syr. conſiſt. ſ. a.

* *Ol. Sacchari comp.* ℞ Dactyl. inciſ. ℥ij. ficuum ℥iij. hyſſop. mi. glyc. ſem. aniſ. bombac. ā ʒvi. Rad. irid. Flor. ℥i. Sp. V. ℔ij. coq. adurendo ad conſumpt. dimid. f. colat. per manic. Hippocr. adde ſacch. cand. q. s. *Ad Aſthma, Tuſſim, &c. confert.*

* *Ol. Saponis*, fit ex Sapon. Venet. raſpat. & Sp. V. ā, per 🝫 🝋atis, primò l. △. dein

dein fortiori gradatim urgendo. ☉m innatans ▽æ viridi separetur. *Ad Convulsiones, Cephalalgiam*, &c. *illinantur cum isto Tempora, nucha, & nares. Ad Tineas, Contusiones, Podagram*, &c. *Ungantur loci affecti, tegendo postea brassicæ folio.*

Ol. Saturni. v. *Bals. Saturninum.*

* *Ol. Scorbuticum.* ℞ Rad. Raphan. rustic. ℥vi. Fol. cochlear. miv. Fl. lavend. mij. ☉ ex pedibus bovinis ℔i. coq. l. △. ad succi consumpt. express. adde Sp. ⊖is ℨiij. Sp. cochlear. ℨi. ☉ cinnam. & caryoph. ā ℨss. ☉ origan. ℈iv. m. *Cum isto inungantur partes affectæ per horam semis semel in die calidissimè.*

Ol. Silicum. v. *Liquamen Silicum.*

Ol. Tabaci, s. ex Fol. siccis per ♌. Vel, ex sem. contusis & expressis. *Usus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, vermibus*, &c.

Ol. Talchi p. Deliq. ℞ ♋ Talchi, ♀ per ⊕ calcinat. ā s. S. S. S. ac cementa in ✠bulo clauso ⚹ vi, ut ✠bulum candeat. exime & edulca. extrahe cum ✠, filtra ac coagula: edulcora ac repone postea in cella ad liquescendum. *Cosmeticum censetur præstantissimum. Lentigines, maculásq; faciei aufert.*

Ol. Tartari purg. v. *Mag. Tartari.*

Oleum Τειχοφυές. ℞ Abrotani rec. contus. ℔ss.

℔ſs. ☉ veteris ℔iſs. V. rub. ℔ſs. coq. ad ſiccit. herbæ. ſ. expreſſio. Repet. hoc opus ter cum novo abrotano. Colat. adde Axung. Urſin. ℥ij. m. exactiſ. *Ad Alopeciam curandam maximè commendatur.*

* *Ol. Tritici*, fit Valenter exprimendo Triticum contuſum inter laminas candentes, ut oleum effluat. *In Rimis manuum, Ulceribus pedum, Fiſſuris labiorum, Herpete, cutis ſcabritie*, &c. *Mirificè proficuum.*

* *Ol. Viperarum.* ℞ Viperas viventes largas & pingues n° 3. Vin. Hiſpan. ℥ij. ☉ Hyperic. ℥viij. coq. in MB. vaſe anguſti orificii ad conſumpt, humiditatis, fiatq; expreſſio. *Cutem exterget, Impetigines*, &c. *ſanat. Podagræ tophos tollit. Lepram curat.*

Ol. Viridis æris. ℞ ⊕ ℥ij. ⊕ ℥iij. ponantur in catillo, & incend. carbone, donec deflagrârint. Tum ſolve p. deliq. in cella. *Cauſticum eſt. Ad Puſtulas ♀ reas, & verrucas abſumendas conducit.*

* *Ol. Vitrioli Dulce.* ℞ Ol. ⊕li rectif. p. i. Alcoh. V. ℔4. Digere ♁ 30 vel 40: & postea ex ♁ cum 3 vel 4 cohobiis ♒a ad uniendum ſ. a. *Proficuum in calculo, morbis tartareis, Catarrhis*, &c. *Doſ.* ℈ij *in liquore idoneo.*

Orvietanum. ℞ Rad. fraxinel biſtort. tor-

 mentil.

mentil. imperator. gentian. carlinæ, aristoloch utriusque, pentaphyl. zedoar. Valerian. major contrayerv. angelic. Enulæ, serpentar. Virgin Fol. Cardui ben. succis. ulmar. rutæ, sabin puleg. scord. hyperic. cort. citri, aurant. cin nam. Bacc. lauri, junip. carnis Bufonum, ā ℥ij. carn. viperar. ℥iv. croc. opt. ℥ß. f. omnium ♈ : cui adde Extract. Bacc. junip. Vino alb facti, ad mellaginem evaporati, q.s. ut f. con fectio. Huic adde Elæo-saccharorum Rutæ Succini Caryoph. Junip. ā ℈ij. m. s. a. dein add unicuique libræ hujus Confect. Theriac. An drom. & Mithridat. ā ℥j. m. *Hoc mihi com municavit Rob. Talbor, Eq. Aurat. In Peste & omnibus febribus malignis Præstantissimum remedium. Dos. ʒß, ad ʒij.*

Oxysaccharum Emeticum. ℞ Vitri ♁ ʒij ♈ at. ℥i. ✠ opt. ℔i. macer in MB (sæpe agi tando) ad ♓ 24. colat. filtratæ adde sacch opt ℥viij. coq. ad Syr. consist. *Dos ad ℥i. vel ultra.*

Panacea Aurea. ℞ Croc. metall. & Calome lan. ā m. f. ♈. Valet optimè in Lue ♀. *Ptya lismum movet, purgatq; ἄνω καὶ κάτω.*

P.

Panacea Cathartica. ℞ ☿ ij. vitæ (ex ☿ p. ij. ♁ p. i, facti) ℥iv. ☿ ij vivi in ℞ationi

Butyr

Butyri ♄ provenientis ℥iij. m. & ♎a, ut in ☿io dulci. *Dos. gr. 5, ad 8, &c. Efficacior habetur quàm ☿ius dulcis in Lue ♀rea, &c.*

Panacea Hartmanni. ℞ 🜍ris ♁ij. combustibilis ℥i. ⊙ ⊕li vel 🜍rectif. ℥iij. Regul. ♁ij ℥i. Digere calide ad ♁ 10: dein ♌a per 🜬 vitream ex ∴, ter ad minimum cohobando. △m urge sub finem, & mriam in fundo per ☧ 5 reverbera. Tandem exime, lava cum ▽Ros. & sicca. ℞ Hujus ♈ris ℥i. ⊖ coral. ʒij. m. exactè f. a. *Remedii est instar universalis: Habet nimirum in se vim diaphoreticam ac sanguinem mundificandi, ideóq; quibuslibet morbis per sudorem sanabilibus inservire potest, præcipuè Lui ♀reæ, cutisq; fœditatibus. Dos. à gr. x, ad xx.*

Panacea Holsatica. v. *Arcan. Duplex.*

Panacea Schroderi. v. *Merc. præcip. fixus.*

* *Panis Diasarsæ.* ℞ ♈ Sarsapar. ℥iij. Chin. ℥i. sem. carui integr. ʒi. Flor. Tritici puris. ℥xvi. Vitell. ovor. n° 2. Barmii aliquantulum, cum lactis q. s. f. Pasta; ex qua fiant Panes in clibano coquendi, *pro pane ordinario, in Lue ♀rea, &c.*

* *Panis de Vipera.* ℞ Carn. Viperar. ♈at. ℥i. sarsaparill. ℥iij. Farin. Tritici opt. ℔i. Vitell. ovi unius, cum Flor. cerevis. & lact. q. s. f. Panes n° 4. coq. in clibano s. a. *Pro pane com.*

com. In Lue ♀ rea, Scorbuto, Lepra, Cachexia, &c.

* *Passulæ Laxativæ.* ℞ Senæ opt. ℥i. zz. cinnam. ā ℈i. Sp. V. ℔ſs. macer. tepidè ℥vi. f. colat. cui adde ſacch. alb. ℥i. paſſul. minor. vel major. mundat. ℥iv. coq. lentiſ. igne ad uvar. mollitiem, & ſimul conſervantur: Vel l. △. (demptis uvis è Syrupo) exiccentur, aſpergendo ſacch. alb. q. ſ. Eodem modo parari pt *Pruna Laxativa.*

Paſta Halieutica. ℞ Sem. hyoſcyam. ℥ſs. occulor. oriental. Palætyri fortiſ. ā ℥iſs. aleuri coch. 2ſs. ▽ vitæ coch. 4. mell. q. s. redigantur in paſtam ſ. a. *Per minutas fruſtulas in locos aquæ diverſos injecta, piſces allicit.*

Paſta Hippiatri. ℞ ♋rum ſœnugr. aniſ. cymin. cartham. enul. Fol. tuſſilag. Fl. 🜂, ā ℥ij. ſucci glyc. (in V. alb. ℔ſs ſolut.) ℥i. ⊙ oliv. mell. ā ℥viij. Theriac Januenſ. ℥xij. ⊙ Aniſ. ℥i. m. omnia ſimul, & cum farin. tritic. ℔iſs, vel q. s. f. Paſta ſ. a. *Exinde fiant pilæ magnitudinis pugni virilis: diſſolvatur una in Aq. frig. q. s. quam bibat equus omni manè & veſperi ad ♁ 15: quo tempore pro certo curabit equos aſthmaticos tuſſientes, variiſq; morbis internis laborantes: macilentos impinguabit. & infirmos reddit eſſe ſanos.*

* *Paſta Hypoglottida.* ℞ Sacch. cand. alb. ſubt.

subt. ☿at. ℥iv. ol. Amygd. d. rec. ℥i, vel q. s. contunde opt. in Pastam s. a. *Teneat sæpe parùm in ore.*

Pasta Regalis pro Emulsionibus. ℞ Sem. papav. alb. ℥i. amygd. d. excort. ℥iv. Rad. ering. condit. ℥ij. Sem. 4 frig. major. ā ℥ß. sacch. crystallin. ℥ij. contund. in Pastam s. a. *Usûs tempore* ℞ *hujus pastæ* ℥*i,* & *cum Aq. Hord.* ℔i. *f. Emulsio s. a.*

* *Pedilavium Emmenagogum.* ℞ Artemis. puleg. calaminth. chamæmel. ā m4. coq. in Aq. q. s. ad ℔viij. *Pro pedibus lavandis.*

* *Pedilav. Hypnoticum.* ℞ Capit. papav. alb. nº 20. sem. papav. alb. ℥i. Fol. Lacturæ m4. Fl. nymph. mvi. Violar. mis. Bulliant in Aq. q. s. *Ad somnum conciliandum.*

* *Pedilav. Podagricum.* ℞ Rorism. hyper. puleg. laur. artemis. ā miij. ⊖ nig. ℥xij. ✳ ℥ij. furfur. macri ℥vi. coq. in ▽ cong. ij. adde Sapon. Castil. ℥ij. Sp. V. ℔ij.

* *Pedilav. Scorbuticum.* ℞ Rorism. puleg. laur. hyperic. nasturt. aquat. ā miij. ⊖ marin. ℔i. coq. in ▽ s. a.

Phosphorus, fit ex Residuo post ℞ationem Sp. ⊡æ, cum ✳ci tantillo, ℞ando per gradus ex ♌ vitrea in Recipiens ▽â semiplenum. *Diureticus ac diaphoreticus. Dos. ad* ℈*ß.*

Pilæ Odoratæ. ℞ Smegm. Venet. ℥vi. ſtyrac. cal. benz, ā ℥ſs. Fol. majoran. ℈iv. caryoph. n° xij. moſch. gr. 2. ℞oſ. Dam. q. ſ. ut f. Globuli ſ. a. *Vim habent abſtergendi & conciliandi gratum odorem, ſimulq; confortandi nervos. Manibus,* &c. *lavandis inſerviunt.*

* *Pil. Æthiopicæ.* ℞ Æthiop. miner. ℥ij. ceruſſ. ♄ ℥i. gum. guajac. ℥ſs. extract. Sarſæ comp. q. s. ut f. ⦶. *D. ad* ℈ij *bis indies per* ☉ 40 *vel* 50 *continuos. In Hydrope, Scorbuto, Lue* ♀ *rea,* &c.

* *Pil. de Ammoniaco magiſtrales.* ℞ Gum. Ammon. ✠ ſcillit. præp. ℥ij. aloës opt. ℥iſs. myrrh. maſtich. benz. ā ℥ſs. croc. ⊖is abſ. ā ʒij. Syr. de abſ. q. s. f. ⦶. *Inſigniter purgant tartarum, omnemq; fæculentam corporis materiam. Magnopere conferunt adverſus omnes defluxiones, cachexias, oppilationes lienis, ejuſdemq; duritiem & ſcirrhum, Febres quartanas inveteratas,* &c. *Doſ.* ℈*i.* ʒ*ſs,* &c.

* *Pil. Angelicæ.* ℞ Senæ mund. ℥vi. rhab. myrrh. agar. ā ʒiij. benz. ʒiſs. croc. ʒij. Fl. Viol. borrag. ā mi. ſuccor. depurat. cichor. ℔iſs. fumar. borrag. ā ℔iiſs. macer. in MB. ad ☧ 48. f. expreſ. adde aloës opt. ℥xij. exhal. ad Pil. conſiſt. addendo Balſ. Peruan. ℈ij. ⊚ ſt. nuc. m. gt. 20. ⊖is abſ. ʒij. m. *Blandiſſimam evacuationem promovent. eximii uſus ſunt*

ſunt ad omnium viſcerum nobiliorum corroborationem, & pravorum humorum correctionem: Doſ. ʒß. *& ultra.*

* *Pil. Anticolicæ.* ℞ 🜕ris Rutæ, ♉æ, ā mel. q. s. ut f. ⦶. *Doſ.* ʒß *hora ſomni & manè per* ♁4 *in ſingula menſe. Probatiſſimæ in Colica curanda.*

Pil. Antimoniales. ℞ Vitri ♁ij. (cum Sp. ⊕ præp. & albificati) ſubt. 🜕at. ℥ſs. ſacch. cand. ℥iij. Aleuri ℥4. croc. ℈i. coq. in 🜄 ont. ad ſpiſſitud. (cavendo tamen nè aduratur) inſtar Paſtæ. ex qua f. Pil. *Verum hoc cenſetur Febrium curativum. Doſ.* ∋ß, *ad* ʒ*i in ipſo paroxyſmi frigidi initio.*

* *Pil. Antipodagricæ.* ℞ 🜕 Caſtor. opt. ℥ſs. ſuccin. alb. chamædr. chamæpit. ā ʒvi. ⊖ ſuccini, ceruſſ. ♁ij, Balſ. Tolutan. Opopanac. ā ℥i. Rad. petaſidid. ʒiij. Tereb. Chienſ. ℥ij. Balſ. 🜂ris terebinthinat. q. ſ. ut f. ⦶ Pilularis. *Doſ.* ʒß *bis indies per menſes ij. vel iij, bibendo interim pro potu com. Decoct. rad. petaſitid. ſarſæ, chinæ, cum uvis paſſis,* &c.

* *Pil. Balſamicæ.* ℞ Extract. Euſtachii ʒv. Troch. Alhand. ʒij. croc. ℈i. ☿ crud. per alutam tranſcolati ℥i. Tereb. Ven. q. ſ. ut f. ⦶. ſ. a. *In Lue* ♁*rea, Lepra. Podagra,* &c,

* *Pil. Caſtitatis.* ℞ 🜕 Rad. nymph. ℥ſs. ⊖is ♄ni ʒij. oſſ. ſepiæ, ʒvi. camph. ʒix. Syr.

de Nymph. q. ſ. ut f. ⏀. *Doſ. ʒß bis in die per ♁ aliquot. optimè valent in Gonorrhœa, priapiſmo, &c. curandis, præmiſſis præmittendis.*

* *Pil. Catarrhales.* ℞ Extr. Glyc. ℥i. Rhodaloes ℥ſs. Pil. de cynogloſ. ʒiij. m. *Doſ.* ℈*i, ad* ℈*ij, in Catarrhis, Tuſſi, &c. horâ ſomni per* ♁ *4, vel 5.*

* *Pil. Crapulariæ.* ℞ Diagryd. Spec. Hier. ſimp. ā ʒvi. alcës opt. ℥iſs. ol. ſt. caryoph. ʒſs. Sp. V. q. ſ. ut f. ⏀ ſ.a. *D.* ℈i. *hora ſomni poſt crapulas.*

* *Pil. Cretaceæ.* ℞ Cretæ albiſ. ſantal. alb. nuc. m. ā p. æ. cum Tereb. Chienſ. q. s. f. ⏀. *Proficuæ in Profluvio albo, &c. Doſ. ad* ʒ*i bis in die, ſuperbibendo ſerum cereviſiale foliis conſolidæ alteratum.*

Pil. de Creta Palmarii. ℞ Alcës opt. ℥i. cretæ albiſ. ſuccin. alb. gentian. myrrh. Rad. fraxinel. á ʒi. Mithridat. ℈iv. tereb. lotæ ʒii. Syr. de Alth. q. s. ut f. ⏀ *Sunt, qui addunt calomelan.* ℥*ſs, vel* ʒ*vi. Cum Calomelan. Dentur ad* ℈*ii vel* ʒ*i hora ſomni omni nocte per* ♁ *15 : Ad Gonorrhæam curandum nil æquale. Idem præſtant in Profluvio albo.*

* *Pil. Hydropicæ.* ℞ Reſin. zialap. ſcammon. rhab. guttæ gamb. calomel. ā ℥ſs. Ammoniac. in ſucco irid. nr. præp. ʒiij. ☐ ⊕-lat.

⊕lat. ℨij. gum. Lentisc. ℨi. croc. ℈i. Sp. tereb. gt. 40. cum Syr. de Spin. cerv. q. s. f. ⏀. *D. ad ℈ij, vel ultra in fortioribus.*

* *Pil. Hystericæ.* ℞ ♉ Sem. Viticis ℥i. rutæ, asæ fœtid. Camph. ā ℨij. castor. ℥ss. ⊙ succin. gt. 40. Syr. de Artemis. q. s. ut f. ⏀. *Dos. ℈ss ad gr. 15, 2da vel 3tia quaq; hora in paroxysmo hysterico; & præterea hora somni singulis noctibus extra paroxysmum.*

Pil. Lithontripticæ. ℞ Sem. genist. bardan. Lap. Judaïc. ā ℨi. Tereb. è Chio ℨiij. m. f. ⏀. *Dos. ℈ij ad ℨi, per dies* 20, 30, &c.

Pil. Lunares. v. *Vitriol. Lunæ.*

* *Pil. Marocostinæ.* ℞ Gum. Ammoniac. (in ✠ scillit. ℥4 solut.) ℥iss. myrrh. opt. (in ✠ Rutac. ℥ij præp.) ℨvi. Aloës opt. (in succ. Ros. Dam. ℔ij, succ. limon. ℔i, solut.) ℔i. Agaric. (cum Aq. cinnam. ℨij, Succor. apii, fœnic. abs. ā ℥iij, contus.) ℨvi. rhab. opt. (cum Aq. cinnam. ℨvi, succ. cichor. pimpinel. fumar. ā ℥viij, contus.) ℥iij. croc. opt. ℥ss. costi ℨvi. xyloal. ℨj. Mari veri ℥ss, cum succ. citri ℥4, ▽Ros. Dam. q. s. præp. misc. omnia diligentiss. ultimò adde ▽arum Pæon. Paralys. Borrag. Beton. Cardui, Agrimon. Ivæ, Centaur. min. Rorism. Ceras. n. ā ℔i, vel q. s. macer in MB. per triduum. colat. exhala in MB. ad consist. debitam. *Mucilaginem*

[illegible]ream in ventriculo, Mesenterio, liene, hepate collectam incidunt ac paulatim educunt: Viscera eadem, ut & caput simul roborant, adeóq; morbis quàm plurimis inde natum trahentibus succurrunt. Dos. ℈i, ad ʒi.

* *Pil. Masticatoriæ.* ℞ Sem. sinap. staphisagr. pyrethr. ā ℥ss. mastich. ʒvi. m. f. ♃. adde mell. & ceræ ā q. s. ut f. ⏀. v. *Masticatoria.*

* *Pil. Matthæi, aliàs Starkii.* ℞ Opii Thebaïc. opt. à sordibus purgat. ℥ij. ♃ris subt. glyc. helleb. alb. & nig. ā ℥ij. Sapon. Tartarei (v. suo loco.) ℥vi. m. exactiss. addendo ⊙ Terebinth. q. s. ut f. ⏀ pilularis, quæ toties humectetur ⊙o Tereb. quoties siccescit. *Aliqui nolunt Helleb. nigrum. Diureticæ, diaphoreticæ, nephriticæ, lithontripticæ, hydropicæ, bechicæ, anodynæ & paregoricæ habentur insignes. Felici cum successu dantur in Febribus omnibus, præcipuè Tertiana, & Quartana. Catarrhis omnibus, Doloribus ventriculi, Cephalalgiæ, Odontalgiæ, Tussi, Crapulis, Arthritidi, Diarrhœis, Dysenteriis, Ulceribus & Apostematis internis, &c. mirificè subveniunt.* Dos. ℈ss, ad ℈i, *superbibendo haustum alicujus convenientis.*

* *Pil. Melanagogæ.* ℞ Fibrar. helleb. n. veri ℥ij. pulp colocynth. ℥iij. coq. in Phlegm. ⊖li ℔v, ad consumpt. dimid. f. expressio. quæ

quæ coaguletur ad mellagin. l. △. Tum adde Resin. Scammon. ℥i. ut f. ⏀ Pilularis. *Dos.* ℈ſs *ad* ℈*i*, *&c.*

* *Pil. Pacificæ.* ℞ Opii opt. ſupra laminam ferri exiccat. & ♋ar. ℥ij. benz. albiſ. ʒij. croc. nuc. m. ā ʒiij. ⊙ſt, Aneth & nuc. m. ā ℈i. Sapon. ☐rei q. ſ. ut f. ⏀ ſ. a. *Virtutes æmulantur Pil. Matthæi.*

Pil. Pavii. ℞ Spec. Hier. ſimp. ℥ſs. galban. in Tinct. Caſtor. præp. ʒij. ♂ præp. ʒiij. Diacurcum. (Quidam Diacinnam.) ℈iv. Syr. de ſtæch. q. ſ. f. Pil. n° 21 ex ſing. ʒi. D. n° 10 *aut* 20 *manè & ſerò per* ♁ 40. *Ad Melanch. Hyp.*

* *Pil. de Pice.* ℞ ♋ Glyc. ℥i. Rad. irid. Flor. ʒiij. Pic. liquidæ, & Balſ. Peruan. ā ℥ſs, vel q. s. ut f. ⏀ Pil. *Efficaciſſimæ habentur in Phthiſi, Tuſſi purulenta Excretione, ſuſpiriis & pectoris humoribus qui difficilè extuſſiuntur. Doſ.* ʒß *bis in die ſuperbibendo hauſtum Decoct. Pector.*

* *Pil. Reſtringentes.* ℞ Bol. Arm., corall. r. gum. Lentiſc. ā ʒiiſs. oſſ. ſepiæ ʒiſs. gum. guajac. ℥ſs croc. ♂tis reſtringent. ʒiiiſs. Tereb. Cypr. ℥iſs. Syr. de Nymph. q. s. ut f. ⏀ Pil. *Dentur* ʒſs *vel* ℈*ij. bis indies, ad Gonorrhœam, &c.*

* *Pil. de Sagapeno.* ℞ Sagapen. pellucid. ℥ſs. Troch. Alhand. agaric. ā ʒiiſs. Diagryd. ʒij. ♉æ ʒſs. ⊙ chym. Fœnic. ℈i. Syr. de Eupator. r.

tor. q. s. f. ⏀. *Proficuæ in Iliaca, Colica*,&c. *ad* ʒß *Admirandæ in Febribus Quartanis. Dos.* ℈ß *initio paroxysmi, continuando aliquot dies.*

* *Pil. Sinapinæ.* ℞ Sem. sinap. ♃ at. ℥iij. glyc. ℥j. Syr. cap. ♀. q. s. ut f. Pil. hypoglossidæ, *frequenter in ore tenendæ. Magnopere valent in Tussi, Asthmate*, &c.

Pyl. Styracinæ. ℞ Styrac. cal. colat. ℥ij. Fl. 🜍 ℥i. Benz. alb. ʒj. m. f. ⏀. *Efficaciter succurrunt Asthmati, Dyspnææ, Catarrho suffocativo*, &c. *Dos.* ℈i, *ad* ʒi *semel aut bis in die. Prujean.*

Pil. Tartareæ Bontii. ℞ Aloës opt. ʒiij. gum. ammoniac. (cum 🜊 squillit. depurat.) ℥iss. ☐ 🜿 lat. ʒss. m. *Tantæ sunt apud Hollandos æstimationis*, ut piaculum *habeant*, *communes eas reddere. Dos.* ℈i, ʒs, &c.

Pil. Vaticanæ. ℞ Calam. arom. anis. zz. mastich. cinnam. cardamom. min. zedoar. mac. nuc. m. caryoph. croc. cubeb. lign. al. turpet. mann. senæ, cas. lign. myrobal. omn. ā ℈i. Fol. cardui ben. scord. ā ʒss. rhab. opt. ℥i. ℈ij. aloës opt. ℥ij. ℈iv. Syr. Ros. sol. & Viol. ā q. s. ut f. Massa s. a. *Cephalicæ sunt ac Stomachicæ, omnia viscera farctu liberant. purgant, roborant, & humores quosvis noxios & obvios educunt: omniumq; partium nutritiarum œconomiam juvant. Dos.* ℈i, ʒs, &c.

Pil. Vermifugæ. ℞ Pil. Ruffi ℥ss. ☉ chym. Sabinæ,

Sabinæ, vel Tanaceti gt. 24. m. *D. ad* ℈ſs. *vel* gr.xij *in Pil.* x *format. ſumend. per* 3 ♀ *contin. in Plenilunio, vel Novilunio in Syr. Limon.*

* *Pil. Vomitoriæ.* ℞ Gillæ Theophraſti ♃at. ℥i. Medullæ lactis inſulſæ ℥i, vel q. s. contund. opt. in ⏀m Pil. *D.* ℈iv *vel* v.

* *Piſa Lutea.* ℞ Ochræ flav. ℥ſs. Rad. irid. Fl. ℥ij. ceræ ℥i. terebinth. q. s. ut formentur Piſa diverſæ magnitudinis. *Pro fontanellis apertis ſervandis.*

* *Piſa Rubra.* ℞ Vermilii ℥ſs. hermodact. ʒij. ceræ ʒvi. tereb. q. s. ut f. Piſa.

* *Piſa Viridia.* ℞ ⊕, helleb. alb. ā ʒij. cantharid. ʒi. Rad. irid. Fl. ʒiſs ceræ ʒvi. tereb. q. s. vel, fieri pt ex cantharid. ⊕ ā ʒij, ☍ ℈ſs, ceræ ʒvj, tereb. q. ſ. *Pro Fonticulis.*

Pleres-Archonticon. ℞ Cinnam. caryoph. xyloal. galang. nuc. m. zz. roſ. rub. ſpicæ Indic. ſchœnath. (ſpicam & ſchœnath. omittunt Quidam) ſpodii, cyper. Viol. ā ʒi. mac. glyc. maſtich. ſtyrac. cal. ocim. majoran. balſamit. piper. long. alb. cardamom. Bacc, myrti, cort. citri, ā gr. 36. margarit. Been. utriuſque, corall. r. ſenic. toſt. ā gr. 18. camph. gr. 4. m. f. ♃ ſubt. ex huj. ʒſs, & ſacch. alb. in Aq. Menth. ad Tabulat. coct. ℥viij, fieri ſolent *Tabulæ Stomachicæ.* *Micklethw.*

Plumbum album, & Ceruſſa, ſ. Lamellas ♄ni

℔ni ſuſpendendo ſupra ♀, ut vapores ab ♀o elevati circumeant. Sic adhæreſcet paulatim Ceruſſa.

Pomum Ambræ. ℞ Styrac. cal. ʒvi. benz. ℥i. labdan. ʒij. ſant. alb. caryoph. ā ℥iſs. Fol. majoran. roſ. Dam. ā ℈iv. moſch. ambr. griſ. ā ℈ſs. mucilag. gum. trag. in ▽Roſ. extract. q. ſ. ut f. Pila ſeu Pomum ſ. a. *Adhibitum naribus odore ſuo grato ſanguinem movet, & cor ſupra modum refocillat, in Apoplexia, Epilepſia, Peſtilentiali aura,* &c.

* *Potio Alba.* ℞ Terminth. ℥ſs. ⊙ ſt. nuc. m. gt. i. V. alb. ℥4. Vitell. ovi unius Syr. de Alth. ℥i. m. ſ. a. f. Hauſtus. *Purgat ſat benè, ἄνω ϗ κάτω. Ad Gonorrhœam.*

* *Potio Febrifuga.* ℞ ⊖ abſ. ℈ij. Sp. 🜂 ℈*i.* ▽ cichor. ℥iv. m. *bibatur ante parox. ſuperſudando.*

Potio Hydropica. ℞ V. alb. generoſ. ℥v. Syr. de Spin. cerv. ℥ij. Sal. Prunel. ℈i. m. f. potio. *Mayhern.*

* *Potio Pleuritica.* ℞ Succ. è 🜁re animali expreſ. V. alb. ā ℥ij. Syr. Rhœad. ℥i. ♋ oliban. ʒſs. ⊙ ſt. nuc. m. gt. iij. m. f. potio, *ſumenda ter vel 4ter in die poſt phleb.*

Pruna Laxativa. v. *Paſſul. Laxat.*

Ptiſana Cathartica. ℞ Fol. Senæ à ſtipit. liberat. glyc. coriand. ā ℈i. ▽ Font. calentis ℥vi.

℥vi. vel viij. macer. ℞ 3.f. colat-clara. *Mirum est quàm delicatulè operabitur. Quinquies aut sexies movere rarò fallit.*

* *Pulvis Æthiopicus.* ℞ Bufones viventes n° 30 vel 40. comburantur in olla nova ad Æes nigros. f. 🜨 subt. *D.* ʒß *vel ultra in Variolis*, &c. *Vel in moribundis auxilio certè fuit. Sunt qui mirè hunc commendant in Hydrope curando.*

* *Pulvis Albus.* ℞ Bezoar. Animal. succin. alb. corall. r. margarit. ā ℥i. ocul. & chel. 69, ā ℥ij. m. f. 🜨 subt. *Vires æmulatur Pulv. è Chelis comp.*

* *Pulv. Anticardialgicus.* ℞ Cretæ albis. ℥vi. ocul. & chel. 69 ā ℥iss. sacch. albis. ℥ss. ☉ chym. nuc. m. gr. vi. m. f. 🜨. addi pt Æ. ʒvi. *Dos.* ʒi *in haustu frigidæ largo.*

Pulv. Anticolicus. ℞ Cretæ albis. subt. 🜨at. ℔i. humecta cum succo Fol. rutæ & chamæmel. ut f. instar pulmenti. exicca lento calore & f. 🜨. Repet. hoc opus cùm succis rec. ad quartam vicem. ultimò f. 🜨 subt. *Dos.* ℈i, *ad* ʒi *quarta quaque hora.*

Pulv. Antipyreticus. ℞ Lap. Manat. ℥ij. Draconthæmat. ʒi. m. f. 🜨 subt. *Tertianam vernalem curare rarissimè fallit. Dos.* ʒi *horâ ante paroxysmum, superbibendo* ▽*Ros. rub.* ℥*iij*, *succ. aurant.* ʒ*vi*, *cum sacch. alb.* ℥*ß*, *ad* 3 *vices.*

Pulv.

Pulv. Arthriticus Turneri. ℞ Turpet. hermod. ſenæ, ſcammon. ſem. ebul. ā p. æ. m. f. 🜃. *Doſ.* ℈*i, ad* ʒ*i*, &c.

* *Pulv. Aſthmaticus.* ℞ Cartham. Rad. ari, Fol. card. ben. ſenæ, ā ʒij. aniſ. ʒſs. piper. l. ʒi. Diagryd. ℈ſs. m. f. 🜃. *Doſ.* ʒ*i bis in die per dies vi contin.*

* *Pulv. Baſilicus.* ℞ Diagryd. ceruſ. ♄ij, crem. 🜕ri, ☿ d. ā m. f. 🜃. *Eaſdem vires obtinet quas Pulv. Cornachini. Doſ.* ℈*i ad* ʒ*i.*

Pulv. ad Calculum. ℞ Fl. Cardui ſtellati ℥i. Rad. & ſem. petroſel. ā ʒiij. ſeparatim ſiccentur ac 🜃entur: dein m. *D.* ℈*ij. in V. alb. aut Juſculo. Mayhern.*

* *Pulv. Cantianus.* ℞ Apic. nigr. chelar. 69, Junio captor. in pollinem redact. Rad. contrayerv. ā ℥ij. margarit. corall. rub. alb. ocul. 69, (cum ſucco limon. ſupra marmoſimul lævigator. & ſiccator.) ā ℥i. ſuccin. alb. & cryſtall. cum 🜄Roſ. ſubt. tritorum & ſiccat. ā ℥i. c. c. ad ſummam albed. calcinat. & lævigati cum ſucco citri Sptu 🜍li probè acuato, & ſiccati, ℥i. Bezoar. occid. 🜃 Lemn. ā ℥ſs. Ceruſl. ♄ fixi ℥ij. Ambr. griſ. ʒiſs. moſch. ℈ſs: miſceantur omnia exactiſ. & cum Gelantinæ è ſpoliis viperar. & c. c. in 🜄 cardui factæ, & croco leviter tinctæ q. s. f. Globuli diverſæ magnitudinis, cautè ſiccandi. Si

Si prædictis addas coccinell. è Mexico ℥ſs, dicitur *Pulv. Cantian. ruber:* ſi verò Ærum Phyſalor. ℥ij, vocatur *Niger. Uſus eſt egregii in omnibus morbis contagioſis, Peſte, Variolis*, &c. *Doſ.* ℈*ß ad* ʒ*ß.*

* *Pulv. Cardiac. Corallatus.* ℞ Coral. rub. præp. ſacch. opt. ā ℥iij. ☉ cinnam. gt. vi. m.

* *Pulv. Cardiac. Eboratus.* ℞ Magiſt. ebor. cinnam. ā ℥ij. ſacch. opt. ℥iij. m. f. ♋ ſ. a.

* *Pulv. Cardiac. Perlatus.* ℞ ♋ Rad. chinæ ℥iij. margarit. præp. ℥ij. Aleuri puriſ. ℥viij. ſacch. opt. ℥vi. coq. in clibano vaſe terreo; dein de novo f. ♋. *Inſpergendus omnibus cibis, juſculis, panatellis*, &c. *Magnum reſtaurativum habetur in Tabe.*

* *Pulv. Cardiacus rubeus.* ℞ Cretæ albiſ. ℥viij. Ocul. ♋, ℥ij. Æ, ℥i. nuc. m. ℥ſs. m. f. ♋. *Doſ.* ʒ*ij. pro vice in Cardialgia*, &c.

* *Pulvis ad Caſum.* ℞ ▽ ſigil. ſang. dracon. Mumiæ, ā ℥i. Sperm. ceti ℥ſs. rhabarb. ʒiij. m. f. ♋. *D.* ʒ*i pro vice poſt Phleb.*

* *Pulv. Cibarius.* ℞ Summit. euphrag. ℥iij. ſem. fœnic. cinnam. mac. ā ʒi. f. ♋. adde ⊖ alb. ʒviij. m. *ſumatur cum omni cibo. Ad viſum acuendum ac præſervandum apprimè utilis. Oculorum ſuffuſiones, caliginem, memoriam debilitatam*, &c. *juvat.*

* *Pulv. Cinnabaris comp.* ℞ ♁ nativ. ℥ij. ſuccin.

succin. alb. ℥i. Rad. pæon. mar. corall. r ā ʒx. m. f. 🜄 s. a. *D.* ʒß. *quotidie manè. Ad Epilepsiam.*

* *Pulv. Cornachini.* ℞ Diagryd. 🜂rat. ʒx. ♁ diaphar. ʒvi. crem. □ri ℥iß. m. f. 🜄. *Ad omnes ferè morbos (qui purgatione opus habent) curandos commendatur. Dos.* ʒß, ℈ij, &c.

* *Pulv. Coronatus.* ℞ Epithym. ℥ß. agar. Lap. Lazul. præp. ā ʒij. scammon. ʒi. caryoph. n° 20. m. f. 🜄. *D. ad* ℈*iv. Mirè laudatur in Melancholia ad dementiam usq; curanda.*

* *Pulv. Crinalis.* ℞ Rad. Cyper. long. calam. arom. rosf. rub. ā ℥iß. benz. ℥i. xyloal. ʒvi. coral. r. succin. ā ℥ß. farin. fabar. ʒ4. Rad. Irid. Fl. ʒviij. m. f. 🜄 subt. adde mosch. zibeth. ā gr. v. *Usus præcipuè ad pilos renascendos, & radices eorum confirmandas (capiti inspersus.) cerebrum insuper, & memoriam recreat, confortatq;.*

* *Pulv. Cucuphalis.* ℞ Macropiper. majoran. succin. ā ʒiij. nuc. m. mac. ā ʒi. m. f. 🜄 pro cucupha, *Qui gossypio susceptus insuatur pileolo serico, inter passando. Insignis ad dolores capitis frigidos diuturnos, Catarrhos absumendos,* &c.

Pulv. Epidemic. aureus, ℞ Sacch. cand. alb. ʒiv. Balsam. ♀ris ʒiß croc. gr. vi. m. f. 🜄.

℞. *Dos. ʒi manè, & hora somni in haustu posseti vinosi. Glisson.*

* *Pulv. Epilepticus.* ℞ Rad. Fraxinel. visc. querc. contrayerv. serpentar. Virgin. pæon. mar. (debito tempore collect.) Sem. pæon. mar. Magist. c. c. Magist. ungul. Alcis, ā ʒij. Rad. Valerian. sylv. ℥i. corall. rub. cran. human. ā ℈iij. Lap. Hyacinth. ʒi. Bez. occid. ʒiss orient. ℈i. m. f. ℞ subt. s. a. adde mosch. gr. v. Fol. Auri n° 30. m.

* *Pulv. Febrifugus Certus.* ℞ Rad. Serpent. Virg. ʒij. contrayerv. gentian. zed. sem. citri, card. b. bez. occid. ā ʒi. Specific. vegetabil. ℥iv. m. f. ℞. *Dos. ʒi quarta quaq; hora spatiis intermediis paroxysmi cum Vino, &c.*

* *Pulv. Griseus.* ℞ Ocul. cancr. salv. ā ℥ij. cretæ alb. ʒi. nuc. m. ʒi. f. ℞. *Insignis in Diarrhœa, Palpitatione cordis, Aciditate sanguinis, calculo, &c. Dos. ℈i, ad ʒi.*

* *Pulv. Hæmoptoïcus.* ℞ ℬ ℥iss. amyl. ℈iij. Rhodosacch. ℥ss. ☉ Anis. gr. ij. m. f. ℞. *D. ʒiss ter in die vel sæpius. In Hæmoptysi nil æquale.*

Pulv. Hermodactyl. comp. ℞ Oss. human. calcinat. hermodact. scammon. turpeth. senæ, sacch. alb. ā p. æ. m. f. ℞. *Lentam pituitam, ac alios humores viscidos, etiam abarticulis, efficaciter trahit. Podagræ, Chiragræ,*

ac

ac omnibus juncturarum doloribus ab iisdem humoribus natis conducit. Dos. ʒi.

* *Pulv. Hystericus.* ℞ Pellic. interior. ventric. capon. ℥iv. flaved. cort. aurant. ʒi. m. f. 🜂. *D.* ʒi *in paroxysmo, & 4ta quaq; hora. opt. Remed.*

* *Pulv. Ictericus.* ℞ Chenocopri verno tempore collect. in ☉e ſiccat. & 🜂at. ℥ij. croc. opt. ʒi. ſacch. cand. alb. ℥ij. m. f. 🜂. *D.* ʒij *bis indies in V. Rhen. per* ♁ vi. *Aliter.* ℞ Rad. Curcum. □ alb. ♂ præp. ā ℥ſs. lumbric. terr. rhei elect. ā ʒij. m. f. 🜂. *D.* ʒi. *in haustulo vini albi.*

* *Pulv. Lateralis.* ℞ Gland quercin. decort. ℥vi. nuc. m. ℥i. ſaccch. alb. ℥ij. m. f. 🜂. Vocatur & *Pulv. Iliacus*, & *Colicus. Dos.* ʒi. *pro vice bis vel ter in die, in Iliaca, Colica, Lateris dolore, Flatu, Podagra,* &c.

* *Pulv. Liliaceus.* ℞ Rad. lilior. alb. ſiccat. ℥iiſs. ceruſ. ♁ij. ʒiij. nuc. m. tereb. Ven. ad friabilitatem coctæ, ā ʒij. Rhodoſacch. ℥i. f. 🜂 ſ. a. *D. ad* ʒiß *bis in die cum Syr. de Nymph. ad* ⊡*æ acredinem in Lue Ven.* &c.

Pulv. Martialis comp. ℞ ♂ præp. ʒvi. xylocaſ. nuc. m. ā ℥ſs. caryoph. mac. ā ʒij. ſacch. alb. ℥ij. m. f. 🜂. *Ad Cachexias tam Virginum, Mulierum, quàm virorum, juvenum, ac ſenum, Remedium præſtantiſſimum. Doſ.* ʒi, *ad* ʒij.

Pulv.

Pulv. Odoratus. ℞ Rad. irid. Fl. ℥xiv. Lign. Rhodii ℥ij. Fol. majoran. ʒiij. caryoph. arom. ℥i. cort. limon. ʒv. Rad. cyperi ℥i. calam. arom. ʒvi. Fl. roſ. Dam. ℥4. roſ. rub. ℥ij. benz. ſtyrac. cal. ā ℥i. labdan. ℥ſs. m. f. Pulv. craſſus, *Veſtimentis inſpergendus, ut à tineis præſerventur.* Si prædicta omnia cum cereviſ. fortiſſ. in organis Roſaceis dlaveris, (ſuſpendendo in Recipiens moſch. gr. vi in ſindone ligata) habebis Aquam Odoratiſſimam, Funeralibus apprimè inſervientem.

* *Pulv. Opthalmicus.* ℞ Summit. Euphrag. ℥iij. ſem. fœnic. com. ℥ij. ſem. rutæ ℥ſs. mac. ʒij. ſacch. opt. ℥vi. f. 🜂 ſ. a. *D. coch. i ter in die.* v. *Vires Pulveris Cibarii.*

* *Pulv. Oxytocius.* ℞ Croc. caſ. lign. myrrh. leucelectri ā ʒij. chryſocoll. ℥i. m. f. 🜂 ſubt. *D. ad ℈iv cum Aq. Artemiſ. vel Sabin. Præſtantiſſimus eſt* 🜂 *ad partum accelerandum, menſes provocandos,* &c.

* *Pulv. Pannonicus rubeus.* ℞ Æ. cum ♁ Roſ. & ✠ p. æp. ℥iij. 🜃 Lemn. ℥ij. Lapid. Smaragd. Rubin. Sapphir. Hyacinth. oſſ. de corde cerv. corall. r. ā ℥ſs. corall. alb. ʒvi. ſpodii, margarit. ā ʒv. cinnam. ſant. rub. ſem. acetoſ. ā ʒij. caryoph. croci, ā ʒi. cort. citri, fantal. alb. ā ʒiſs. ebor. ʒij. m. f. 🜂 ſubt. ſ. a. cui adde Fol. ☉ n° 50. m. *Febribus peſtilen-*

pestilentialibus, contagiosis, ac venetatis optime conducit. Dos. ℈*i, ad* ʒ*i.*

* *Pulv. Pectoralis.* ℞ Partium. albar. benz. ℥iss. 🜍 viv. ℥iij. sem. anis. ℥i. Rhodosacch. ℥ij. m. f. 🝪. *D. ad* ʒ*iss bis in die cum ovo tremulo.*

* *Pulv. Pepticus.* ℞ Flaved. cort. extern. aurant. candefact. & minutis. incis. ℥iv. Confectionum sem. coriand. ℥iv. anis. carui, fœnic. ā ʒij. Aromat. Rosat. ℥ss. 🜔abs. ʒi. menth. 🝪at. ℈ij. sacch. cand. ad pond. omnium f. 🝪 grossus. *Dos.* ʒ*i post singulos pastus.*

* *Pulv. Pleuriticus.* ℞ Fl. 🜍 ʒij. Dent. Apri, mandib. Lucii pisc. ā ʒi. Flor. papav. rhœad. ℥ss. m. f. 🝪. *Dos.* ʒ*i. Stupendum habetur Antipleuriticum cum Rhodosaccharo.*

* *Pulv. Purpureus.* ℞ C. c. c. succin. alb. coral. r. perl. præp. ā ʒi. ocul. & chel. 69, ā ʒij. croc. ℈ss. coccinel. ℈ij. m. f. 🝪 adde Gelatin. ex c. c. & ras. ebor. in 🜄 Anis. factæ q. s. f. Globuli s. a. *D.* ℈*i ad* ℈*ij in Variolis, morbillis, &c.*

* *Pulv. ad Rachitidem.* ℞ 🝪 Rad. Osmund. Regal. ʒiv. sacch. ʒij. m. *Insperge hujus aliquantum pulti, cibisque omnibus liquidis, ut ad minimum* ʒ*ij vel iij. in dies absumantur.*

Pulv. sine Pari. ℞ ☍, 🜨, ā ʒij. ☉ ust, ℥i. colcothar, ℥ss, m. f. 🝪. *Insperge hujus parùm*

parùm ſuper loca ulcerata, applica deſuper Ung. de Minio ſuper linteum, & ibi circumcirca maneat, donec ſponte eſchara decidat, vel ſeparari poteſt. Bibatur interim Decoct. guajac cum glyc. & uvis paſſis, pro potu communi.

* *Pulv. Solearis.* ℞ Cumin. ℥iij. caryoph. ℥i. ⊖ decrepit. ℥4. m. f. ♊. *Pro ſoccis interbaſtandis Podagricorum ſemper ad plantas geſtandis.*

* *Pul. Sternutatorius.* ℞ Majoran. roriſm. beton. Fl. lilii conval. ā ʒiij. nuc. m. ʒj. ✳ volat. ℈i. m. f. ♊ ſubt. *Valet in omnibus capitis doloribus; in Lethargo, Podagra, &c.*

* *Pulv. Stomachicus.* ℞ Pellic. interior. ventricul. capon. ℥4. nuc. m. mac. ſem. coriand. aniſ. fœnic. ā ʒiij. menth. ʒi. glyc. ʒij. Rhodoſacch. ℥ij. m. f. ♊, *ad Tormina Ventriculi, &c. Doſ. à ʒi, ad ʒij.*

* *Pulv. ad Strumas.* ℞ Lap. ſpong. ʒiij. ♉ æ ʒij. ☐ri ⊕lati ʒi. m. f. ♊. *Doſ.* ℈*ij bis in die per dies xij.*

Pulv. Sympatheticus, fit calcinando ⊕ Roman. radiis ☉aribus per Vitrum cauterizans, & ♊ando. v. *Vires Ung. Sympathet.*

Pulv. Tertianarius. v. *Pul. Antipyr.*

* *Pulv. Vermifugus.* ℞ C.C. rhab. corallin. ſem. ſanton ā p. æ. m. f. ♊. *Doſ.* ℈*i, ad* ʒ*ß per dies 3 continuos circa novilunium, & plenilunium.* * *Pulv.*

* *Pulv. Uvularis.* ℞ Balauſt, Rad. biſtort. tormentil. ā ℥ſs. ○ ℨij. m. f. ♋. *Quo uvula cum palato tangatur digito, vel linteo excepto, ſæpe in die.*

R.

* *Ranar Hepata,* præparantur exiccando ſupra folia caulium in vaſe clauſo, & ♋ando ſ. a. *D.* ℨ*ß. in Epilepſia, Quartana,* &c.

Regulis Jovialis. f. ex Regul. ♁ fuſi ℥4, adjiciendo limat. ♃ eandem quant. ſ. a. *Omnes obſtructiones reſerat. In utero ſtrangulato nobile remedium.*

Regulus Lunaris, f. addendo Reg. ♁ fuſi ℥viij. ☽æ ℥i, ſ. a. *Epilepticus, & Cerebralis.*

Regulus Martis, ex ♂ ℥j, ⦶, ♀̱, ♁, ā ℥ivſs, detonando ſ. a. *Curat Luem Ven. ſine ptyaliſmo.*

Regulus Solaris, ex Reg. ♁ fuſi ℥iv, ☉ ℥ſs, ſ. a. *Hyſtericus & deoppilativus.*

Regulus Veneris, ex ♀, ♀̱, ⦶, ā ℥iv, ♁ ℥viij, detonatis ſ. a. *aperit obſtructiones in Rachitide.*

Ros Vitrioli, Elicitur ex ⊕ albo crudo, calore MB ferventis ſ. a. *Valet ad ardentes capitis dolores, ſanguinem aduſtum mitigat, & viſcera corroborat. Doſ.* ℨ*ij*, &c. *continuatim ad aliquot dies.*

Roſa Solis. ℞ Roris ☉is rec. miij. nuc. m. aniſ. coriandr. roſ. r. ſicc. ā ℥ſs. galang. zz. caryoph. ā ʒij. glyc, ℥i. cardamom. zed. gran. Paradiſ. calam. arom. ā ʒſs. ſant. citr. ʒi. ſant. rub. cinnam. ā ʒvi. ▽ vitæ opt. ℔vi. Infund. ♁ aliqt. f. colat. per manic. Hipp. addendo ſacch. opt. ℥xij. *Confert ad Phthiſim, Tabem, &c. confortat cor, hepar, & Ventriculum. Capitis dolorem ſedat, & Peſtem præcavit, &c. Doſ. ʒij, iij, &c.*

Rotulæ. v. *Tabulæ*, vel *Tabellæ.*

S.

Sacchar. Aluminis. v. *Alumen Dulce.*

**Sacchar. Ambaratum.* ℞ Sacch. opt. ♃at. ℔i, vel q. v. repone in vaſe ſtanneo, indendo medio ſacchari Ambræ griſ. fruſtulum ad ℈i, vel q. v. ſtent ſimul perpetuò (vaſe clauſo) in loco tepidiuſculo camini juxta angulum. Sic Ambræ fragrantia ſimul cum viribus toti ſaccharo communicabitur, ſine ullo Ambræ detrimento aut perditione.

* *Sacch. Caryophyllatum.* ℞ Fl. caryoph. hort. ♃at. ʒvi. caryoph. aromat. ℈i. ſacch. alſiſ. in ▽Roſ. Dam. ſolut. ℥xij. coq. & effunde in marmor. ſ. a. *Cardiacum, cephalicum, & ſtomachicum inſigne eſt, cruditati ventriculi, vertigini, &c. confert.*

* *Sacch. Eboratum.* ℞ ♉ ebor. ℥iſs ocul. 69, perl. præp. ā ʒi. ◎ cinnam. gt.vi. ſacch. opt. in ▽Roſ. rub. ſolut. ʒxvi. coq. ſ. a.

Sacch. Perſicorum, ſ. ex Flor. ♉ at. ℥ij, ſacch. in ▽Roſ. coct. ℔i, ſ. a. *Conducibile ad lumbricos infantum enecandos, & alvum laxandam.*

* *Sacch. Sambucinum,* ſ. ex Fl. ℥ij, ſacch. opt. in ▽ Fl. Sambuc. ſolut. ℔i, ſ. a. *Ad flatus Ventriculi, Colicam, Calculum, &c. conducit. Alvum laxat.*

* *Sacch. Tormentillæ.* ℞ Rad. Torment ♉ at, ℥iſs. cinnam, ʒſs. ſacch. in ▽ cinnam ſolut. ℔i. coq. & effunde ſ. a. *Eximii uſus in Abortu præcavendo, fœtu roborando, &c.*

Sacculus Embryon, &c. v. *Cereviſ. &c.*

Sal Abſinthii cryſtallinum. fit ſolvendo ⊖ Abſ. in ▽, filtrando, cryſtalliſando, ſiccandoque, ſ. a.

Sal Aceti eſſentiale. coq. ⊙m ✻ti in ▽ filtra ac cryſtalliſa ſ. a. *Sudorificum eſt, & putredini reſiſtit. Doſ. gr. 5, ad 10, in vehiculo aliquo idoneo.*

Sal Aceti fixum. Calcina ⊙m ✻ti, ſolv ▽â, filtra & coagula ſ. a. *Idem facit u ſupra.*

Sal Alkali. ℞ ♆ ℔i. ♁ris iſatid. ℔ſs. ⊡ ⊕, ā ʒi. coq. in ▽, filtra & coagula ad ſicci

Sa

Sal Aluminis. coq. O uſtum in ▽, filtra & coagula ſ. a. *Sudorificum, & Febrifugum. Doſ. gr. 5, ad* 10.

Sal Armoniacum fixatum. Miſce ✳ cum ♆ dimid. quant. & △e fortiſ.. ſubito adhibito, additoque folle funde, ac poſtea ▽â elue ſ. a. *Inſervit præcipuè liquori indè conficiendo. Sudorificum eſt, & putredini reſiſtit, aperit obſtructiones. Doſ. gr. 5, ad x*, &c.

Sal Armon. Volatile, f. ex ✳, & ⊖is ri ā, atis ſ. a. pt & ari (jubente Medico) cum 3tia parte Caſtor. vel Succini. *Tollit ventriculi cruditates. Doſ. gr. iij ad x. Specificum eſt in Arthritide & ſudorificum.*

Sal Arm. Volat. Oleoſum. ℞ Caryoph. ℥ij. Sp. V. ℥viij. Sp. ✳ci ℥iv. Digere ſimul ad uniendum ſ. a. *Doſ. gr. x, ad* 15, &c. *in morbis capitis ventriculi, lienis, uteri,* &c. *in Colica & Tremore cordis Præſtantiſ. Remed.*

Sal. Chalybis. ℞ Croc. ♂tis per 🜂 fact. q. v. extrahe ⊖ cum ▽, filtra & cryſtalliſa ſ. a. *Vim habet incidendi, ac aperiendi obſtructiones, tum viſcerum, tum uteri. Doſ. à gr. i, ad* 5, *& ultra.*

Sal Cibarius. v. *Pulv. Cibar.*

Sal Coralliorum. Elicitur ex ribus more com. Vel, ſolve corallia in , filtra ac exhala ſ. a. Sic fieri pt *Sal Ocul. cancror.*

Margaritar, &c. *Dos.* ℈ß, *ad* ℈i, &c.

Sal C. C. Succinatum, f. ♎ando c. c. cum dimid. quant. ſuccini ſ. a. *Dos. gr. x, ad* ℈i, &c.

* *Sal Decrepitatum*, fit calcinando (✠bulo tecto) donec non amplius crepet ⊖.

Sal Diureticum. Solve ⊙m ✳ci volatilis in ▽ calida; filtra & coagula ſ. a. *Proficuum in Febribus intermittentibus.* *Dos.* ℈ß,*ad* ʒß. *In Ictero, Scorbuto, Hydrope, & omnibus obſtructionibus valde conducit.*

Sal Duplex. v. *Arcan. Duplex.*

* *Sal Febrifugum*, Elicitur ex teſtis oſtreor. opt. mundatis, & ad ſummum albed. calcinatis, ſolvendo in ▽, filtrando ac coagulando ſ. a. *D. ad* ʒi *ante parox.*

Sal Jovis, f. Solvendo Magiſt. ♃is per digeſt. in ✠, filtrando & coagulando. *Præſentaneum remedium in uteri ſuffocationibus quas ad miraculum compeſcit, tam intrinſecus quàm extrinſecus adhibitum.* *Dos. gr.* 2, 3, 4 &c. *repetitis vicibus.*

Sal Lithargyrites, Elicitur cum ✠ non ſecus ac ſacch. ♄ni. Decantetur ſolutio, filtra & coagula ſ. a. Si ſolutio ♎etur cum ol. ☐, vocatur *Magiſterium. Internè datu in Diarrhœis, Dyſenteriis, reliquiſq; morbi reſolutis. Inteſtina læſa ac ulcerata ſanat & conſ*

consolidat: sanguinem æstuantem refrigerat. Dos. ℥ß *cum Theriaca aliqua sudorifica, sive anodyna.*

Sal Martis. (i. e.) *Sal Chalybis.*

Sal Martis Catharticus. Solve ☉m Florum ✳ci ♂tiatorum in ▽ calida, filtra & coagula. *Dos. ad gr. xij. leniter purgat, & Diureticum est.*

Sal Perlarum, fit omninò ut coralliorum.

Sal Philosophorum. ℞ ⊖ decrepit. ♉æ, ā ℥ifs. galang. mac. cubeb. ā ℥fs. m. f. ♋. s. a. *Concoctionem juvat ventriculi, cruditatesq; consumit. Dos. gr. iv. ad xij, manè, jejuno ventriculo.*

Sal Polychrestum, f. ex Fl. 🜍 & ⦶ ā, exactè mixtis detonatisque, solvendo ▽â, filtrando ac coagulando f. a. *Humores purgat serosos per sedem, & nonnunquam per urinas. Dos.* ʒi, *ad* ʒiij, *in* ▽ *ont.* ℔ij *solut. ut fiat instar Acidularum.*

Sal Saturni. (i. e.) *Sacch. Saturni.*

Sal Spongiæ Volatile, f. ♌ando per ♎, & ⊖ rectificando f. a. ex ☉o in ▽ calidâ soluto elixiviatur *Sal fixum. Utile ad calculos renum vesicæq; frangendos. Valet etiam ad strumas discutiendas. Dos. gr.* 5, *ad* 12, *vel ultra.*

Sal Sulphuris. Solve ☉m Spts 🜍ris ▽â filtra

filtra & coagula s. a. *Efficax remed. adversus verminationem. Dos. à gr. 5, ad 10.*

Sal Tartari, fit ex 🜿ro calcinato non secus ac ex aliis 🜍ribus sal extrahi solet. pt & elixiviari ex ☉o post ♌ationem Spts 🜿ri relicto, si ulteriùs comburatur. Vel, fieri pt ex 🜿 crud. & ⦶ ā 🜐at. & calcinatis in 🜍tulo s. a. *Optimum est remed. in Ulceribus, Serpiginibus, Tinea, Scabie*, &c. *tam internè, quàm externè administratum.*

Sal Tartari Volatilis. ℞ ⊖is 🜿ri purific. ℥iv. Alcoh. V. ℥viij. ♌a ex ∴, ter cohobando; & adhærescet ⊖ lateribus ⋈ bici. *Diureticum & Aperitivum insignissimum est. Sanguinem purificat, & malignitati resistit. Dos. gr.* 10, *ad* 20, *& ultra.*

Sal Viper. Volatilis, f. ex viper. siccis per ♌, ut cornu cervi, ex ☉o elicitur more com. *Sal fixum. Medicamentum summè penetrans, Putredinem arcens, obstructiones reserat, febres omnes resolvit. In melancholia, podagra, renum calculo & vesicæ, mira præstat. Dos. gr.* 6, *ad* ℈ß.

Sal Veneris. (i. e.) *Flor. Viridis æris.*

Sal Urinæ Volatilis, f. ex ⊡ fermentatâ per ♌ ♌atâ s. a. *Fixum elicitur ex* ☉o *more com. Insigne anodynum est in doloribus sedandis, mixtum cum liquore conveniente* &

& supra loca affricatum. Internè datum reserat tartareas obstructiones viscerum ac mesenterii, unde insignis ejus usus esse poterit in Scorbuto, Cachexia, Icteritia flava ac nigra; &c. atterit calculum renum ac vesicæ, doloresq; indè ortos sopit. Dos. gr. 15, *ad* 30.

Sapo Tartareus. ℞ ⊖is ♀ri (ex ♀ & ⦶ ā, fact. s. a.) ℥iv. ⊙ Tereb. ℥viij. stent simul (vase amplo) in loco frig. & humido ad menses aliqt: tamdiu scilicet (sæpe interim quotidie agitando, & plus ⊙i, quoties opus fuerit, adjiciendo) usquedum ⊖ planè triplum ⊙i absorbuerit: atque in unam massam (Saponis instar) spissam conspiraverint homogeneam, nullatenus separandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

* *Savanetta Cosmetica.* ℞ Smegm. Venet. ℥j. solve in succ. limon. ℥ij. adde ol. Amygd. amar. ol. ♀ri p. d. ā ℥i. m. & tamdiu insolentur donec in Unguenti spissitudinem pervenerint, sing, diebus probè agitando. Tum adde ol. st. Rhodii gt. vi, vel q. s. f. ung.

Scammon. Aurantiatum. v. *Extr. Drastic.*

* *Scammon. Cydoniatum.* ℞ ♋ Scam. ℥ij. succ. depurat. cydon. ℔i. Digere ☿ 24. adde ▽ vitæ q. s. Digere iterum, & evapora ad extracti formam s. a. *Dos.* ℈*i, ad gr.* 25, &c.

* *Scammon. Limoniatum.* ℞ Scam. ♋ at. ℥i.

ſucc. Limon. ℔i. Digere, cola, & 🜄a ad conſiſt. extracti ſ. a. *Doſ. eadem cum priori.*

* *Scammon. Roſatum.* ℞ Succ. Roſ. Dam. depurat. ℔iij. Sp. 🜂 ℥iij. 🜍ris Scam. ℥iij. Digere ac evapora ad Pil. conſiſt. adde ⊙ ſt. Majoran. ℈i. *Doſ. eadem cum priori.*

* *Secundinæ præptæ.* Abluantur Secundinæ fœminæ, aut ſuis primiparæ cum V. albo, exiccentur citò, & 🜍rentur ſ. a. *D. ad ℨi, in Epilepſia, utero ſtrangulato partu difficili,* &c.

Sedativum Archæi. Tinctura ex Flor. ✳ci ♂tiatis eliciatur cum Sp. V. quæ abſtrahatur ad conſiſt. debitam ſ. a. v. *Vires Flor. ✳ci Martiatorum.*

* *Serum Aluminatum.* ℞ O ℨiij. lact. ℔4. coq. parùm, ut f. Serum. adde ſacch. ℥4. clarific. cum album. ovorum, ſ. a. Si velis Emeticum, coq. O ℨij, in lactis ℥vij, ut f. Serum, *ante parox. febrilem ſumendum.*

* *Serum Hepaticum.* ℞ Fol. fumar. cichor. endiv. ā miij. hepatic. mij. agrimon. acetoſ. ling. cerv. borrag. bugloſ. ā mi. ſem. carui ℨi. contuſis affunde ſeri lactis ℔iij. f. expreſ. adde ſacch. alb. ℥ij. clarific. ſ. a. *D.* ℔i *bis indies.*

* *Serum Scorbuticum.* ℞ Fol. cichor. acetoſ. ā mxij. abiet. mvi. cochlear. naſturt. aquat. ā miv. ſem. coriandr. ℥i. contuſis adde ſucc. aurant. ℥4. Seri lactis ℔4. ſacch. alb. ℥ij. clarific. ſ. a. *D.* ℔i *bis indies.*

* *Serum*

* *Serum de Sedo.* ℞ Succi sedi major. ℔i. lactis ℔ij. coq. ut f. Serum f. a. *D.* ℔ *i vel* ℔*ij indies. Usus præcip. in febribus biliosis; sedat sitim, compescit ardorem,* &c.

* *Serum Sinapinum.* ℞ Lactis ℔ij. calefact. adde Mustard. rec. fact. coch. iij, ut f. Serum clarum; quod coletur pro una vice. *Remed. singulare in Tussi, Asthmate,* &c. *Bibatur hora somni, & manè in lecto calidè per dies 3 vel 4.*

Silices præpti. ℞ Silices albicantes & pellucid. ex fluviis collect. igniantur in 🜄bulo, & exting. in ▽Font. (quâ ✳ solut fuerit) donec in 🝖rem fieri poterunt f. 🝖 exquisitus supra marmor, & in Troch. cogantur cum ▽Ros. probè exiccandos f. a. *Diuretici sunt. Usus in hydrope, calculo, urina suppressa,* &c. *Dos. gr.* 10, *ad* 20. *&c.*

* *Spiritus Alkermes.* ℞ Sp. Cinnam. Citri, Ceras. n. Anthûs, a ℥iv. succ. chermesin. ℥ij. m. peroptimè, dein agantur per chart. emporet. adde tum sacch. opt. ℥ij. Fol. Auri n° x. m. f. a. *Sunt, qui addunt Sp: Ambræ* ℥*ij pro ditioribus. Vapores tetros discutit. Spiritus naturales, vitales, animales recreat. parturientibus subvenit, &c.*

Spir. Aluminis. ℞atur ex O usto per ♉. omninò ut ⊙ ⊖li. *Dos. gut.* 4, 5, 6, *&c.*

Spir. Alum Dulcis. f. Sptum ☉is aliquoties rectificando cum Sp. V. ut dulcis evadat. *Diureticum est, calculum pellit, obstructiones aperit. æstus in febribus compescit. Dos. gut.* 4, 5, *&c. pro vice.*

* *Spir. Ambræ.* ℞ Ambræ gris. ʒss. mosch. gr. xv. facch. cand. ʒi. m. f. ♋: cui affunde △ris cœlest. ℥iv. Digere (vase hermeticè obturato) in fimo equino ad ♁ 20 aut 30. Dein filtra ad usum. *D. gt. vi in Animi deliquio,* &c.

* *Spir. Benzoini.* ℞ Partium albar. Benz. opt. ℥ij. Pyrœni ℥xvi. maneant simul in frig. sæpe agitando ad solutionem Benz. filtra ac serva. Si ▽ â lactis ♒es, & ficces, erit *Magister. Benzoini. Dos. Spiritûs, à ʒi, ad ʒiij. Magisterii à gr.* 10, *ad* 20. *vires obtinet Benzoïni.*

* *Spir. Camphoræ,* fit Solvendo Camph. ℥i, in Pyrœn. ℥viij, s. a. *Dos. ℥ß ante parox Tertianæ. Diaphoreticum insigne in febribus malignis. Anodynum est egregium, odontalgiam sedat,* &c.

* *Spir. Cerasorum,* f. ex Cerasis nig. cum nucleis opt. contus. & fermentatis s. a. ♌ando per ✕✕, & rectificando in MB. *Cephalicus, & diureticus, hystericis & epilepticis prodest. flatibus & convulsionibus subvenit. Dos. ʒij, ad ℥i,* &c.

* *Spir.*

* *Spir. Cochleariæ*, f. ex Cochlear. hort. floreſc. fermentatâ, vel non ferm. ℣ando per ✕✕ cum ſuo refrigeratorio. Quod primò prodit ſerva per ſe pro Sptu. *Fieri etiam pt ad hunc modum.* ℞ Sp. V. legitimè probat. ℔xxiv. cochlear. hort. rec. & floreſc. qu. infarciri pt. Infunde per ℥xij, ac ℣a ad medietatem. In hoc Sptu ℣ato macera de novo cochlear. rec. ut ſupra, iterumque ℣a ad medias. Ex hoc Sptu, & Reſin. Scammon. vel zialap. (extrahendo Tincturam ac filtrando) parari pt *Sp. Cochlear. purgans. Spleneticus ac diaphoreticus, fixos ac crudos humores, volatiles reddit, putredinią; reſiſtit. Hinc proficuus in hypochondriacis & tartareis morbis, ac præcipuè ſcorbuto. Doſ. gut.* 20, 30, *vel ultra in liquore idoneo.*

Spir. Coralliorum, fit ą ⊖em Corall. opt. purificat. ℣ando ∴, & rectificando. *Scorbuticus eſt & lithontripticus. Doſ. gt.* 5, *ad* 20, &c.

* *Spir. Corn. Cerv. ſuccinatus.* ℣atur ex c. c. cum dimid. quant. Succini. *Doſ. gut.* 5, *ad* 15, &c. *Sudorificus eſt, diureticus, hyſtericus, Epilepticus*, &c.

Spir. Diatrion. v. *Mixtura Simplex.*

Spir. Dracunculi. ℞ Sp. Vini cong. 1. Fol. dracunculi recent. quant. infarciri pt. Digere

per

per ♁ iij, & ℞a s. a. Aquæ ℞latæ adde sacc. opt. q. s. *Dos.* ℥iv. *pro vice; miranda præstat in ignotis affectibus, sudorem provocando.*

* *Spir. Embryonum.* ℞ Capones n° 3, exemptâ pinguedine contunde & incide: adde dactyl. ℔i. uv. passar. ℔iss. melis. miv. angelic. majoran. chærefol. ā miij. sem. ocimi ℥ss. fœnic. angel. cort. limon. ā ℥iij. cort. citri, Rad. pæon. borrag. ā ℥iv. angel. ℥iss. croc. ʒv. Cons. flo. Borrag. caryoph. majoran. ā ℥iv. V. Hispan. ℔xxxij. ℞a ad siccitatem. Cum hâc ▽â, & Sp. Hormin. ℔i, ▽æ Ceras. n. Melis. ā ℔iij, Borrag. ℔iv, & amygd. decort. ℔iss f. Emulsio: cui adde Cons. flo. Pæon. ℥vi. Borrag. & Caryoph. ā ℥iv. Florum violar. paralys. tunicæ, ros. r. anth calend. ā miv. Xyloal ʒiij. Sant. citr. ʒiiss. cinnam. ℥viij. Aromat. Rosat. ℥i. ℞a s a. *Fæminis datur quæ sæpius Abortum passæ sunt magno emolumento, itemq; gravidis ubi à subito terrore, aut aliqua occasione extrinseca languescant, lipothymias & animi defectiones, ventrisq; inflationes in his persanat: infirmum fœtum roborat, uteri ligamenta firmat, Epilepsiam arcet, sanguificationi proficit,* &c. *Dos. coch.* 2, 3, &c. *pro re natâ.*

Spir. Hormini comp. v. *Aq. Horm. comp.*

* *Spir.*

* *Spir. Hyſſopi Verus.* ℞ Hyſſop. rec. floreſc. q. v. contunde opt. & in vaſe quern. include, addendo 🜄ont. tepidiuſculæ q. ſ. relinque ſic ad fermentandum (Flor. cerevifiæ tantillo addito) ♁ 10, vel 12. Deinde adde plus 🜄æ, ac 🝖a per ⅩⅩ. Poſtea reſtifica ſæpe in MB. ſ. a. Eodem modo 🝖ari pt *Sp. Herb. aliar. Flor.* &c. *Pectoralis eſt inſigniter.*

* *Spir. Juniperi Verus.* 🝖atur ex Baccis fermentat. ut ſuprà. *Carminativus, diureticus, & ſtomachicus inſignis eſt, flatibus, renumq; arenulis pellendis, menſibus movendis, & ſterilitati auferendæ egregiè proficuus.*

Spir. Mannæ. Si Mannam 🝖es l. △. ex cucurbita, habebis Sptum inſipidum ſudorificum. *Sudorificum inſigne habetur in febribus tum peſtilentibus, tum communibus ſudorem, propellens admodum fœtidum. Doſ. ad coch. i.*

Spir. Millepedum. 🝖atur omninò ut c. c. ſervando ⊖em. *Urinam potenter ciet. Omnes obſtructiones reſerat. confert oculorum morbis. nec non Rachitidi. Specificus in ſurditate auribus inditus.*

* *Spir. Nitri.* ℞ ∴æ p. ij. ⦶ p. i. m. ac 🝖a per ☊, donec ceſſant fumi apparere. *Diureticum præſtantius vix invenies. Sudorem inſuper movet, unde uſus ejus inſignis in colica, pleuriſi, febribus omnibus, præcipuè malignis. Doſ.* ℈*i, ad* ℈*ij,* &c. *Spir.*

Spir. Nitri Bezoarticus. 🝫atur ex Sp. ⦶ rectif. & Butyr. ♁ij ā, ex 🝪 f. a. Inservire pt ⊙m *Bezoartico Minerali* parando.

* *Spir. Nitri dulcis.* ℞ Sp. ⦶ rectif. p. i. Alcoh. V. p. ij. Digere ad unionem, ac 🝫a in ∴, bis cohobando f. a. *Dos. ad ℈i in liquor. conven. Sudorem ciet, tollit obstructiones colicæ, renum, pectoris, &c.*

Spir. Reginæ Hungariæ. v. *Aq. Hungarica.*

* *Spir. Rhœados crapularius.* ℞ Flo. papav. rhœad. rec. ℔i. sem. carui ℥ij. nuc. m. ℥i. Ambr. gris. gr. 4. Sp. V. ℔iv. macer. f. a. f. colat. *Dos. ℥iv hora somni, vel manè post crapulam. Specificè Pleuritidi subvenit.*

Spir. Salis Armoniaci. ℞ ✳ p. i. ♆ p. ij. ▽ p. iij. 🝫a in ∴ f. a. *Diureticus, diaphoreticus, incisivus. resistit putredini, optimè valet in febribus. Dos. à gut. vi, ad xij, &c.*

Spir. Sal. Arm. Tartarisatus. ℞ ⊖is ♀ri, ✳, ā, cum triplo ▽æ 🝫a f. a. *Vires obtinet omnes cum priori.*

Sp. Sal. Arm. Succinatus. f. rectificando Sp. ✳ci supra ♋rem succini f. a.

Sp. Sal. Arm. Chalybeatus, f. ex ⊙o Florum ✳ci ♂tiatorum 🜂i exposito, 🝫ando per 🝪 f. a. *Dos. gut. 5, ad 15, &c. omnes obstructiones tollit, menses & urinam provocat: Sudorificus etiam censetur.*

* *Spir.*

* *Spir. Salis coagulatus.* Misce ⊖is Absinth. depuratis. ℥i, cum Sp. ⊖ rectif. ℥iss, & coagula s. a. *Diureticum est Medicamentum, & specificum hydropicum, omnes aquosas humiditates & flatus, omnemq; tartaream & viscosam materiam, unde calculus procreatur, per urinam potenter expellens. in Iliaca, Colica, febribus, icteritia, dysenteria, apoplexia, Podagra, &c. Præsentaneum est auxilium. Dos. gut. vi, ad xv, &c. v. Mynsicht.*

Spir. Salis Martialis. ℞atur per ♉ ex ♉ p. i, ♂ p. ij, s. a. *Dos. gt. 5, ad 15. Diureticus & valde aperitivus.*

Spir. Sambuci. ℞atur è Baccis ferment. uti *Hyssopi*, &c. *Alexipharmacus, cardiacus, sudorificus, & uterinus. Dos. coch.* 1, 2, &c.

Spir. Sanguinis. ℞a Sang. juvenis sani putrefactum in ∴ & rectifica s. a. *Maximè commendatur ad Epilepsiam radicitùs tollendam. ad paralysin, apoplexiam, pulmonem ulceratum, &c. Dos. à gut. x, ad xx, & ultra per mensem integrum.*

Spir. Saturni. ℞atur per ♉ è facch. ♄ni opt. purificato, rectificando s. a. *Sudorificus est, in Peste, melancholia hypoch. febribus ardentibus, Lue ♀ rea, & simil. Dos. gut.* 2, 3.

Spir. Spongiarum. ℞a è Spongiis per ♉, & rectifica s. a. *Lithontripticus est insignis.*

Spir.

Spir. Tabaccæ. ℞atur ut *Succini*, ex Foliis ſiccis. *Doſ.* ℨi, *ad* ℨiij, *&c. pro vomitorio.*

Spir. Theriacalis camphoratus. ℞ Theriac. Androm. ℥v. myrrh. opt. ʒx. croc. Anglic. ℥ß. camph. ʒj. Alcoh. V. ℥x. Digere, ac ℞a in MB. ter coh obando ſ. a. *Egregii uſus in morbis malignis ciet ſudorem, reſiſtitq; veneno. Doſ.* ℈i, *ad* ʒi, &c.

* *Spir. Veneris.* ℞atur per ♌ ex ⊕lo ♀ris ſ. a. *Summum eſt Arcanum ad Epilepſiam, corroborat ventriculum, cruditates emendat, uterum frigidum calfacit, ejuſq; ſuffocationem ſanat, menſes movet, renum morbis ſuccurrit. Doſ. gut.* 5, *ad* 10.

Spir. Vini Succinatus. ℞ ♈ris Succini ℥iv. Alcoh. V. ℥xij. ℞a in MB. ſ. a. *Cephalicus*, &c.

Spir. Vini Tartariſatus. ℞ ⊖ □ ℥iv. ℞a cum Alc. V. ℔ij. in MB. *Scorbuticus*, &c.

Spir. Viperarum. ℞a ex Viperis ſiccis, utì c. c. ſervando ⊖em. *Summè eſt penetrans, putredinem arcens, in toto corpore obſtructiones reſerat, febres omnes reſolvit, etiam Quartanas. Doſ. gut. iv, ad x.*

Spir. Vitæ Aureus. v. *Tinct. Aurea.*

Spir. Vitrioli. ℞a ⊕ calcinatum ex. ∴, & ſepara Sp. à phlegmate ſ. a.

* *Spir. Vitrioli coagulatus.* ℞ ⊖is Aceto-

ſæ

ſæ ℥i. Sp. 🜿li ℥iſs. m. & coagula ſ. a. *In roborando ventriculo, febribus, ſiti, inflammationibus*, &c. *Secretum eſt. Doſ. quantum ferri poteſt, ut dentes ſtupidi non reddantur, in liquor. conven.* v. *Mynſicht.*

Sp. Vitrioli Diaphoreticus. ℞ 🜔is 🜖ri, c. c. c. ā ℥ij. Sp. 🜿 ℥vi. 🝪a per 🝫 ad ſiccit. Liquori 🝪ato adde Sp. V. ā, & ſerva ad uſum. *Purificat ſanguinem, abigitq; ſcabiem ac pruritum, aperit obſtructiones, ſudorem provocat in Peſte, venenis, hydrope, icteritia, contracturis*, &c. *Efficax quoq; eſt in mundificandis pulmonibus. Doſ. à* ℈*i, ad* ℨ*ß.*

Sp. Vitrioli Eſſentificatus. v. *Cliſſus Vitrioli.*

Spir. Vitrioli Martis. 🝪atur in ∴ ex 🜿lo ♂is calcinato. *In obſtructionibus, chloroſi, Rachitide*, &c. *Doſ. gut.* 5, *ad* 15.

Sp. Vitrioli Philoſophicus, fit ex 🜄â in quam Butyr. ♁ij projectum fuit, exhalando ad 3tias, & rectificando ſ. a. *Cephalicus eſt, febrifugus & Ecphracticus. Doſ. gut.* 5, *ad* 15.

Sp. Vitrioli Tartariſatus. ℞ 🜿 ad albed. calcinat. p. ij. 🜖 ad nigred. calcinat. p. i. m. & conſperſa Sptu V. 🝪a ex 🝫, & rectifica ſ. a. *Egregias vires exhibet ad ſudandam in omnibus internis obſtructionibus, in ſanguine grumoſo, contra ſcabiem, ad mundificandam &*

lævigan-

lævigandam cutim. Dos. à ℈i, ad ʒß. cum brodio, aut vino, per tres auroras continuas, si libet.

Stypticum Regis. ♁lo soluto, filtrato, cum ✠ ♃ato, edulcato & siccato affunde ☉ ♁li, & ℞a ex ♉ ad siccitatem. ⊙m digere cum Sp. V. filtra calidè ac abstrahe. Solve ⊖em in fundo remanentem cum quadruplo ▽æ per digest. & fiet Stypticum. *Usus est internus & externus. Dos gut.* 10. *ad* 20, &c. *in omnibus hæmorrhagiis.*

* *Succi Scorbutici.* ℞ Succor. cochlear. utriusque. becabung. nasturt. aquat. ā ʒxvi. aurant. ʒxx. sacch. alb. ʒxij. m. trajiciantur sæpe per manicam Hippoc. ad claritatem rubicundam, Vini instar *Rubelli. Diu servari pt, in lagenis vitreis si reponantur, & gratissimi saporis sunt. Dos. coch. i. in omni haustu cerevis. com. vel* ʒiv. *bis in die.*

Suffimentum Hystericum. ℞ Asæ fœtid. ℈i. Fol. rutæ mi. ✠ opt. ℔i. coq. in lagena stricti orificii s. a. *Calidus vapor (hiante ore, & naribus) excipiatur sæpius in die.*

Sulphur Antimonii. ℞ ⊖ ☐, vel Absinth. ʒiv. in ✠bulo fusis injice cochleatim ♁ crud. ♋at. ʒi. fluere sinatur ad ☿æ quadrantem, & effunde in vas æneum. Massa crocei coloris edulcetur crebris ablutionibus s. a. *Ciet vomi-*

vomitum. Dos. à gr. 5, *ad* 10, *cum crem.* 🜿*ri purgat per secessum.*

Sulph. Antim. combustibile. ♁ solutum in menstruo idoneo in 🜄am projice: collige 🜍r, & 🜄 calidâ ablue: vel (si videtur) per se ⏍a s. a. *Dos. cum viribus eadem, ut supra.*

* *Sulphur Auratum.* fit è scoriis à Regulo ♁ii liberatis, in 🜄 coctis & filtratis, ⊏⊐ando 🜍 cum ✠, & abluendo. *Dos. gr.* 5. *ad* 15. *In aliis vomitum ante sudorem, in aliis sedem post sudorem, movet. mirè conducit febribus tertianis & quartanis horâ unâ ante paroxysmum. Pesti, variolis,* &c. *modò statim à concepto contagio, bis tèrve repetendo, sæpe prævenit, vel felicius erumpere facit. Lui* ♀*reæ proficuum est.*

Sulphur Vitrioli. fit solvendo 🜖 in 🜄 calidâ, guttatimque affundendo ◎m 🜿ri, ut ⊏⊐etur 🜍 🜖li, qd edulcoratum exicca. *Confert affectibus pulmonum. Mundificat plagas putridas, cicatricesq; inducit. in Epilepsia, vertigine, & morbis chronicis valde utile. Dos. ad gr.* 15.

Sulphur Vitrioli Martiale. Ablue Fl. ✳ci Martiatos ab omni falsedine, & calcina s. a. *Idem facit cum superiori; & præterea obstructiones reserat. Dos. etiam eadem est.*

Sulphur Vitrioli Narcoticum. ℞ 🜖 p. ij.

♂

♂ p. i. Digere in ✠, ac ℞a in ∴, ad siccitatem. Ex ⌽ rubra extrahe tincturam ope ✠i, filtra & ☐a ◎o ☐ri. Tandem △ in fundo edulca & sicca. *Ex hoc fiunt anodyna, Laudani nomine insignita. Catarrhos sistit, dolores aufert*, &c. *Dos. gr. ij, ad vi*, &c. *hora somni.*

* *Suppositoria Aluminosa.* ℞ O ♉ at. q. v. Albumin. ovor. agitat. q. s. ut fiat Pasta, & exinde suppositoria diversæ magnitudinis & longitudinis, siccanda ad usum. *Quorum unum oleo illitum indatur pro re natâ ad alvum sollicitandam in variis casibus. Insignis usus in Colica.*

* *Suppositorium Hæmorrhoidale*, f. ex creta & ung. Populn. ut f. ⌽ dura f. a. *Refrigerat, sanguinemq; sistit hæmorrhoidum.*

Syr. Alleluja. ℞ Succ. Lujul. ℔iiss. ▽Ros. rub. ℔ss. facch. opt. ℔iss. Digere in MB, dum fæces subsiderint, toties quoties.

Syrup Ambrosianus. v. *Decoct. Ambros.*

Syr. Antiscorbuticus. ℞ Fol. Pini rec. cochlear. marin. nasturt. aquat. becabung. ā p. æ. contusa exprime succos. ℞ Horum ℔iij. succ. Aurant, ℥vi. clarifica exactiss. cum album. ovor. adde facch. opt. ℔ij. coq. ad consist. Syr. f. a. *Cui refrigerato addi possunt Sp. cochlear. ℥ij.*

* *Syr.*

* *Syr. Balſamicus.* ℞ Balſam. de Tolu ℥ij. ▽ Flor. tuſſilag. ℥xij. coq. in vitro circulatorio exactiſ. lutato in ∴ poſito per 🝤3. colat. frigidæ admiſce ſacch. albiſ. ℥xx. ut f.Syr. ſine ope caloris. Eodem modo parari pt *Syr. Benzoïni, de Styrace*, &c.

* *Syr. Benedictus.* ℞ Infuſ. Bened. ℥xij. ſacch. alb. ℥iv. exhala in MB. ad Syrupi conſiſt. ſ. a. *Doſ. coch. i*, 2, &c. *pro Infantibus.*

* *Syr. Cardiacus auratus.* ℞ Aq. chelidon. comp. ℔i. ſacch. opt. ℔ij. diſſolve ad lentum B.calorem,& adde ſucc. chermes, Syr. de Corall. comp. ā ℥ij. Fol. Auri n° 20. m. ſ. a.

* *Syr. Chalybeatus.* ℞ ⊖ ♂tis ʒij. ſolve in ▽ Gentian. comp. ℥i. adde Syr. de pomis alter. ℥ix. m. ſ. a. *Doſ.* ℥*ſ, ad* ℥*iſs*, &c.

* *Syr. Chalybeatus Alius.* ℞ Vin. Chalybeat. nr. comp. opt. filtrat. ℔ij. ſacch. opt. ℔i. exhala l. △. ad Syr. conſiſt. *Doſ.ut ſupra.*

* *Syr. Chalyb. Corallatus.* ℞ Raſ. ſantal. r. ℥iv. ſant. alb. cinam. corall. rub. ā ℥i. macer. (obſignato vaſe) in V. rubell. opt. ℔iſs. ad ♃ 🝤 24. f. colat. clara, cui adde ſacch. opt. ℔i. f. Syr. ſ. a. Tum adde ⊖ ♂tis ad rubed. calcinat. (in ▽ cydon. ſolut.) ℥ſ. m. *Valde adſtringit & roborat. In fluxibus omnibus (præſertim hepaticis) uſus eſt inſignis. Doſ.* ℥*ß, ad* ℥*i*, &c.

* *Syr.*

* *Syr. de Croco.* ℞ Croc. Anglic. opt. ʒij. Lachrymar. ſtillantium ex capitibus Papaveris exotici ſupra laminam ferri ſiccat. & pul. ℥ſs. Sp. 🜍li gt. 30. ▽ citri totius ℥viij. Digere in MB. ut extrahatur Tinctura, quæ filtretur exactiſ. Tum ℞ Sacch. opt. ℥xviij. ▽ citri totius ℥vi. coq. deſpumando ad Syr. craſſioris conſiſt. cui adde Tincturam prædictam, ut f. Syr. conſiſt. debitæ ſine coctione. *Doſ. ʒi, ad ʒiij & ultra.*

Syr. ad Fiſſuras. ℞ Gum. arabic. ʒij. ſacch. cryſtallin. ℥ſs. ▽Roſ. r. ℥ij. coq. in Syrup. liquidiorem. *Remed. optatiſs. in Fiſſuris mammarum.*

Syr. Hæmoptoïcus. ℞ Succor. heder. terr. plantag. agrimon. ſedi major. portulac. depuratorum, ad ℔ſs. Sacch. Roſat. duplum. f. Syr. ſ. a. *Doſ. ℥ij cum ▽ Lactis ℥vi. ſingulis auroris, & eadem quantitas hora ſomni cum ▽ Rhœad. ℥iv.*

* *Syr. Jovialis.* ℞ Limat. ♃is ℥vi. ♂tis ℥ij. infund. in ▽Font. ℔vi ☧ 48. Tum adde Tamariſc. mij. cort. rad. cappar. ℥iſs. uv. paſſar. ʒiv. aniſ. ℥i. coq. donec libræ 4 conſumptæ fuerint f. colat. adde ſacch. alb. ℔i. clarifica & coque ad Syr. conſiſt. *Doſ. ℥i. quotidie mane cum ▽ Lumbric. magiſtr. ℥ij. Optimè valet ad Melancholiam hypochond. cachexiam, chloroſin, icterum,* &c. * *Syr.*

* *Syr. Limacum.* ℞ Limac. hort. ante ortum ☉is collect. è testis suis exempt. & concis. ℔i. sacch. cand. subt. ℈at. ℔ss. m. & conjiciantur in manic. Hippoc. ut in cella defluant in Syrupum. Fieri & pt ex Limac. perforatis cum testis, & sacch. cando. *Dos. coch i. sing. horis, in Phthisi, Tabe*, &c.

* *Syr. Lumbricorum.* ℞ Lumbric. terr. rec. opt. mundat. ℔i. Inde vitro orificii angustioris (benè operculo munito) & obvolvatur vitrum totum pastâ ex Fl. tritici & ▽â factâ, coq. in clibano cum panibus Pistoris. Postea coletur liquor, cui adde sacch. opt. q. s. ut f. Syr. *Dos.* ℥*i. cum chalybeatis*, &c.

* *Syr. de Myrrha.* ℞ Myrrh. opt. ʒv. croc. ℈iv. hyssop. tussilag. ā miij. cap. ♀ mi. sem. bombac. ℥i. uv. pass. exacin. ℥iij. coq. in V. alb. ℔iss ad med. colat. adde sacch. opt. ℥viij. coq. in Syr. consist. s. a. *Pectoralis est, asthmaticus, aperitivus, emmenagogus*, &c. *Dos.* ℥*i, ad* ℥*ij*, &c.

Syr. Peponicus. ℞ Carn. Pepon. matur. & rec. ℔iiss. incis. minutiss. adde sacch. opt. ℈at. ℔i. f. S.S.S. in olla vitreata : stet desuper peponis carnem pondus i. vel 2. librarum (☒ aliquot) ut f. Syr. in loco frigido s. a. *Dos. coch.* 3. *bis in die cum Pulv. Haly* ʒ*i, in Phthisi, tabe*, &c.

* *Syr.*

* *Syr. de Peto.* ℞ Succ. Peti Anglic. ℔4. oxym. ſimp. ℥4. Hydromel. ℔i. m. & digere ♁ 4, ut opt. defæcetur. Hinc decanta, iterumque digere ut ſuprà, donec materia ab omni fæculentia depurata fuerit: adde poſtea ſacch. ℔ij, & coq. in Syr. ſ. a. *Doſ. coch. ß, ad ij. per plures dies, mira præſtat in epilepſia, tuſſi, aſtmate, catarrho ſuffocativo, phthiſi, ventriculi dolore, viſu recuperando*, &c.

* *Syr. de Rapis.* ℞ Rapar. excort. in laminas ten. inciſ. ℔iij. ſacchar. opt. ♋at. ℔i. f. S. S. S. in vaſe fictili. ſtent in frigido ſimul cum pondere ſuperpoſito per ☧ 12 f. colat. *Lenit acrimoniam bilis ac aſperitatem bronchiorum, aſperæq; arteriæ.*

* *Syr. Sambucinus comp.* ℞ Bacc. ſambuc. matur. à ſtipit. liberat. ℔ij. uvar. corinthiac. mundat. inciſ. ℔i. Fl. ſicc. Borrag. Bugloſ. Viol. Roſ. r. ā ℥ſs. V. Rubelli ℔ij. coq. in clibano: colat. claræ adde ſacch. opt. ā, & coq. in Syr. ſ. a. *Mieklethw. Alexipharmacus, Cardiacus, & uterinus eſt. Sudorem movet*, &c.

* *Syr. de Scammonio.* ℞ Diagryd. ʒvi. uv. paſſar. exacin. ſacch. alb. ā ℥viij. Sp. V. ℔ij. coq. l. △. aduſtulando ad conſumpt. dimid. f. colat. pro Syr. cathartico. *Doſ.* ℥ſs, *ad* ℥iſs.

Syr. *Sidereus.* ℞ Tincturæ Ferri (quam vide ſuo loco) exactiſ. filtrat. ℔ij. ſacch. opt. ℔i.

℔i. exhala in MB, ad consist. Syr f. a. *Longè efficacior est quàm Syr. Chalybeat. in obstructionibus*, &c. *Dos.* ʒij, *ad* ʒvi, &c.

Syr. de Sulphure. ℞ Hepat. 🜍ris ℥ij. V. Hispan. ℔i. Digere ♁ 3, & V. tinctum filtra. Tum ℞ facch. opt. ℔iij. 🜄 Tussilag. ℔i. coq. despumando ad consist. crassiorem. Postea (Tincturâ prædictâ additâ) f. Syr. debitæ consist. f. a. *Insigniter confert ad Asthma, Tussem, Phthisin, Peste*, &c. *Dos.* ℥ss, *ad* ℥i, &c.

Syr. Tolutanus magistralis. ℞ Balf. de Tolu, de Mecha, vel ejus defectu Capivi, styrac. calamit. Benz. opt. oliban. Mastich. Myrrh. Ammoniaci granulati, Taccamahac : gum. Elemi, Tereb. è Chio, Rad. irid. Florent. ā ℥ss. Aq. Bechicæ ℔iss, coq. in vase circulatori (opt. clauso) in ∴ calidâ posito 🝰 aliqt. colat. adde facch. albis. q. s. ut f. Syr. albissimus f. a. *Pectoralis est, Asthmaticus, Phthisicus*, &c. *Dos.* ℥ss *ad* ℥i, *&c.*

Syr. Vermifugus. ℞ Fol. Helleborastri rec. ℥ij. Hagiospermi ℥iss. Rad. bryon. rec. ℥ss. Absinth. Roman. mii. coq. in Hydropeg. q. s. ad ℔i. colat. adde facch. opt. ℔i. & coq. f. a. *Dos. coch. i bis indies.*

T.

* *Tabulæ Absinthiacæ.* ℞ Sacch. albis. ℔i. Aq. Abs. q. s. coq. f. a. instillando ☉ st Abs.

gt. 60; & effunde in marmor. *Stomachicæ, hepaticæ, ſpleneticæ*, &c.

* *Tab. Amydaloïdes.* ℞ Partium albar. Benz. opt. ℥i. Fl. 🜂 ℥ij. Rad. irid. Flor. ℥iſs. ſang. dracon. ʒi. ſacch. alb. ℥xij. mucilag. gum. Trag. in 🜄Roſ. extract. q. ſ. f. Tabul. ſ. a. *In Aſthmate, Tuſſi, Phthiſi*, &c. *præſtantiſſimæ.*

* *Tabul. de Angelica.* ℞ Rad. Angelic. rec. ad mollitiem coct. & per ſetaceum traject. ℥iſs. ſacch. opt. ℥xij. mucilag. gum. tragac. q. s. f. Tab. albiſſimæ. *Bezoardicæ, cardiacæ, traumaticæ, emmenagogæ*, &c.

* *Tab. Antimoniales.* ℞ Ceruſ. ♁ij ex Regulo fact. ℥vi. ſacch. alb. ℥xij. cum mucilag. gum. Tragac. f. Tabellæ ſcrupulares ſ. a. v. *Vires Electuar. Albi.*

* *Tab. Antiſynanchicæ.* ℞ Fl. 🜍 ℥i. cynocopri ſubt. ♉ar. ℥iij. ſang. dracon. ʒij. ol. Aniſi gr. vi. ſacch. albiſ. ℥viij. cum mucilag. tragac. q. s. f. Tabellæ. *In ulceribus oris aphthis*, &c.

* *Tab. de Aurantiis.* ℞ Cort. extern. aurant. citri, limon. candefactor. ā ℥i. confect. Aniſ. & zz. ā ʒiij. galang. ℈ſs. caryoph. n° 12 nuc. m. condit. n° 2. Aromat. Roſat. ℈iv Amygd. decort. Rad. eryng. candefact. ā ℥i pinear. piſtach. ā n° x. moſch. zibet. ā gr. 4 Ambr.

Ambr. grif. ℈i. facchar. alb. ℔ifs. mucil. tragac. in ▽Rof. fact. q. f. ut f. Pafta, & exinde Tabulæ f. a. *Antifcorbuticæ*, *Cardiacæ*, *Carminativæ*, &c.

* *Tab. Burgefianæ.* ℞ Glyc. rec. ℔i. Decoct. paffular. fcabiof. & Violar. ℔vi. Infund. per ☉ 3, & coq. ad dimid. f. expreffio, quæ exhaletur ad mellaginem: cui adde facch. cand. alb. ♓at. ℥xij. gum. tragac. ♓at. ℥ij. ol. Anif. gr. xx. Ambr. gril. gr. iij. contunde opt. ut f. ⏀, ex qua formentur Tab. vel Rotulæ, f. a. *Bechicæ*, *Cardiacæ*, &c.

* *Tab. Cardialgicæ.* ℞ Cret. candid. ℥ij. oc. 69 ℥i. nuc. m. ʒi. facch. albif. ℥xij. mucilag. fem. cydon. q. f. ut f. Tabulæ. *Titulus demonftrat vires.*

* *Tab. Carminativæ.* ℞ Sem. Dauci com. ♓at. ℥i. facch. opt. in Decoct. fem dauci com. folut. ℥xij. coq. & effunde f. a. Aliter. ℞ Sem. Cardamom. craf. pul. ℥i. flaved. cortic. aurant. minutiff. incif. ℥iifs. facch. opt. in ▽Rof. cum tertia parte ▽ Thymi folut. ℥xvi. coq. & effund. f. a. *In flatu optimum Remedium.*

Tab. Catharticæ. ℞ Diagryd. ʒifs. crem. ♀ri, ʒvi. ol. ft. caryoph. gr. vi. facch. albifs. ℥iv. mucilag. gum. tragac. in ▽Rof. fact. q. f. a. Tabellæ f. a.

* *Tab. Dialthææ.* ℞ ♃ris Rad. alth. ℥ij. glyc, ℥i. Fl. △ ʒvi. gum. tragac. ʒij. ſacch. opt. ℥xij. Aq. Pectoralis q. s. f. Tab. ſ. a.

* *Tab. Diambræ.* ℞ Spec. Diambr. ℥ſs. ſacch. alb. ℥viij. Aq. cinnam. q. ſ. coq. ſ. a. *Cardiacæ, Cephalicæ, Stomachicæ, &c.*

* *Tab. Diatragacanthi.* ℞ Spec. Diatragac. frig. rec. fact. ℥ſs. moſch. ambr. griſ. ā gr. i. zibeth. gr. 2. ſacch. opt. ℥xij. ▽Roſ. Dam. q. ſ. contund. in ⏀m. & f. Tab. albiſſimæ.

* *Tab. Divinæ.* ℞ Lact. Apyrothii ℥ij. ſacch. alb. ℥vi. mucil. cydon. q. ſ. f. Tab. drachmales. *In hæmorrhoidibus curandis Arcanum eſt. Valent præterea in ſcabie, aſthmate,* &c. *Doſ. n°* 3, *vel* 4. *bis vel ter in die.*

* *Tab. Embryonum.* ℞ ♃rum Rad. biſtort. ebor. coral. r. coriandr. ppt. ā ℥ſs. ſuccin. alb. cryſtall. Bacc. cherm. ā ʒij. ſacch. alb. ℥xvi. Aq. cydon. q. s. coq. ſ. a. addendo ol. cinnam. gt. vi, & effunde. *Virium ſunt magnarum in Abortu præcavendo, fætu roborando,* &c.

Tab. Emeticæ. ℞ Stibii ſubtiliſs. ♃rat. ℥ſs. Sacch. opt. ℥iv. ol. Aniſ. gut. v. mucilag. gum. tragacanth. q. s. f. Tabellæ. *Doſ. gr.* 16, *ad* 40.

Tab. Farfareæ. ℞ Fol. tuſſilag. ſereno cœlo collect. & (abſterſâ mucoſitate aridâ cum

cum linteo madido, irrigando demum Vino Hiſpan. & exſiccando) ℞at ℥ſs. glyc. ℞at. ℥ſs ſacch. cand. alb. ſubt. ℞at. ℥xij gum. tragac. in Decoct. Pector. ſolut. q. ſ. f. Tab. vel Troch. ſ. a. *Pectorales ſunt efficaces in Tuſſi, &c.*

* *Tab. Fæniculinæ.* ℞ Sacch. opt. ℔i. ▽ Fœnicul. q. s. coq. ſ. a. inſtillando ⊙ ſtil. Fœnicul. gt. 50. effunde ſ. a. *Ad Flatum, Colicam, &c.*

* *Tab. Griſeæ.* ℞ Ambr. griſ. ʒi. moſch. gr. vi. ſtyp:er. gr. ij. ſacch. cand. alb. ℞at. ℥xij. mucil. gum. tragac. in ▽ Menth. extract. q. s. f. Tabellæ. *Cerebrum & cor confortant, Spiritus naturales, vitales, ac animales mirificè reficiunt. Doſ.* ʒi, ij, &c. *ter vel quater in die.*

* *Tab. Hæmoptoïcæ.* ℞ ▽ Lemn. ʒiij. Æ ʒij. Lap. Hæmatit. Magiſt. eboris, ā ℈iv. Rad. biſtort. ſem. hyoſcyam. cort. limon. rec. minutiſ. inciſ. ā ʒi, ſem. papav. alb. ℥ſs. Rhodoſacchar. ℥viij. mucilag. gum. tragac. q. s. f. Tabellæ. *Titulus virtutes indicat. ſumantur ſæpè in die.*

* *Tab. Helenii.* ℞ Pulp. Rad. enul. rec. coct. ℥iſs. ſacch. opt. ℔i. mucilag. gum. tragac. in Aq. Hyſſop. extract. q. s. f. Tab. *Ad Tuſſes, Aſthmata, &c. valde conducibiles.*

* *Tab. Infantum.* ℞ Resin chelop. ʒi. Ziabach. dulc. subt. ♃at. ʒvi. sacch. opt. ℥iij. mucil. gum. trag. q. s. f. Tab. pondere ʒss. *comedantur manè 2, 3, vel 4. ad vermes.*

* *Tab. Lenthales.* ℞ Glyc. rec. ℥viij. anis. ℥iv. carui ℥i. ▽arum tussilag. Hyssop. prassii, ā ℔i. Infund. in MB. ♁ 3, f. express. fortis, quæ ad mellaginem exhaletur; addendo gum ceras. Arabic. ā ʒij. tragac. ℥ss, per ♁ 2 infus. in ▽Ros. Dam. ℔ss. Tum adde sacch. opt. ℔ij. mosch. ambr. gris. ā gr. vi. ♃ris glyc. ℥ss. contunde opt. in ⏀, & exinde f. Tab. vel Rotulæ, s. a. *Pectorales sunt jucundæ.*

* *Tab. de Pipere.* ℞ Cinnam. ℥ss zz. ʒij. piper. n. ℈ij. calam. arom. mac. nuc. m. ā ℈ij, gr. v. cubeb. cardamom. min. ā gr. xv. caryoph. galang. flaved. cort. aurant. crud. rec. ā ʒss. flaved. cort. citri crud. rec. ʒi. Incide omnia crasso modo, & adde amygd. dulc. excort. ℥v. cort. citri condit. ℥i. sacch. alb. in ▽ Menth. solut. ℔i. coq. & effunde s. a. *Cephalicæ, Stomachicæ, Carminativæ,* &c.

* *Tab. Prunellæ.* ℞ Lap. Prunell. ℥ss. sacch. opt. ℥vi. mucil. tragac. q. s. f. Tab. *In ore sæpe tenendæ ad sitim in febribus.*

* *Tab. Rosaceæ.* ℞ Ros. rub. exungul. ʒvi. gum. Arab. tragac. ā ℥ss. sacch. opt. ℥xvi.

▽Ros.

℞os. q. s. ut f. pasta. Inde fiant Tab. vel Rotulæ, f. a. Addi pt Ol. nuc. m.gt. aliquot. *In Catarrhis, Tussibus inveteratis*, &c. *proficuæ.*

* *Tab. Saponaceæ.* ℞ Sapon. Ven. opt. ℥iſs. glyc. ℥ij. Rad. irid. Fl. ʒvi. Fl. ♀ ℥ſs. Rad. Angelic. ʒij. ol. Anis. ℈ſs. ſacch. opt. ℥viij. mucil. tragac. in Aq. Hyſſop. fact. q. s. f. Tab. vel Troch. f. a. *In Empyemate, Phthisi*, &c. *optimè valent. expectorationem efficaciter promovent.*

Tab. Stomachicæ. v. *Pleres. Archonticon.*

* *Tab. de Styrace.* ℞ Styrac. cal. colat. pulp. paſſul. min. ā ℥i. ♁ris glyc. ʒvi. xyloal. cinnam. ā ʒij. nuc. m. ʒ j, ℈ij Æ, ʒx. nuc. moſch. condit. ſiccat. ℥iſs. ſacch. opt. ℥xx. muccag. trag. q. f. f. Tabellæ. *Catarrhales, Pectorales, Cordiales, & Tabidis mirè conducibiles.*

* *Tab. Tartareæ.* ℞ Cryſtal. ♀i ſubtiliſ. ♁at. ℥i. ſacch. opt. ℥viij. mucil. trag. q. f. f. Tabellæ, *frequenter in ore tenendæ urgente ſiti.*

* *Tab. Vermifugæ.* ℞ ♁ris c. c. crud. ebor. ā ℥iſs. corallin. ℥ſs. ſacch. alb. ℥viij. mucil. tragac. q. s. f. Tab. ponderantes ſingulæ ʒſs. D. n° 3 *bis in die.*

Tartarum Aceti. v. *Sal Aceti eſſentiale.*

Tartarum Antimoniatum. ℞ Crem ♀ p. vi. Fl. ♁ij p. i. coq. in ▽, filtra & exhala ad ficcitatem. *Ecphracticum eft, diureticum, diaphoreticum, & febrifugum. Alvum laxat, cietq; vomitum. Dof.* ℈i, ʒſs, &c.

* *Tartar. Chalybeatum.* ℞ ♀ loti ℔i. ♂ ℥ij. coq. in ▽ ℔viij. per momentum 1 vel 2, Trajice citò per manic. Hip. agitando liquorem, donec refrigeratus fit: dein refideat ♈ in fundo viridiufculus, & ficcetur. Vel, ℞ Crem. ♀i ℥iv. ⊕li ♂tis. ʒij. coq. in ▽ aliquantum, filtra & ad ficcit. evapora f. a. *Utiliffimum in morbis chronicis, fc. obftructione lienis, Quartana, ictero, cachexia, hypochondriaca paffione,* &c. *Dof.* ℈*i, ad* ʒ*i.*

Tartar. Emeticum. ℞ Hepat. ♁ij, crem. ♀i, ā p. æ. m. f. ♈. Digere in ▽ Menthæ. filtra ac evapora ad ficcitatem. *Multò leniùs ac tutiùs operatur quàm crocus metallorum. Dof. gr.* 3. *ad xij.*

Tartar. Laxativum. ℞ Crem. ♀ ℥viij. ⊖ ♀ ℥iv. ▽ Font. ℔iij. coq. l. △. per hor. fs. poft frigefact. filtra & exhala ad ficcit. ut fiat Sal album. *Dof.* ℈*fs. ad* ℈*i*, &c.

Tart. Vitriolat. Antimoniale. fit addendo paulatim ♀ro ♁iato, ☉ ⊕li q s. ficcando, in ▽ folvendo, filtrando & exhalando ad ficcit. *Febrifugum eft, ictericum, cachecticum,*

ticum, & digestivum. Dos. gr. 15, *ad* ℥ſs, &c.

Tart. Vitriolat. Emetico purgans. ℞ ⊖ ☐ fuſi ℥viij. Vitr. ♁ij ℥i. probè miſce in ✠bulo, effunde, ▽â ſolve, filtra, & in ∴æ calore exicca, paulatim inſtillando ◎ ⊕li q. s. & ſiccando. *Vires eaſem obtinet cum priori. Purgat ἄνω ϗ κάτω. Doſ. gr.* 3, *ad* 8, &c.

Terra Vitrioli dulcis. fit ex ☉o olei ⊕li ad rubed. calcinato, aliquoties ▽â edulcando, donec 🜃 rubra ab omni ſalſedine libera ſit. poſtea exicca. *Magnæ eſt efficaciæ in Dyſenteriis, hæmorrhagiis,* &c. *Doſ.* ℈ſs, *ad* ℥ſs, &c.

**Teſtes Equi præpti.* E vivo equo eximantur, incidantur, Leucœao abluantur, exiccentur citò & ♃rentur. Eòdem modo præparantur *Teſtes Apri.* Doſ. ℥i pro vice bis in die. *In Epilepſia, Calculo, penis dolore, ſterilitate, mictione purulenta,* &c. Teſtes equi *exhibentur in colica, utero ſtrangulato, fœtu mortuo, lochiis ſuppreſſis, partu difficili,* &c. *Doſ. ad* ℥i.

* *Tinctura Abſinthii.* ℞ Summit. Abſ. vulg. ſiccat, à ſtipit. liberat. ℥v. contuſis adde Pyrœni ℥xx. Digere in MB ad ♁ aliqt. exprime fortiter. in liquore infunde iterum

 alias

alias summit. abs. & exprime. Repet. opus ad tertiam Vicem. Dein filtra colaturam s. a. *D. gt. vi (plus minus) in haustu Vini, vel cerevisiæ.*

Tinctura Ambræ. v. *Sp. Ambræ.*

* *Tinctura Amygdaloïdes.* ℞ Partium albar Benz. Styrac. calam. ā ℥i. Pyrœni ℔i. Digere ad solutionem, filtra & exhala ad dimid. *Pectoralis est, catarrhalis, asthmatica, nervalis, sudorifica,* &c. *Dos.* ʒij, *ad vi,* &c.

* *Tinctura Antim. Emetica:* Extrahitur ex vitro ♁ij cum ✠, filtrando & exhalando ad siccitatem. Materiam in ▽ solutam, filtratam, iterumque ad siccitatem abstractam digere cum Sp. V. ad colorem rubicundum, ac filtra. Elici etiam pt Tinctura è scoriis Reguli ♁ij cum Sp. V. digestis & filtratis. Vel, extrahe Tincturam ex vitro ♁ij cum Sp. ♀ rectificato; effunde ac abstrahe in ⅩⅩ, non autem ad siccit. totalem: Tum extrahe Tincturam cum Sp. V. quam filtra & exhala ad conven. spissitudinem. *Dos. ad gt. x.*

Tinctura Antim. purgans. ℞ Vitr. ♁ij ♃at. ℥i. Sp. ⊕ non-rectificat. ℥viij. Digere in MB. Sic fit Tinctura nigropunicea *Panchymagogum Censetur in omnibus morbis curandis. fortificat ventriculum, obstructiones aperit, convenit*

convenit chlorosi, cachexiæ, &c. *Dos. à gt.* 6, *ad* 10.

Tinctura Armoniaci. ℞ ✳ ℔ij. ♂ ℔i. m. opt. simul terendo, & ♌a per △ per gradus. Serva per se Sp. ✳ci. ♂tem in fundo hærentem ♋a, & frequenter ▽â affusâ edulcora. Postea adjectis Sp.V. ℔ij. digere tepidè ♁ 8: effunde Sptum, & novum affunde & digere per ♁ 8. Dein abstrahe in MB. Sp.V. ℔iij. ut una libra Tincturæ supersit. *Egregiè præstat in omnibus obstructionibus hepatis & lienis. Item in Melancholia hypochond. quartana, cachexia, hydrope, morbo virgineo, scorbuto, mensibus, superfluiis & retentis. Dos. gut. vi. ad xij. in liquor. conven.*

Tinctura Asæ fœtidæ. ℞ Af. fœtid. ℥ij. Alcoh. V. ℔i. extrahe Tincturam & filtra. *Uterina est, traumatica, & splenetia. Dos.* ʒi, *ad* ʒij, &c. *in liquore conveniente.*

* *Tinctura Asthmatica.* ℞ Rad. Helen. irid. Florent. sem. anis. carui, glyc. ā ℥ij. Fol. cardui ben. mij. uv. pass. exacin. ℔i, Fol. Senæ mundat. ℥vi. ▽ Anisi, ℔vi. Digere ♁4, & f. colat. *D. coch.* 2 *h. somni,* 3 *vel* 4 *manè seq.*

* *Tinctura Aurea.* ℞ Pulp colocynth. á semin. liberat. concis. & cras. ♋at. ℥iss. caryoph. nº vi. anis. ʒi. croc. ℈ss. Sp. V. ℥xx.

℥xx. Digere ad menſem, & filtra. *Doſ.* ʒij *ad* ℥iſs.

Tinctura Bezoartica. ℞ Rad. enul. angel. zed. ſerpentar. Virg. ā ℥iſs. croc. opt. ℥i. myrrh. cinam. cort. citri ſicc. ā ʒvi. Fol. ſcord. rutæ, ā mſs. Theriac. Androm. ℥iij. opii Thebaic. ʒij. Sp. 🜍i rectif. ℥xv. Sp. 🜕li ℥iij. Sp. Bacc. ſambuc. & Sp. Bacc. Junip. rectif. ā ℥xviij. Digere ſ. a. ac filtra. Tum adde 🜔 ſuccini ℥i. camphor. ʒij. Digere iterum ad uſum. *Doſ.* ʒiij. *ad* ℥i. &c. *in Peſte. morbiſq; omnibus malignis. Spiritus inſigniter recreat*, &c.

* *Tinctura Cardamomi.* ℞ Sem. cardamom. min. excort. & contuſ. ℥4. Alcoh. V. ℥xvi. Digere, exprime, ac filtra ſ. a. *Flatus potenter diſcutit*, & *cerebrum confortat. Doſ.* ʒi, *ad* ʒiij, &c. *in vehiculo idoneo.*

* *Tinctura Carui.* ſ. è Sem. & Alcoh. V. omninò ut *Cardamomi. Idem facit cum priori.*

* *Tinctura Cathartica Ridglei.* ℞ Senæ opt. ℥i. caryoph. ʒiſs. croc. ʒi. V. Hiſpan. chalybeat. ℔iſs. Infunde 🜄 aliqt. exprime ac filtra. *Doſ.* *coch.* 2, 3, 4. *quotidie ad longum tempus, in febribus obſtinatis*, &c.

* *Tinctura Ceruſſæ.* ℞ Ceruſſ. Ven. 🝅at. ℥iv. camphor. ℥ſs. ⊚ 🜍 p. d. ℥iij. ❄ ℥xvi. macer. in frig. filtra. *In cutis fœditatibus, inflammationibus, ambuſtis*, &c. *uſus eſt.*

* *Tinctura*

* *Tinctura Chamæmeli.* Extrah. ex Flor. ſiccis, & Pyrœno, uti *Abſinthii. Idem præſtat cum Tinct. carui.*

* *Tinctura Cochleariæ comp.* ℞ ♂ mund. ℥iv. Salv. rubræ, agrimon. ā miij. cochlear. marin. fol. ſelectiſſ. ℔ij. cochlear. hort. miij. abſ. com. roriſm. ā mij. Rad. raphan. ruſtic. ℥iv. Incide minutiſ. & adde V. alb. & V. Cherienſ. ā ℔iv. Infund. per ♁ 3, & f. colat. *Doſ. ad* ℥4 *bis indies per* ♁ 20, 30, 40. *Ex deplorato hydrope cum ſcorbuto curati fuerunt multi præter ſpem; aliis plurimis fruſtra tentatis.*

Tinctura Corallii. Solve corall. r. in Sp. Panis, filtra & evapora: exinde Tincturam extrahe cum Sp. V. filtra & exhala ad debitam conſiſt. ſ. a. *Cardiaca, diuretica, vermifuga,* &c. *Doſ. gut.* 30, 40, &c. *in liquore appropriato.*

* *Tinctura Ferri.* ℞ Batituræ Ferri mundat. ℥vi. Abſinth. Rom. mi. raſ. eboris, ſantal. alb. ā ʒiſs. V. Rubelli ℔j. macer. ☧ 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum chalybeatum in omnibus obſtructionibus,* &c. *Doſ. coch.* 2, *ad* 5, &c. *omni manè per longum tempus.*

* *Tinctura Guajaci.* ℞ Cort. guajac. ♃at. ℔i. Ambr. griſ. gr. xv. ſem. aniſ. glyc. ā ℥i. Sp.

Sp. V. ℔iv. Digere & cola ad uſum. *Sudorem provocat. Optimè conducit in Lue ♀rea curanda. Odontalgica eſt, pulmonica, & Catarrhalis. Doſ. ℥vi. ad ℥iſs*, &c.

Tictura Galbaneti. Extrah. ex Galbeneto *Senn.* cum duplo Tincturæ de ⊖e ♀ri, circulando, ac poſtea ſeparando Oleum à Tinctura ſ. a. *Hyſterica eſt, paralytica, ſcorbutica, emmenagoga*, &c. *Doſ. gut.* 10, 20, 30, &c.

Tinctura Hæmatitæ. Elicitur ope Spts V. ex Lap. Hæmatit. cum ✳ ♎ato. *Uſus in hæmorrhagiis omnibus ſiſtendis. Doſ.* ℨ*i, ij*, &c.

* *Tinctura Hieræ.* ℞ Spec. Hier. ſimp. ℥i. coccinel. ℈i. V. Cherienſ. ℔iiſs. m. & digere ſæpe agitando ad ♁ aliqt. deinde filtra ad uſum. *Datur in ventriculi dolore, cachexia, ructu, vermibus necandis*, &c. *Ante paroxyſmum Tertianæ, nec-non Quartanæ exhibita, ſæpe curat poſt tertiam vicem. Doſ.* ℥*ij, ad iv.*

* *Tinctura Juniperi.* fit ex Rob. de Baccis ℥i, Sp. de Baccis fermentatis ℔i, digeſtis & filtratis ſ. a. *D. coch.* 2. *ter in die. In hydrope, calculo, colica, &c. ſingulare remedium.*

Tinctura Lunæ. v. *Luna potabilis.*

Tinctura Martis. Extrah. ex Flor. ✳ci ♂tiatis ope Alcoh. V. ſ. a. *Eaſdem vires obtinet, quas Tinctura Armoniaci.* *Tin-*

Tinctura Martis Aurea. ℞ Croc. ♂ ℥i. Sp. ⊖ ℥iv. Infund. ♁ 2, sæpe agitando: dein adde pyrœni ℥iv. Digere tepidè ♁ 3 vel 4. filtra, & erit Tinct. coloris aurei. *D. ad gut.* 20.

Tinctura Martis Tartarisata. ℞ ⊔ alb. ♈ar. ℔ij. ♂ rubiginat. ℔i. m. & coq. in vase ferreo in ∇ont. cong. ij. per ☓ 12, agitando subinde spatulâ ferreâ, & addendo pro re natâ plus ∇æ bullieutis. Post resident. debitam filtra liquorem, & exhala ad spissitudinem convènientem s. a. *Dos.* ʒi, *ad* ʒiij, &c.

* *Tinctura Melampodii.* ℞ Rad. melampod. ℥iss. calam. arom. ℥ij. galang. ℥ss. croc. ʒiss. cardamom. min. ʒiij. V. Hispan. ℔iv. macer. (vase clauso) ☓ 20 in loco tepido: postea in frigido ♁ 4, 5, 6. f. expres. & filtra. *Dos. coch.* 2. *h. somni,* & 3 *manè, ad* ♁ *aliqt. Usus est insignis in capitis intemperie, cephalalgia, melancholia, asthmate,* &c.

* *Tinctura Melissæ.* ℞ V. Rubelli cong. ij. meliss. rec. mviij. ℣a in MB. ad siccit. ∇æ ℣atæ adde Fol. melis. parùm siccat. mviij. ℣a per ⨯⨯ ℔iv. in Recipientem lagenam Foliis meliss. recentis. & selectis. integris repletam. Postea colat. admisce sacch. opt. ℥ix. suspendendo in nodulo Ambr. gris. gr. v. mosch. gr. 1. *Insigniter Cardiaca est.*

* *Tinctura Mellis.* ℞ Mell. opt. ℔ij. ∴æ mund.

mund. ſiccat. ℔iij. Sp. V. ℔ij. Digere tepidè, filtra, & in MB. evapora ad Syr. conſiſt. *Exhibetur phthiſicis pro nutrimento. Doſ. coch. 2 vel 3 pro vice.*

Tinctura Myrrhæ. ℞ Aloës opt. myrrh. ā ℥i. Alc. V. ℔i. Digere & filtra. *Vulneraria eſt inſignis, aſtringit, conſolidat, exterget, putredinem arcet, & gangrænam præcavet.*

Tinctura Oculor. Cancrorum. ℞ Oc. 69 ♃at. ℥iv. ✠ opt. ℥xvi. extrah. Tinct. & filtra. *D. coch. 2 ter in die, ad ulcera, &c. curanda.* K. D. E. A.

Tinctura Odontalgica. ℞ Guajac. ℥ij. pyrethr. ℥i. malicor. gallar. ſem. hyoſcyam. ſtaphidiſagr. ā ℥ſs. caryoph. zz. piper. l. oliban. ā ʒij. opii, camphor. ā ʒi. peti Indici, ſalv. mentaſtr. ā ℈ij. Sp. V. ℔iij. macer. & f. colat. *Tantillum de hac calidè in ore teneatur, poſtea iterum expuatur, & reiteretur, v. Mynſicht.*

* *Tinctura Paralytica.* ℞ ♃ris Cantharid. ℥ij. Ammeos ʒvi. pyrœn. ℔iſs. extrahe tincturam, quam cola. *Pro membris paralyticis fricandis.*

Tinctura Perlarum. fit omninò ut *Corallii.*

* *Tinctura Piperis.* f. ex Pipere n. & Alc. V. uti *Cardamomi. vires habet piperis.*

Tinctura Potentialis. v. *Tinct. Paralytica.*

Tinctura

Tinctura Proprietatis. ℞ Aloës opt. myrrh. elect. ā ʒvi. croc. opt. ℥ſs. in ♃rem redactis adde ol. ☐ri. p. d. ℥ij. Digere (vaſe clauſo) ☓ 24. dein adde Alcohol V. ℥xvi. Digere ac filtra ſ. a. *Eaſdem vires obtinet quas Elix. Propriet. dulce.*

Tinctura Regalis. (i. e.) *Spir. Ambræ.*

* *Tinctura Rhabarbari.* ℞ Rhab. opt. glyc. ā ℥ij. uv. paſſ. enucleat. n° 60. aniſ. ℥i. ſacch. cand. ℥vi. Sp. V. ℔ij. Digere ſ. a. f. colat. *D. coch.* 2, 3, 4. *manè. In ventriculi cruciatibus, &c. mira præſtat.*

Tinctura Rhœados. v. *Sp. Rhœad. crap.*

* *Tinctura Roſarum.* ℞ Fl. Roſ. r. exungul. ℥ſs. ol. ⊕ gt. 30. ▽ont. calentis ℔iiſs. macer. ad ☓ 3. colat. claræ adde ſacch. cand. alb. ℥iij. *In febribus refrigerativa, hepatiq; confortativa. Coctionem juvat. Diarrhœis, Menſium fluxibus,&c. ſuccurrit. Doſ.* ℥*ij. ad iv.*

Tinctura Sacra. v. *Tinct. Hieræ.*

Tinctura Salutis. v. *Elix. Salutis.*

* *Tinctura Saſſafras.* ℞ Cort. ſaſſafr. ℥iv. ſalv. ſicc. ℥ij. nuc. m. ℥i. cinam. ℥ſs. Ambr. griſ. ℈ſs. extrahe tincturam cum Sp. V. ℔ij. ſ. a. *Doſ. coch. ij. Lenit arthritidem vagam.*

Tinctura Saturni. ℞ ♄ni laminat. q. v. extrahe tincturam cum Sp. ♄ni eſſentificato. filtra ac abſtrahe ſ. a. *Apprimè conducit maniæ,*

niæ, melancholiæ, quartanæ, phthisi, &c. *Dos. gut. i, ad* 5, &c.

* *Tinctura Scorbutica.* ℞ Fol. cochlear. nasturt. aquat. ā mi. Rad. raphan. rustic. ℥ij. Rhab. ℥ss. polypod. qu. ℥iss. Senæ ℥i. Sp. V. ℔ij. Infund. ♉ 2, & f. colat. *Dos.* ℥*i, vel ij. omni manè cum* ▽ *à cochleariæ. Mirum est quantum levaminis affert hydropicis ac scorbuticis.*

* *Tinctura Serpylli.* f. ex Herbi floresc. sicc. & Pyrœno, eodem modo quo *Absinthii. Diuretica, hysterica, stomachica*, &c. *Dos. gut.* 5, *ad* 15, &c.

* *Tinctura Stomachica.* ℞ Spec. Hier. simp. ℥i. coccinel. ʒi. Sp. V. ℔ij. Digere ac filtra f. a. *D. coch.* 1, 2, 3. *ante pastum, in stomachi cruditatibus aut dolore. Si exhibetur ad* ℥*iij hora dimid. ante parox. per* 3 *vel* 4 *vices efficacissimè curat Tertianam : interdum & Quartanam.*

* *Tinctura Succini.* ℞ Succin. alb. subt. ♋at. ℥iv. Alc. V. ℔i. Digere ad solutionem succini. Decanta, filtra, & 3tiam partem abstrahe in MB. *Cephalica est, hysterica, colica. nervalis*, &c. *Dos.* ʒ*i, ad* ʒ*ij*, &c.

Tinctura Sulphuris. ℞ Hepat. 🜍ris ℥ij. Sp. V. ℔i. Digere ac filtra. Extrahi etiam pt ope Spts. V. ex Bals. 🜍ris terebinthinato in MB.

ꝟB. ad ſiccit. coĉto. *Valde pectoralis. Doſ. ad gr. xij.*

Tinctura Veneris. Extrah. ope Sp. V. ex Fl. ♁is p. i, ✳ci p. ij, in alembulo ſupra △em mixta ſ. a. *Præſtantiſſima habetur in Epilepſia, paſſione hyſterica,* &c. *cum liquor. conven. exhibita.*

* *Tinctura Virginiana.* ℞ Rad. Serpentar. Virg. ♋at. ℥ij. Tinct. ⊖is ♀ri ℥xvi. extrahe Tincturam per digeſt. ſ. a. *Alexiteria, cardiaca, ſudorifica, ſcorbutica,* &c. *Doſ.* ʒi. *ad iij,* &c.

* *Torquis Infantum.* fit ex Rad. pæon. mar. & hyoſcyam. recent. in fruſtula rotunda ſectis, in medio perforatis, filoque ſeriatim appenſis: qui ſindone circumvolutus, circa collum geſtetur Dentitionis tempore. *Dentitionem facilitat,* & *convulſiones præcavet.*

* *Tragæa Granor. Actes.* ℞ Succ. Bacc. ſambuc. matur. q. v. farin. ſecalin q. ſ. ut f. paſta: exinde f. panes exigui, quos coque in clibano ad duritiem Biſcocti. Hos pulveratos cum rec. ſucco iterum impaſta, atque (ut priùs) coque, idque tertiò repete. Tandem f. Pulv. ſubt. cujus ſing. unciis adde nuc. m. ʒi. *Doſ. ad* ʒi *cum vitello ovi, ad dyſenteriam, menſes immoderatos,* &c.

* *Trochiſci Pectorales.* ℞ Extract. glyc. ℥ſs.

℥ſs. amyli ℥iſs. moſch. zibeth. ā gr. iij. ol· aniſ. gt. xij. ſacch. alb. ℥xij. mucil, gum. tragac. q. ſ. f. Troch. *Titulus vires indicat.*

* *Turundæ Acouſticæ.* ℞ Galb. pic. naval. ā ʒij. helleb. alb. ♃at ℈v. zibet. gr. vi. m. divid. in part. 8, vel 10, formâ inſtar caryophyllorum, ſindone rariſſ. involvendas; filo ad extremitates majores appenſo, ut ex aure avelli. pt. *In ſurditate optimum Remed.*

V.

* *Vinum Arthriticum.* ℞ Sarſaparill. guajac. ā ℥i. Viſc. querc. ʒvi. Fol. ſicc. chamædr. chamæpit. ſalv. ā ℥iij. Fl. primul. veris, roriſm. lil. conval. ā ℥ſs. hyperic. ʒvi. V. alb. ℔x. infund. ♁ 3. f. colat. *D.* ℥*ij. bis in die per* ♁ 30 *aut* 40, *poſt uſum Vini ſeq.*

* *Vinum Arthriticum purgans.* ℞ Chin. ſarpar. ā ℥ij. polypod. ℥iij. rhab. Senæ, ā ℥i. chelop. ʒvi. caryoph. ʒi. V. alb ℔vi. Infund. ſ. a. & cola. *D.* ℥*iv. quotidie per* ♁ 8, *Vere & Autumno.*

* *Vinum Chalybeatum.* ℞ ♂ crud. ℥viij. Rad. eryng. enul. ā ℥iſs. ſantal. citr. ℥i. coral. rub. raſ. ebor. ā ʒvi. caryoph. mac. cinam. zz. ā ʒiij. ceterach, anth. Fl. geniſt. epithym. ā p. ij. Leucœn. opt. ℔vi. macer. in MB. ♁ 8, ſæpe

ſæpe agitando, poſt reſidentiam filtra ad uſum. *Doſ. coch.* 3 *ad* 6, &c. *omni manè ad dies* 20, 30, &c. *in Chloroſi, hydrope, ictero, menſibus obſtructis, quartanis*, &c.

* *Vinum Ecphracticum.* ℞ Lumbric. terr. vivent. circulis rubris in collo ſignatos n° 24. contund. in mortar. marmor. cum uv. corinth. mund. ℥iv. addendo V. Rhen. ℔iij. cryſtal. mineral. (in V. Rhen. ſolut.) ℥ſs. f. colat. limpidiſſ. ſæpe trajiciendo per manic. Hip. *D.* ℥*iij. ter in die cum Aq. cinnam.hord.* ℥*i. Diureticum eſt nobile.*

Vinum Hippocraticum. ℞ Caryoph. zz. ā ℥i. cinam. nuc. m. ā ʒij. contuſis adde Vin. Hiſpan. ℔xij. ſacch. albiſ. ℔iiiſs. m. cum lactis rec. ℔iiſs. ſtent 🜍 24. f. colat. deſuper limon. i. inciſ. & roriſm. virgultas duas, ſæpe per manic. Hip. trajiciendo ad claritatem. *Doſ.* ℥*iij. vel iv. in languoribus.*

Vinum Hydropicum. ℞ Rad. irid. noſtrat. ℥i. enul ſcillæ præp. ā ʒſs. marrub. mi. cort. rad. ſambuc. ebul. ā ʒi. Fol. ſenæ, ʒiſs. agaric. ℈ij. zz. ℈i. vin. alb. ℔iv, infunde ſ. a. f. colat. *Aliter.* ℞ Ærum geniſtæ & juniper. ā ℥i. Vin. Rhen. ℔iij. f. lixivium, cui adde Rad. ireos noſtrat. ℥iſs. cort. intern. ſambuc. & ebuli, ā ℥i. cort. dulcamar. ʒſs. rhab. ℈ij. mechoac. ʒſs. Senæ, ℥i. ſem. carui, ℈vi. cort. ſaſſafr.

ſaſſafr. & Winteran. ā ℈iv. infunde tepidè per noctem: colat. adde ſacch. alb. ℥iv. fl. roſ. Dam. mij. ſtent aliquantiſper, & denuò cola. *Doſ.* ℥*iij.* &c. *omni manè per dies aliquot.*

* *Vinum Scelotyrbicum.* ℞ Fol. acetoſ. becabung. naſturt. aquat. cochlear. hort. ā miij. Rad epul. ireos noſtrat. raphan. ruſtic. ā ℥iſs. ſem. cochlear. ℥i. V. alb. ℔iv. macer. per ♌ 2, & f. colat. *Titulus monſtrat vires.*

* *Vinum Viperinum.* ℞ Viperas fæmellas vivas tempore verno collectas n° vi. V. Hiſpan. opt. ℔vi. macer. (vaſe opt. clauſo) ſine calore per menſes 6. dein cola ad uſum. Sunt, qui macerant viperas excoriatas (rejectis interaneis, cauda ac capite) in V. Hiſpanic. per ♌ aliqt. *In Lepra Græcorum, Elephantiaſi, ſterilitate, Peſte,* &c. *Doſ.* ℥*iij vel iv bis in die, ad longum tempus.*

Vitriolum Camphoratum. ℞ ⊕ calcin.℥vi. Camphor. in Spir. Vini ſolut. ℥i. m. & lento △e Spiritum indè abſtrahe ſ. a.

Vitriolum Lunæ. fit ex ☾ in Sp. ⦶i ſolut. coagulando & cryſtalliſando ſ. a. Dicitur & *Cryſtallum Lunare, & Magiſt. Lunæ. Doſ. gr.* 2, *ad* 6, &c. *In hydrope, capitis morbis, ut Epilepſia, hemicrania,* &c. *proficuum. Leniter purgat, & nonnunquam vomitum ciet. Ex hoc fieri ſolent cum micis panis mixto Pil. Lunares.*

* *Vi-*

* *Vitriolum Martis.* ℞ Alcoh. V. ℥iv. ⊙ ⊕li ℥ij. serva simul in vase ferreo ad ♁ 15, vel ad siccitatem. *Dos. gr.* 2, *ad vi*, &c. *in obstructionibus.*

Vitriolum Veneris. v. *Flores Viridis æris.*

* *Unguent. Albuminum*, fit miscendo exactis. ⊙ Ros. ℥ij cum Album. ovor. ℥iv, s. a. *Ad ambusta, inflammationes*, &c. *optimum remedium.*

* *Unguent. Antipyreticum.* ℞ Chenocopri rec. ⊙ oliv. ā ℥iv. ung. Dialth. ⊙ Ros. ā ℥i. ▽ nivis ℥viij. coq. l. △. s. a. colat. adde camph. ʒi. m. *Valet opt. in ambustis*, &c.

* *Unguent. de Aurantiis.* ℞ Poma aurantia rec. sed immatura & viridentia in pulpam cum cortic. contusa n° vi. Fol. lauri miv. salv. acetos. calend. ā mij. succi nasturt. aquat. ℔ij. Butyr. rec. ℔ij. coq. ad succor. consumpt. f. expres. fortis; cui adde recentia folia lauri, & salviæ contusa, cinnam. ℥i. nuc. m. ℥ss. coq. iterum ad herbarum putrilag. & f. expressio. *In Scabie, pruritu*, &c. *insigne.*

* *Unguent. de Betonica aquatica.* ℞ Fol. beton. aquat. acetos. ā mvi. contusis adde Butyr. rec. ℔ij. coq. ad herbar. siccit. f. expressio Repet. coctio ter foliis rec. colat. adde ♃ viv. subt. ♃ at. ℥iiss. ⊙ stil. cort. aurant. ʒi. m. f. Ung. s. a. *In pruritu, Scabie*, &c.

* *Unguent.*

* *Unguent. Cephalalgicum.* ℞ Ung. Alabaſtrin. Rolat. ā ℥ij. opii ʒi. croc. ʒſs. ol. nuc. m. ʒi. m. f. Ung. *Pro temporibus ac fronte inungendis.*

Unguent. Crinificum. ℞ Labdan. ʒvi. Axung. urſin. ℥ij. mell. crud. ℥ſs. ♋ris Abrotani ʒiij. ♃er. Rad. arundin. ʒiſs. ⊙ nnc. m. ʒi. Balſ. Peruan. ʒiij. m.

Unguent. Depilatorium. ℞ ♆℥iv. ○=○ ℥iſs. Rad. irid. Fl. ℥i. ⦶, 🜍, ā ℥ſs. Lixiv. fortiſſ. ℔ij. coq. ad conſiſt. debitam: adde ⊙ caryoph. gt. xx. m. f. ung. ſeu Pulmentum.

* *Unguent. Digitalis.* ℞ Butyr. Maial. ℔iij. Flor. Digitalis rec. contuſ. quot infarciri pt. Inſolentur ♁ 30. deinde coq. ſ. a. & f. expreſſio. *Pro locis affectis ſcrophuloſis inungendis. Nil æquale.*

* *Unguent. Faciale.* ℞ Camph. Apyroth. ā ʒj. Pomat. ℥ij. Diaſinap. fortiſ. colat. ℥i. ol. Rhodii gt. 4. m. f. Ung. *Ad faciei ruborem curandum, præmiſſis univerſalibus.*

* *Unguent. Familiare.* ℞ Butyr. Maial. ℥vij. ceræ, reſin. ā ℥4. mell. crud. ʒx. aleuri ʒvi. m. ſ. a. *Calfacit, humectat, laxat, emollit, diſcutit, abſterget, lenet, concoquit & digerit. uſus eſt familiaris in paronychiis, ac pernionibus ſubitò curandis. Ulceribus pedum ſcorbuticis mirè auxiliatur.*

* *Un-*

* *Unguent. ad Fissuras.* ℞ Myrrh. zz. lithargyri ☽æ, ā ℥i. mell. ℥iv. ceræ, ℥ij. ⊙ Rosat. ℥vi. m. f.a. Pro ditioribus addì pt, ⊙ Rhodii, gr. xij. Fol. Auri nº x. *aliter.* ℞ Æ, myrrh. ceruf. ā ʒij. cum Axung. anatis q. s. f. ung. *citò curat.*

* *Unguent. ad Foveas.* ℞ ⊙ Amygdal. dulc. ℥ij. Sperm. ceti ʒiij. ⊙ stil. Rhodii gr. iv. m. f. unguent. f. a. *Ad foveas Variolarum delendas præstantissimum est ungentum. Dolorem lenit, acrimoniam tollit,* &c.

Unguent. Fuscum. ℞ Colcothar. & Phlegm. ⊕li, ā ℥i. Aceti chelidoniati ℥iss. Flor. ⊕ ʒv. v. mell. despum. ℥iij. f. Ung. f. a. *Mundificativum optimum in vulneribus & ulceribus*

* *Unguent. Hæmorrhoidale.* ℞ Butyr. Maial. rec. ℔iij. Flo. Sambuc. & genist. rec. qu, infarciri pt contusos. Insolentur per mensem. Dein agitentur, & sub ▽ â defossâ simul putrefcant per mensem. Postea coq. f. a. & f. expressio. *aliter.* ℞ ♓ris suberis combusti ℥i. camph. ℈ij. opii, gr. vi. Ung. Populn. ℥iss. m. *pro loco affecto.*

* *Unguent. Herpeticum.* ℞ ♀, ☍, ā ℥i. ♀, ⊖is. nig. sapon. com. ā ℥ij. ⊙ Sambucin. q.s. ut f. Unguent. f.a. *Innunge locum peroptimè, maneat desuper* ☧ 24: *superveniet crusta, removenda Ungent. albo.*

I * *Unguent.*

* *Unguent. ad Lumbricos.* ℞ Fol. abſinth. vulg. menth. tanacet. rutæ, porri, jugland. ā miij. ſabinæ, miv. helleboraſtri, mvi. contunde probè cum Sem. Santon. ℥ij. Rad. bryon. rec. ℥iv. colocynth. aloës, ā ʒij. Fellis Taurin. ℔i. Butyr. rec. inſulſ. ℔v. V. alb. ℔ij. coq. l. △. ad Vini & ſuccor. conſumpt. f. expreſſio.

Unguent. Ophthalmicum. ℞ Butyr. Maial. ℥iv. ceræ alb. ℥i. lique & lava ſæpius cum Aq. Roſ. dein (effusâ aquâ) adde Lap. Tutiæ præp. ℥ſs. camph. ℈ij. m. f. ung.

* *Unguent. Paregoricum.* ℞ Ceræ, ℥vi. tereb. ℥iv. Mell. ℥iij. Aleuri, ℥iſs. ☉ Roſat. Unguent. Hæmorrhoidal. ā ℥iv. Liqueſcant ſ. a. ut f. Unguent. *Ad Perniones curandas egregium.*

* *Unguent. Piperinum.* ℞ ♉ris Enul. Fl. △, ā ℥ij. piper. n. ℥iſs. ung. Roſat. ℥xvi. ol. Rhodii. ℈ij. m. f. unguent. *Ad Scabiem, Pruritum*, &c. *Elegantiſſimum.*

* *Unguent. Soleare.* ℞ Rad. allii contuſ. ℥iv. Axung. ℥viij. coq. ad ſucci conſumpt. f. expreſſio: adde croc. ♉at. ʒi. Sp. ⊖. ℈ij. m. f. Unguent. *Pro plantis Infantum inungendis, ad tuſſim*, &c.

Unguent. Sympatheticum. ℞ Ol. Roſar. Æ, ā ℥i. ol. Lini ʒij. Axung. humanæ, Uſneæ cranii hominis interempti ♉rat. ā ʒij. Mumiæ.

miæ. Sanguin. human. ā ℥ſs. f. Ung. ſ. a. *Unguento hoc ſanantur omnia vulnera, ungendo telum, quo vulnus inflictum fuit quotidie ſemel, ſi vulnus ſit magnum ; alioquin 2do vel tertio quoq; die inunxiſſe ſufficit. Telum ſervetur in linteolo mundo, & loco non nimis calido, nè damnum inferatur Patienti.*

* *Unguent. Virilitatis.* ℞ Anaphromel. ☉ nuc. m. per expreſs. ā ℥ſs. pyreth. piper. n. cubeb. ā ℈ſs. zibet. ℈i. moſch. ℈ſs. Balſ. Peruvian ʒi. m. ſ. a.

Vomitorium Alumines. v. *Serum Aluminatum.*

Uvæ paſſæ & corinth. purgantes. v. *Paſſulæ Laxat.*

Finis Pharmacop. Bateanæ.

Arcana Goddardiana : Ex autographo Autoris *Jonathanis Goddardi*, M. D. Celeberrimi Collegii Medicorum *Londinensium* nuper Socii, Atq; in Collegio Greshamensi *Medicinæ* Prælectoris, desumpta.

Aqua Absinthii comp.

℞ Cort. extern. rec. limon. ℔iſs. aurant. ℔i. Summit. abſinth.ſicc.cort. Winteran. ā ℔ſs. Flo. chamæmel ℥iv. Cardamom. min. in capſulis, caryoph. cubebar. ſchœnanth. ā ℥i. cinnamom. nuc. m. Sem. carui, ā ʒij. Sp. Vini., cong. iſs. Aq. font. (vel Aq. Abſinth. 2 dâ ex aquâ fœcibus affuſ. ℞lat) cong. ivſs. Infund. per 3 dies, & dein ℞la in MB, ad ſiccitatem.

Aqua Alexiteria.

℞ Bacc. Junip. ℔iij. zed.myrrh.ſem.angel. ā ℥ix. Dictamn. Cret. Rad. ſerpentar. Virg. ā ℥vi. croc. ℥iſs. Sp. Vini, cong. iiſs. Aq. Proalexit. cong. 4ſs. Infund. calidè per dies 3, dien ℞la in MB, ad ſiccitat. alexiter. 2 dâ ex fæcibus cum aqua ſimp. & poſtea Aq. Alexiter. part. æq. admiſc.

Aqua Chamæmeli comp.

℞ Summit. Abſinth. ℥viij. Fl. chamæmel.

N. M.

N. M. ā ℔i. Sp. v. cong. i. Aq. ſimp. cong. vi. Infund. per. dies 3, & ℞la in MB ad ſiccitatem.

Aqua Cochleariæ comp.

℞ Cochlear. hort. modios iij, vel ℔xxx. Rad. raphan. ruſtic. in taleolas ten. inciſ. ℔vi. Aq. ſimp. cong. iij. Infund. calidè per hor. 24. & ℞la ad extract. cong. iij. Aquæ.

Aqua Cordialis.

℞ Cort. ext. rec. limon. ℥iv. aurant. ℥ij. cinnam. ℥ij. nuc. m. macis, calam. arom. coriand. ā ℥i. cubeb. ʒvi. caryoph. Sem. carui. cardamom. in capſulis, ā ℥ſs. croc. ʒj. Sp. v. ℔vi. Aq. font. ℔xij. Infund. ac ℞la. ſ. a.

Aqua Lenitiva.

℞ Ficuum, Rad. Alth. ā ℔ij. glyc. irid. Flor. ā ℔i. Fl. ſambuc. ſicc. ℥iij. Infund. in Aq. font. cong. v. & adde ſtyrac. cal. ℥iij. nuc m. ℥ij. Sem. aniſ. fœnic. d. a. ℥ſs. in Sp. V. ℔vi. infuſorum. Ol. Amygd. amar. ℥vi. Diger. & ℞la in Alemb. ſ. a.

Aqua Pectoralis.

℞ Ficuum ℔vi. Rad. enul. glyc. ā ℔iij. irid. Flor. ℔iſs. Sem. aniſ. fœnic. d. ā ℥i. Sp. V. cong. iiſs. Aquæ Propectoralis. (vel Aq. ſ. & poſtea Aq. Propector. æq, part. admiſcend.) cong. ivſs. Infund. calidè pet dies iij. & dein ℞la ad ſiccitatem.

Aqua Propectoralis.

℞ Botryos, tussilag. heder. terr. ā ℔vi. marrubii, puleg. hyssop. rorismar. ā ℔iij. Aq. s. cong. xij. Infund. calidè per dies iij, & dein ℞lentur in Alemb. s. a.

Aqua Proalexiteria.

℞ Jugland. virid. ℔xxxv, vel n° 400. Rad. rec. Petasit. ℔xij. Imperator. ℔iv. Valerian. Helen. Flor. rec. calendul. Herb. rec. scord. melis. centaur. min. ā ℔vi. absinth. rutæ ā ℔iss. Aq. simp. cong. xviij. Infund. calidè per dies iij. & dein ℞lentur in Alemb. cum rostro spirali ad omnimodam virium extractionem, cavendo ab empyreumate.

Aq. cong. xij, minimùm, } Prodeant.
cong. xv, plurimùm, }

Balsam. magis-comp.

℞ Bals. de Tolu, Capiv. myrrh. croc. nuc. m. a. ʒij. mastich. guajac. ammoniac. taccam. caran. ā ℥i. tereb. è Chio ℥ss. ceræ flav. ℥i. Ol. Hyper. ℥vi. Aq. Ros. r. ℥ix. Liquetur primò cera cum Ol. dein addantur Tinctur. & exhaletur Sp. Vini, tandem adde Aq. Ros. quæ post refrigerationem, pertuso foramine, liquefiat & in aliud vas commodum effundatur, & usui servetur.

Balsam. minùs-comp.

℞ Tereb. è Chio ℥ij. Ol. Hyper. ℥iv. ceræ flav.

flav. ʒvi. Aq. Rof. r. ℥vi. f. Balf. eodem modo quo fuperius.

Electuar. Antepidemicum.

℞ Rad. contrayerv. ℥iij. Valerian. Imperator. zedoar. ā ℥ifs. Sem. angel. excort. dictamn. Cret. myrrh. ā ℥i. Rad. ferpentar. Virg. ℥fs. croc. ʒiij. opii, ʒij. (vel ut ℥i. continet gr. ij. opii,) Pulp. Bacc. junip. vino. Hifpan. extract. ℥xij. Vin. Hifpan. q. s. ad folvend. myrrh. & opium. Syr. Antepidemic. q. s. f. Electuar.

Empl. de Minio comp.

℞ Minii ℔fs. ol. oliv. ℔i. coq. ad nigred. continentur agitando, adde colophon. ℔fs. Fit etiam cum Ol. Lini.

Empl. de Minio comp. aliud.

℞ Minii ℥iij. ol. oliv. ℥vi. coctis adde cinnabar. ℥i. m.

Extract. Catarrhale.

Fit ex Tincturis ad Extr. Panchymag. conficiend. eadem. proportione, commiftis, quibus addit. Tinct. Opii ea proportione, ut ʒfs. contin. Opii gr. 1.

Extract. Hypnotic. feu Laudan.

℞ Opii, p. x. nuc. m. croc. ā p. ij. caftor. p. i. Extr. cum Sp. Vini, f. a.

Extract. Lenitivum.

℞ Aloës, Jalap. ā ℥vi. rhabarb. fenæ, ā

 ℥xij.

℥xij. extrah. Tinctur. cum Sp. V. rectif. quibus admisceantur centaur. min. gentian. absinth. myrrh. Fl. Chamæm. ammoniac. nuc. m. croc. ā. ℥ij. castor. ℥i. asæ fœtid. ℥ſs. extrah. ad debit. extracti consistentiam.

Extract. Panchymagogum.

℞ Aloës, Jalap. ā ℥vi. rhab. ſenæ, a ℥xij. Scammon. ℥i. helleb. n. turpeth. ā ℥iij. extrah. Tinctur. cum. Sp. V. restif. quibus adde gentian. centaur. min. absinth. myrrh. Fl. chamæmel. ammoniac. nuc. m. croci, ā ℥iij. castor. ʒiſs. asæ fœtid. ʒvi. extrah. ad debit. consist. ſ. a.

Infusio Aperiens.

℞ Fl. ſambuc. Summit. genist. ā p. iij. centaur. min. p. ij. Summit. absinth. vulg. Fl. chamæmel. ā p. i. Aq. Puleg. Hyssop. Menth. Raphan. comp. ā ℥iv. Infund. calidè per hor. iij. colat. adde Tinct. croci ℥ſs. Syr. de ſucco Aurant. ℥iſs. m. *Dos. coch.vi. bis in die.*

Julap. Aperiens minùs-comp.

℞ Aq. Cinnam. Absinth. magìs-comp. Cochlear. comp. Syr. de Ammoniac. ā. ℔iſs. Aq. Amygd. amat. ℔x. m. & addit. Sal. Martis ʒvi. in. Aq. Flor. Sambuc. triplo pondere ſolut. per reſidentiam clarificetur.

Julap.

Julap. Aperiens magis comp.

Superioribus addantur Abſinth. Fl. chamæm. ā ʒx. nuc. m. croc. ā ʒvi. caſtor. ℥ſs.

Laudan. v. Extr. Hyponticum.

Laudan. liquid. v. *Tinctur. Opii.*

Spts Simplices. v. *Aq. ℞atæ cum Sp. Vini.*

Spir. Salis Armoniaci.

℞ Solutionis Sal. Armon. Solutionis Tart. cum Nitro calcinat. ā p. æ. in Aq. Simp. Miſceantur. & dlentur in MB, in vaſe vitreis vel ſtanneis.

Spir. Raphan. comp.

℞ Sal. Armon. Tart. cum nitro çalcinat. ā p. æ. ſolvantur in Aq. Abſinth. comp. ſine Sp. V. dlat. & Aq. Cochlear. comp. ā p. æ. miſceantur ſolutiones & dlentur in B. M in vaſ. vitreis vel ſtanneis.

Syrup. Antepidemicus.

℞ Rad. rec. Petaſit. ℔i. Fol. rec. Scord. ℥vi. Rutæ, ℥ij. Infund. per triduum in Succ. Jugland. virid. ℔iv, adhibito leni calore: colat. per reſident. claræ adde Sacch. albiſ. pondus duplum. F. ſyrup.

Syrup. Guajaci comp.

℞ Guajac. ℥iv. nuc. m. ℥ſs. ſaſſafr. ʒij. Sacch. alb. ℔iv in Aq. Guajac. ℔ij ſolut. coq. leniter ad deſpumationem.

Syr. Hypnotic. Pectoralis.

℞ Sacch. alb. ℔iv. Aq. Fl. Aurant. ℥vi. Aq. Roſ. Dam. ℥viij. liquentur in Syrup. cui adde nuc. m. croc. ā ʒij. Laudan. liquid. q. s. ut Syrupi ℥i opii puri gr. i. contineat. miſceantur & coq. leniter ad deſpumationem. *Aliter*, cum Aq. Fl. Sambuci, & Roſ. Dam. ā ℔i, addit. caſtor. ʒi.

Syr. Martis.

℞ Sal. Martis (in Aq. Amygd. amar. ℥iij ſolut.) ℥i. adde Syr. Fl. Sambuc. ℔vi. miſceantur, adde gum. ammoniac. ʒvi. Summit. abſinth. Fl. chæmæm. cinnam. nuc. m. croc. ā ʒiij. caſtor. ʒiſs. coq. leniter ad deſpumationem.

Syr. Pectoralis Balſamicus.

℞ Myrrh. benz. ſtyrac. taccamah. maſtich. ammoniac. tereb. è Chio. olib. gum. elem. Balſ. de Tolu, capiv. ā ℥ij croc. ℥ſs. glyc. ʒvi. Aq. Pector. ℔iv. Sacch. albiſ. ℔viij. Quibus in Aq. ſolutis addantur reliqua, permiſceantur, & coq. leniter ad deſpumationem.

Syr. Hypnotic. Balſamicus.

Fit cum additione Laudan. liq. ea quant. ut Syrupi prædict. ℥i contineat Opii gr. i.

Syr. Terebinthinæ comp.

℞ Tereb. ℥xiij. maſtic. ℥i. nuc. m. ℥ſs. Syr. Roſat. ℔vi. m. & coq. leniter ad deſpumationem.

Tinctura Amara comp.

℞ Centaur. min. ℥v. gentian. ℥iv. Fl. chamæm. ℥iij. absinth. ℥ij. extrah. cum Sptu Vini.

Tinctura Cordialis.

Paratur ex Aq. Cordiali ſucco granor. Kermes ſaturè imprægnatâ.

Tinctura Opii, ſeu Laudan. liq.

℞ Nuc. m. croc. ā p. ij. caſtor. p. i. Sp. V. q. s. dlentur. Spts tenuior ſufficit, ideòq; poſſunt duæ vel tres partes Aq. f. ad unam Spts pro menſtruo addi. Spts qui impregnetur opio in eo ſoluto, ut ſaturè fieri poteſt.

Unguent. Hæmorrhoidale.

℞ Ol. Roſ. ℥iſs. Emp. de Minio ℥i. ceræ alb. ℥ſs. liquatis adde Æthiop. mineral. ʒij. opii, ʒſs. croc. nuc. m. Fl. chamæmel. ā ʒi. Syr. Roſat. ℥i. Leni calore exhaletur humiditas, & miſce f. a.

Aquæ Deſtillatæ Simplices.

Aq. Amygal. amar.	Aq. Pulmonar. Querc.
Bellid. major.	Roſar. Dam.
Euphragiæ.	Roſar. rubr.
Pæon. ex toto.	Sambuc. Flor.
Papav. errat.	

Aquæ

Aquæ dlatæ cum Sptu Vini, seu Spir. Simplices.

Aq. Anisi.	Aq. Menthæ.
Asæ fœtidæ.	Nucis mosch.
Aurant. cort.	Opii.
Cinnamomi.	Papav. errat.
Fœnic. dulc.	Papav. alb.
Guajaci.	Papav. nigr.
Junip. Bacc.	Rutæ.
Lavend. Flor.	Sassafras.
Limon. Cort.	Succini.

Tincturæ cum Spirit. propriis, vel Sptu Vini paratæ.

Tinct. Absinthii.
Amara simp. i. Absinthii.
Ambræ grisæ.
Ammoniaci.
Angelic. Sem.
Antemetica. i. Menthæ.
Antepileptica. i. Lavend. Flor.
Anticolica. i. Junip. Bacc.
Anti-hydropica. i. Jalapii.
Antimelancholica. i Ellebor. utriusq;
Antiscorbutica. i. Winterani.
Asæ fœtidæ.
Aurant. cortic.
Balsam. Capivii.
Balsam. Tolutani.
Benzoini.

Cale-

Tinct. Calefaciens. i. Caryophyllor.
Calida major. i. Cardamomi.
Calida minor. i. Cubebarum.
Carannæ.
Cardamomi.
Cardiaca. i. Croci.
Cardiaca reſtring. i. Cinnamomi.
Caryophyllorum.
Caſtorei.
Cephalica. i. Salviæ.
Cephalic. Cordial. i. Nucis moſchatæ.
Chamæmeli Flor.
Chinæ.
Cinnamomi.
Cœleſtis. i. Angelic. Sem.
Contra Iliacam. i. Chamemæl. Flor.
Contrayerva.
Cordial. Antepidem. i. Contrayerva.
Corroborans. i. Limon. cort.
Croci.
Cubebaram.
Ellebori utriuſq;
Exonerans. i. Scammon.
Febrifuga. i. Schœnanthi.
Galbani.
Gambogiæ.
Glycyrrhizæ.
Gratiſſima. i. Thymi citrini.

Guajaci.

Tinct. Guajaci.
Hypnotica. i. Opii.
Jalapii.
Juniperi Bacc.
Lavendul. Flor.
Limon. cort.
Mastiches.
Menthæ.
Moschi.
Myrrhæ.
Nucis moschatæ.
Nutritiva. i. Chinæ.
Olibani.
Opii.
Papav. errat.
Pectoralis. i. Glycyrrhizæ.
Peruviana.
Quartanaria. i Peruviana.
Rhab. Absinthit. fit cum Aq. Abs. comp.
Rubra. i. Papav. errat.
Rutæ.
Salviæ.
Salv. Absinthit. fit cum Aq. Abs. comp.
Scammonii.
Schœnanthi.
Senæ Absinthit. extrah. cum Aq. Abs. comp.

Serpen-

Tinct. Serpentar. Virgin.
Stomach. Cordial. i. Aurant. cort.
Styracis.
Succini.
Sudorifica. i. Serpentar. Virg.
Sudorif. min. i. Valerianæ.
Taccamahaccæ.
Terebinth. è Chio.
Thymi citrini.
Valerianæ.
Winterani.

Syrupi Simplices,
Quorum alii ex Tincturis parantur, alii ex Aquis dlatis, cum Saccharo, ſ. a.

Syr. Ammoniaci.
Anti-hydropicus. i. Jalapii.
Aſæ Fœtidæ.
Aurant. ex Aq. Flor. p. i. Sacch. opt. p. ij.
Balſamic. min. i. Capivii, vel. deTolu.
Benzoini.
Capivii.
Carannæ.
Contemperans. i. Maſtiches.
Exonerans. i. Scammonii.
Fœtidus. i. Aſæ fœtidæ.

Galbani.

Syr. Galbani.
Hyſtericus. i. Galbani.
Jalapii.
Jovis i. Ammoniaci.
Maſtiches.
Myrrhæ.
Olibani.
Odorat. min. i. Benz. & Styracis.
Pectoral. ſimp, fit ex Aq. Pector. Flor. Sambuc. Roſ. Dam. & Saccharo ſ. a.
Roſar. Dam. ex Aq. dlat. } p. i. Sacch. opt.
Roſar. rub. ex Aq. dlat. } p. ij.
Roſ. odorat. fit, addendo moſch. & Ambr. griſ.
Sambuc. Flor. ex. Aq. dlat. p. i. Sacch. opt. p. ij.
Sapientum. i. Myrrhæ.
Scammonii.
Styracis.
ad Tuſſim. i. Olbani.
Uterinus. i. Carannæ.

F I N I S.

Orthotonia Medicorum
OBSERVATA

In quibusdam Dictionibus,
Apud Pharmacopœos plerósque
(Vel ex ignorantiâ, vel merâ consuetudine)
Malè pronunciari solitis.

Carmina quæ interseruntur excerpta sunt è *Borrichio* & *Ricciolio*, quos videas citantes hâc in re Authores approbatos.

A.

Abbătis Diarrhŏdon.
Abiĕtis lignum.
Athillēa herb.
Aconītum.
Adōnis flos.
Ælurŏpus. herb.
Æthiŏpis. herb.
Alabastrīnum ung.
Alectorolŏphus.
Alcĕa. herb.
Alcŏhol Vini.
Alœphangīnæ Pil.
Alȳpum. herb.
Amaracus. herb.
Ambărum.

Amōmi Sem.
Amygdalīnum ol.
Anacardīna nux.
Anagȳris. herb.
Anătis. axungia.
Androsăce. herb.
Anemōne. herb.
Anethīnum oleum.
Anīme gum.
Anodȳnum Ung.
Anthĕra Rosarum.
Anthŏræ Radix.
Antirrhīnum. herb.
Apozĕma.---εμα.
Apozȳnum. herb.

Arbŭtus

Arbūtus.
Ardēa. Avis.
Arēgon. ung. *ηγόν.*
Arisārum. herb.
Aristolochīa.
Armēna Bolus.
Armeniăca mala.
Asbestīnum linum.
Aspalăthum lignum.
Asphodēlus. herb.
Athanasīa. herb.
Attăgen, avis.

Nomina *ad Abbatem* Siculum transmittit, & ille
Solus *Achillēo* tollere more potest.
Semper *Adoni,* mei————————
Æthiopum populus nigrum traxisse colorem.
Agaricŭmq; asarúmq; potens, aloën, *Aconītum*
Τῶν ἄλλων οἴνων μετ᾽ ἀμύμονα χῖον ἄλυπον.
Idaliæ locos ubi mollis *Amaracus* illum.
O Dea, & *Ambareos* mundus respirat odores.
Pinguescat nimio madidus mihi crinis *Amomo.*
Fertur *Amygdalinæ* succus nucis esse bibendus.
Per cæcas latebras *Anagyris* mittit, & acri.
Latipedémq; *Anatem* cernens excedere ponto.
———Vasorum. super hæc Anemone.
Dulce satis humor, depulsis *Arbutus* hœdis.
Urbis & ipsa suis deplangitur *Ardea* pennis.
Herba puerperii vel *Aristolochia* secatur.
Daphnis & *Armenias* curru subjungere tigres.
Aspalathum, gallum, elleborum, nigrumq; bitumen.
Radix *Asphodeli* calefactat———
Non *Attagen* Ionicus. *Iambic.*

B.

Bacchăris. herb.
Balanīum ol.
Balsamīne. herb.
Barbarĕa. herb.
Bardāna.
Benzoīnum.
Bombăcis sem.
Bombycīna lana.
Buniăs—ădis. Rad.
Byssīnum linum.

Errantes

Errantes hederas passim cum *Bacchare* tellus.
Balsamines folium committit glutine vulnus.
Nunc furtiva lucri fieri *Bombycina* possunt.
Bunias & rapum decorantur viribus iisdem.
Τοσὸν καὶ γλυκερῆς σπέρματα Βουνιάδος.
Vina, unguenta, leves tunicas, & *Byssina* Vela.

C.

Camphŏra. καμφορά.
Cancāmum gum.
Cannabīnum oleum.
Canthări, insecta.
Caphūra. καφουρά.
Capparīnum oleum.
Capreŏlus, animal.
Carbasīnum linum.
Cardamīne. herb.
Carlīna. herb.
Caryīnum oleum.
Caryocostīnum.
Castor--ŏris.
Cathĕter. ετηρ instrum.
Caucălis. herb.
Centaurīum herb.
Calcītis. χαλκῖτις.
Chamæmelīnum ol.
Chamæmŏrus.
Chamæpĭtys.
Chebūlæ myrob.
Cheirīnum oleum.
Cholagōga potio.
Chrysolĭthus.
Chrysoprăsus, lapis.
Chrysomelīnum ol.
Cinăræ radix.
Cinnabăris.
Citrīna cera.
Clemătis daphnoīdes.
Clystēres—ῆρες.
Coccīna vestis.
Colchĭcum, herb.
Colcŏthar.
Colutĕa, τία. herb.
Corallīna.
Corallīnum Arcanum.
Coronŏpus, Rad.
Costīnum oleum.
Cotylēdon, herb.
Cratæogŏnon--γονον.
Crocīnum oleum.
Crystallīnum sacchar.
Cumīnum. Cymīnum.
Curcūma. κούρκουμα.
Cuscūta. Cassūtha.
Cyani. flores.
Cyclămen--īnis. Rad.
Cynorrhŏdi cons.
Cynosbăti cons.

Cypĕri

Cypēri Rad.
Cyprīnus lapis.
Cytīni flores.

Cannabinas nutrit ſylvas, quam commodo noſtro
Carbaſinum, ac ſpatiis geminata monilia colli.
Caſtoreas ſiliquas bis ſex perquirere cura.
Καυκαλίδας, σὺν δ' αὖθι βάλοις φιμώδεα μύρτα
Abrotanique graves & triſtia *Centaurıa*.
Cadmia, *Chalciti*, chalcanthio, chalco & adusto.
Ardua *Morus* erat gelido contermina fonti.
Artemidiſq; *Chamæpityóſque*, atq; achrados herbæ
Per juga *Chryſolithi*, poſitæq; ex ordine gemmæ
Chryſophraſo, & ſidus ſaxis ſtellantibus addit.
Hiſpida ponatur *Cinăra*, & quæ dulcis Jaccho.
Ἄλλοτε πλημμαπέεσαν ἐν ὄξει ῥύπτεο πέτρην.
Coccina famoſæ donas, & Janthina Mœchæ.
Et poſuere inter virgulta *Corallina* cippos.
Porrò *Coronopodis* radix aſtringit & aret.
Friget & abſtergit *Cotyledon* atq; reſolvit.
Et *Crocino* nares myrrhinus ungat onyx.
Sic Aretinæ violant *Chryſtallına* teſtæ.
Ordine ſubprimo *Cuſcuta* caleſcit & aret.
Tranſeat inſtabiles ſtrenua *Cyaneas*.
Cyperum, ladanum, ſagapenúmq; & tragacanthum.

D.

Daphnīnum oleum.
Diacrocūma.
Dianŭcum.
Diaphœnīcum.
Diaphorēſis, *ηστ*.
Diarrhŏdon Abbătis.
Dioſpўros. herb.
Diphrўges.
Dropax-ăcis.
Dryoptĕris. *εεὶς.*

Corpore

Corpore de patrio parvum *Phœnica* renaſci.
At *Diphryges* valde deſiccat——
Pſilothro faciémq; lavas, & *Dropace* calvam.

E.

Ebĕnum lignum.
Empyēma. ημα.
Enĕma. εμα.
Epilīnum herb.
Epūlis. ἐπȣλίς.
Eranthĕmum. θεμον.
Erīca. herb.
Errbīnum.
Erythrodănum.
Exoſtōſis ωσις.

Fert *Ebenum* : Solis eſt thurea virga Sabæis.
Calfacit & ſiccat, ſeu clamat amaror, *Erica.*
Ἀμβροσίην ὑπὸ ῥῖνα ἑκάστῳ θῆκε φέρουσα.

F.

Fagĭnus.
Febrifūga potio.
Figulīnum Vas.
Formīca.

Poſt vario niteus ſub pondere *Faginus axis.*
Parvula nam exemplo eſt magni *Formica* laboris.

G.

Gagătes.
Glaucĭnus color.
Glottĭdes, aves.
G.atiŏla. herb.

Naſcitur in Lycia lapis, & propè gemma *Gagates*
Pallida donabit, *Glaucina*, Coſme, tibi.

H.

Halĭmus. herb.
Hedychrŏi Troch.
Hedysărum herb.
Heliochrȳſon. herb.
Helleborīne. herb.
Herba Parĭdis.
Hierobotăne. herb.
Hippolĭthus lapis.
Hippopotămi dens.
Hippūris. ἵππȣεις.
Hormīnum.
Hydragŏgus. ωγός.

Hyp

Hypecōnum. herb. | *Hyperīcum:*

Μάγμαλ☉ Ἡδυχεὸς ποσὸν ἐφελκομένον.
Horminnm ſiccat mediocriter atq; caleſcit.
Οὐρεῖλω Ὑπέρειχον, ὄθ' ὑσώπε ὀρθάμνες.

I.

Jacĕa herb.
Janthĭnus color.
Jaſmĭnum oleum.
Illecĕbra, herb.
Intŭbus, *Intŭbum*.
Irĭnum oleum.
Isătis herb.
Jujūbæ.
Jujubĭnus Syr.
Junipeŗĭnum ol.

Coccina famoſæ donas & *Janthina* mœchæ.
Illecebris erat, & gratâ novitate morandus.
Intuba, jam teneris frondens lactucula fibris.
Nectit *Iſatis* agrum, vel florea regna Priapi.

L.

Labdănnum. Ladănum.
Lagōpus. herb.
Lampsăna. herb.
Lapis Armĕnus.
Lapis Lazūli.
Lathўris. herb.
Laurĭnum Ung.
Lentiſcĭnum lign.
Leucoїum.
Leucoĭnum. ol.
Leucogrăphis. herb.
Libanōtis. ωπίς.
Lithanthrăces.
Lumbrīci.

Cyperum, *Ladanū*, ſagapenúmq; & tragacanthum.
Si mens auritâ pendet *Lagopede* Flaccus.
Aut herbæ ſuccum, *Lathyris* quæ nomine fertur.
Καὶ ῥόδον, ἠδ' ἴα λεπτὸν ἀεὶ σπερμοῖον ἀέξει.
——— Λιθάνθρακας αἰθομένοιο.
Lumbrici quoque terreſtres miſcentur olivo.

M.

Macropĭper.
Malabăthrum.
Martăgon. herb.
Mastiche.
Mastichĭnæ Pil.
Melĭa terra.
Melicrătum.
Melĭnum oleum.
Melōnum ſem.
Melopĕpo. πέπον.
Melopepōnis ſem.
Miclĕta. ἔτα.
Mumĭa.
Myosōtis. ωτις.
Myrrhĭnum ol.
Myrtĭnum ol.

Mastichis addentur fractæ jam molliæ farra.
Rugarum ſulcos lentiſci *Mastiche* tendens.

N.

Narciſsĭnum ol.
Nardĭnum oleum.
Nenūphar.
Nenupharĭnum ol.
Nepĕta. herb.
Nervĭnum Ung.

Sive apio *Nepetas* tereti cum Maſtiche junges.

O.

Ocymum, ocĭmum.
Oesy̆pus.
Omphacĭnum ol.
Onobry̆chis. herb.
Opălus, lapis.
Ophioſcorōdon. herb.
Opthalmĭa. morb.
Ornithogălon. herb.
Opopănax-acis.
Origănum.
Osy̆ris. herb.
Oxălis-ĭdis.
Oxycrătum.
Oxyrrhodĭnum.

Ocyma præterea, bulbive linuntur amari.
Oeſypa quid redolent, quamvis mittantur Athenis.
Βεβρύχως, κόνιος ——— ———
Expirant autem *Panaces*, abſinthia tetra.
Cúmque hoc abſumi debebit *Origanus* herba.

Siſtráq;

Siſtráq; erant, nunquámq; ſatis quæſitus *Osÿris.*
Ἄρκτιον, Ὀξαλίδας τε καὶ ὀρμενόεντα λύκαψον.

P.

Pampĭni folia.
Papaverīnum ol.
Parūlis. morb. ουλις.
Pepŏnis Sem. ονος.
Perdicis Fel.
Periclymĕnum. herb.
Periplŏca. herb. οκα.
Petroſelīnum.
Peucedănum.
Phellodrys. όδρυς.
Philanthrōpus. ωπος.
Phyllītis. herb.
Platănus, arbor.
Piperīnum ol.
Polygăla. herb.
Polygonătum.
Polygŏnum. herb.
Polytrīchum.
Pomphŏlyx -ÿgos.
Potamogīton. είτων.
Prasīnus color.
Priăpus.
Propŏlis—εος.
Pſilōthrum.
Ptisăna.
Pylōrus. πυλωρός.
Pyrĕthrum. εθρον.

Heu malè tum mites defendat *Pampinus* uvas.
Lepra elephantiaſis, cancer, gangræna, *Parulis.*
Seu fel *Perdicis* parili cum pondere mellis.
Φύλλα τε κισσήεντα Περικλυμένοιο φέρουσα.
Peucedanúmq; ſonat flammis, Erycináq; thapſos.
Jamq; miniſtrantem *Platanum* potantibus umbram.
Ἤλασε τοῦ δ' αὐτοῦ λύτο **γύνατα**, καὶ φίλον ἦτορ.
Helleſpontiaci ſervet tutela *Priapi.*
Pſilothro nitet aut acidâ nitet oblita cretâ.
Frumentum, milium, *Ptiſanamq*; fabámq; ſolebas.

R.

Raphănus.
Resīna.
Ricinus. com.
Rubrīca. ochra.

Semine vel *Raphani* permiſto dulcia melle.

Reſină,

Resinā, Veneto nec resecare luto.
Sanguine seu *Ricini*, quem bos gestaverit ante.
Calfacit & siccat bina sub classe *Ricinus*.
Excepto siquid Masuri *Rubrica* notavit.

S.

Sambucīnus Syr.
Sampsūchum.
Sampsuchīnum ol.
Sandarăcha.
Sandȳcis emp.
Sanguisūgæ.
Santalīnum cerat.
Sapphirīna Aqua.
Sardŏnyx. ὄνυξ.
Saxifrāga.
Scariŏla.
Schœnoprăson.
Securidăca. herb.
Scordīum.
Serapīnum gum.
Sesamīnum ol.
Sesămum.
Sinapīnum oleum.
Sisări Radix.
Smilax-ăcis.
Sophīa chirurgorum.
Storax ăcis.
Strobīlus.
Strobilīna resina.
Styrăcis Pil.
Styracīnum ol.
Sycomŏrus arbor.

Nataq; jam veniant hilari Sampsūcha canopo.
Galbana, *Sandaracham*, Sampsuchum,———
Interdum Libico fucantur *Sandyce* pennæ.
Marte satos scires, timor absfuit ubera *Sugunt*.
Cunctæ *Saxifragæ* deficcant atq; calescunt.
Σκόρδιον, καὶ κεῖνον ὀπὸν μισγηνο ϑυώδη.
Sesamon at levitur calet: occluditq; meatus.
Ductor cujus erat præfectus *Sisara* turmis.
Et crocon in parvos versum cum *Smilace* flores.
Cum tibi sit *Sophiæ* par fama & cura Deorum.

K Au

Aut *Styracem* torres, aut diri vulturis alam.
Non *Storace* Idæo flagrantes picta capillos.

T.

Taraxăcum.	*Tribŭlus* aquat.
Tetănus morb.	Trichomănes.
Thalassīna vestis.	Tripŏlis. τρίπολις.
Tragopōgon. ώγων.	Trypbēra. --ερά.

Hinc tussis, spasmus, *Tetanus*, dyspnœa, catarrhus:
Auro includuntur, teriturq; *Thalassina* vestis.
Semina jacta legunt, lolium, *Tribulusq;* fatigant.

V.

Vagīna.	Umbilīcus
Venētus sapo.	*Vomīca morb.*
Vernix--īcis.	U·ă·hus.
Veronīca.	Ulcer--ĕris.
Vesīca.	Urē hra.--νθρα.
Vicia.	Ulnæ.

Vagina tectus, quem cur distingere coner.
De prasino conviva meus, *Venetóq;* loquetur.
Calfacit & siccat *Veronīca*, fugatq; tumores.
Nam, displosa sonat quantum *Vesica*, pepedi.
Aut tenues fœ us *Viciæ*, tristelq; lupini.
Et phthisis, & *Vomicæ* put·es, dimidium crus.

Z.

Z·cpȳrum.	*Zizȳpha.* Jujūbæ.
Zi·ē hum.	*Zythogăla.*

Γυιῶν ἐρεπτομένυς παρὰ πύελον ἦχι πάρ☉ περ.
Ἦν δ' ἐπιθερμανθῇ νεαλὲς γάλα τῷ χέει γαστρός.

Non fuerit hîc forſan ſupervacaneum, Regulis duabus generalibus, quam plurimis, in pronunciandis dictionibus, difficultatibus mederi.

Regula prima generalis.

Adjectiva in *inus* à rebus animatis ſenſitivis deducta; item, Nomina Cognationum, item, Propria & Gentilia penultimam producant: ut, Caro *agnīna*; pinguedo *anatīna*; ſtercus *equīnum*; Syr. *Byzantīnus*; ſena *Alexandrīna*; manna *Calabrīna*, &c.

Regula ſecunda generalis.

Adjectiva in *inus* à Rebus non animatis, (viz) à plantis, lapidibus, aliiſq; materialibus; (qualia ſunt permulta à Græcis vocibus formata:) item, Adjectiva ab Adverbiis temporalibus, aut Subſtantivis quatuor Anni tempora notantibus, derivata, penultimam corripiunt: ut, *Acanthĭnus*, *amaracĭnus*, *cedrĭnus*, *cypreſsĭnus*, *fagĭnus*, *glaucĭnus*, *adamantĭnus*, *amethyſtĭnus*, *hyacinthĭnus*, *diutĭnus*, *craſtĭnus*, *priſtĭnus*, *perendĭnus*, *hornotĭnus*, *rotĭnus*, *earĭnus*, *therĭnus*, *oporĭnus*, *chimerĭnus*, &c. Matutīnus autem & veſpertīnus, quia à nominibus Maturâ & Veſpero flectuntur, penultimam habent longam.

FINIS.

TABULA POSOLOGICA,

Dosibus Pharmacorum quorundam
(Quæ in *Pharmacop. Lond. noviſ. Edit.* occurrunt)
Expeditiùs computandis
Accommodata.

In nonnullis ad amuſſim uſque, in aliis quàm proximè Ingredientium purgantium, &c. calculantur Quantitates.

Continentur in

Arom. Caryophyllat. ℈iv, — Ambr. griſ. gr. 4. Moſchi gr. i.

Arom. Roſat. ʒi, gr. xij, — Ambr. griſ. gr. i. Moſchi, gr. ſs.

Bened. Laxat. Spec. ℈ij, gr. vij, — Diagrydii, Eſulæ, Hermodact. ā gr. xv. Turpeth. ʒſs.

Caryocoſtini ℥ſs, — Diagrydii, Hermodact. ā gr. xv.

Catholici ʒvij, — Pulv. Senæ, ℈i. Polypod. Rhab. ā ʒſs.

Confect.

Continentur in

Confect. Hamech, ℥i.	Diagryd. gr. viiſs. Pulv. Senæ, Agar. ā ℈i. Epithym. ℈ſs. Colocynth. indcto gr. xv.
Confect. Alkerm. ʒij, ℈ij,	Ambr. griſ. Margarit. ā gr. i.
Conf. de Hyacinth. Spec. ʒxi,	Ambr. griſ. Moſchi, ā gr. i.
Decoct. Epithymi, ℥4,	Epithym. Senæ, ā ℈iv. Helleb. n. gr. xv. Turpeth. Myrob. chebul. Indar. ā ℈ij. Agaric. gr. v. Polypod. ʒi.
Decoct. Senæ Gereon. ℥iij.	Senæ, ʒij. Polypod. ʒſs.
Diacarthami ℥i,	Diagrydii gr. ix. Turpeth. gr. xviij. Carthami, Hermodact. ā gr. xij.

	Continentur in
Diacodii ʒx.	Cap. Pap. ʒiiiſs in Dcto.
Diachyl. Ireat. ℥iſs,	Pul. Irid. Florent, ʒi.
Diacinnam. Spec. ʒiſs,	Moſchi gr. i.
Diaprun ſolut. ʒviſs.	Scammon. ℈i.
Diaphœnic. ℥ſs, gr. xiv.	Diagryd gr. xij. Turpeth. gr. xxxij.
Diarrhod. Abbat. ʒiij, ℈i,	Sem. frig. maj. ℈ſs. Moſchi gr. ſs.
Diaſatyr. ʒx.	Moſchi gr. i. Ambr griſ. gr. ſs.
Diaſcordii ʒv, gr. xij,	Opii gr. i.
Diaturb. cum Rh. ℈ij, gr. xvij.	Hermodact. Turpeth. ā gr. xij. Diagryd. gr. vi. Rhabarb. gr. xv.
Elect. Amar. major. ℥i,	Aloës ℈ij. Turpeth. Rhabarb. ā gr. xv.

Elect.

	Continentur in
Elect. Amar. min. ʒvſs,	Epithym. gr. v. Aloës ʒi.
Elect. è Citro ſolut. ʒiij,	Diagryd. gr. vi. Turpeth. gr. viiſs. Senæ, gr. ix.
Elect. Lenitiv. ℥i,	Pulv. Senæ, ʒi. Polypod. & Sen. in decoct. ā ℈i.
Elect. è Saſſafras ℥i,	Ambr. griſ. gr. i. Moſch. gr. $\frac{1}{12}$.
Elect. è Succo Roſar. ʒiiiſs,	Diagrydii gr. xij.
Empl. Barb. magn. ℥iſs,	Opii, gr. i.
Emp. Cephalic. fort. ℥i,	Piper. nigr. Euphorb. Pyrethi, ā gr. vi.
Emp. Diachalit. ℥viiſs	Vitriol. uſt. ℈i.
Emp. Epiſpaſtic ʒiij,	Cantharid. ℈j.

Continentur in

Emp. Hysteric. ℥ij, ʒiſs. { Gall. Moſchat. Alipt. Moſchat. ā gr. i. Moſchi, gr. ſs.

Emp Oxycroc. ℥iij,---Croci, ℈i.

Emp. de Ranis, ℥i, ---Hydrargyri ʒſs.

Hier Diacolocynth Spec. ʒi, { Colocynth. Agaric. ā gr. vi.

Hier. Logadii, ſc. Elect. ʒvij, { Colocynth. Opopanac. Sagapen. Polypod. ā ℈i. Diagryd. Agaric. ā ℈ſs. Helleb. alb. & n. ā gr. i. Sem. Thymel. Euphorb. ā gr. vi. Aloës opt. gr. v.

Mithridatii ʒiv, ℈ij,- Opii gr. i.

Moſchelæi ℥i, -- Moſchi gr. i.

Philon. Magiſtral. ℈ſs-Opii gr. iv, vel v.

Philon. Roman. ʒiſs, { Opii gr. iiſs. Sem. Hyoſcyam. gr. v.

Philon. Perſic. ℈iv, { Opii gr. iiſs. Sem. Hyoſcyam. gr. v.

Pil.

Continentur in

Pil. de Agarico ʒi,	Colocynth. gr. 4. Turpeth. gr. x. Agaric. gr. vi. Hier. picr. gr. viij.
Pil. Aggretativ. ʒi,	Diagryd. gr. v. Colocynth. Agaric. ā gr. ij. Turpeth. Alcës, ā gr. vi.
Pil. Aureat. ʒi,	Diagrydii, Aloës, ā ℈ſs. Colocynth. gr. ij.
Pil. coch. major. ʒi,	Diagryd. gr. ivſs. Turpeth. gr. ix. Colocynth. gr. viſs.
Pil. coch. min. ʒi,	Scammon. Colocynth. Aloes, ā gr. xiij.
Pil. de Cynogloſſ. ℈ſs,	Sem. Hyoſcyami, Opii, a gr. i.
Pil. Diambræ ℈i,	Ambr. griſ. gr. i.

Continentur in	
Pil. de Eupator. maj. ʒi.	Rhabarb. gr. vij. Aloës ℈ſs.
Pil. Fœtidar. ʒi,	Colocynth. Opopanac. Sagapen. Epithym. Aloës, ā gr. iv. Turpeth. gr. iiiſs. Scammon. gr. iiſs. Eſulæ Rad. Hermodact. ā gr. iſs.
Pil. de Gutta Gamand. ʒi,	Gutt. Gamandr. gr. ix. Scammon. gr. vi. Aloës, gr. xv.
Pil. de Hermodact. ℈ij,	Colocynth. Turpeth. Hermodact. Sagapen. Aloës, ā gr. iij. Opopanac. gr. iſs. Euphorb. gr. ſs.
Pil. Hier. cum Agar. ʒi,	Aloës ℈i. Agaric. gr. viij.

Pil.

Continentur in

Pil. Imperial. ℥i, { Agaric. Senæ, ā gr. v. Aloës, ℈ſs. Rhabarb. gr. viij.

Pil. de Lap. Laz. ℈ij, gr. v, { Epithym. Agaric. ā gr. iv. Lap. Lazul. gr. iiſs. Helleb. nigr. Scammon. ā gr. 1½.

Pil. Mechoacanæ ℥i, { Mechoacan. gr. viij. Turpeth. gr. vi. Esulæ gr. iij. Fol. Thymel. Sem. Ebuli. Agaric. ā gr. iv.

Pil. de Oponan. ℈iiiſs, { Colocynth. Hermodact. Sagapen. Opopanac. ā gr. v. Turpeth. gr. iv. Scammon. gr. ij. Aloës, gr. xij.

Pil. ſine Quibus ℥i, { Scammon. gr. vi. Agaric. Rhabarb. Senæ, ā gr. iv. Aloës gr. xiv.

Pil.

Continentur in

Pil. de Styrace gr. vi.	--Opii, gr. i.
Pulv. Diasenæ ℈i, gr. vi,	Diagryd. gr. vi. Senæ, gr. xxiv.
Pulv. Haly ℈i.	--Sem. frigid. gr. vi.
Pulv. Senæ comp. maj. ℈i,	Senæ ʒſs.
Pulv. Sen. comp. min. ℈iiſs,	Senæ. gr. xxxij.
Pulv. Warvicens. gr. 21,	-Scammon. gr. xij.
Sacch. Perlat. ʒi,	--Margarit. præp. ℈i.
Sief de Plumbo ℈ivſs,	-Opii, gr. i.
Sief de Thure ℈iv,	--Opii, gr. vi.
Spec cord. temperat. ℈iiſs,	Ambr. griſ. Moſch. ā gr. i. Margarit. gr. xij.
Spec. Diamarg. frig. ℈iiſs,	Sem. frig. maj. gr. viij. Pap. alb. gr. ij.
Spec. Diambræ ℈i, gr. vij,	Ambr. griſ. gr. iij. Moſchi gr. i.
Spec. Diamoſch. d. ℈iiſs,	-Moſch. gr. i.
Spec. Diamoſch. am. ℈iiſs,	Moſch. gr. i.

Spec.

Continentur in

Spec. Diatrag. frig. ℈iiiſs, { Sem. frigid. gr. viij. Papav. alb. gr. iij.

Spec. Diatri. Sant. ʒi, gr. 4, { Sem. frig. gr. xij.

Spec. Liberant. ʒvſs,-- Ambr. gr. Moſch. ā gr. ſs.

Syr. Cic. cum Rhab. ʒvi,- Rhab. infuſ. ℈i.

Syr. de Epithym. ℥i, { Epithym. ℈i. Myrobal. ʒij. Polopod. Agar. ā gr. vi. } Infuſ.

Syr. de Mecon. ℥ix,--- Cap. pap. coct. ℥iiiſs.

Syr. Papav. comp. ℥ix,-- Cap. pap. coct. ʒiij.

Syr. de Pomis magiſtr. ℥i, { Senæ, ʒi. Epithym. ℈i. Rhabarb. Agaric. ā gr. v. } Coct.

Syr. de Pompis purg ℥vi,- Senæ infuſ. ℈i.

Syr. de Rhab. ʒ i, ℈j, { Senæ infuſ. & Rhabarb. ā gr. xxv.

Syr. R. ſ. cum Agar. ʒvi, { Agaric. infuſ. ℈i.

Syr.

Continentur in

Syr. Rof. cum Helleb. ℥i,	Myrobal. ʒi, ℈ij, Senæ. Polypod. Epithym. ā ʒſs. Rhabarb. ℈ſs. Helleb. n. gr. iiiſs.
Syr. Rof. cum Sena, ʒvi,	Senæ, ʒi.
Theriac. Androm. ℥iv,	Opii, gr. i.
Theriac Londin. ℥i,	Opii, gr. i.
Troch. Alipt. Moschat. ʒiiſs,	Ambr. griſ. gr. iij. Moſchi, gr. ſs.
Troch. de Carabe ℈i,	Opii, gr. i.
Troch. Gall. Moschat. ℈ſs,	Ambr. griſ. gr. iij, Moſchi gr. ſs.
Troch. de Lign. aloës, ℈v,	Ambr. griſ. gr. iij. Moſchi, gr. ſs.
Troch. de Terra Lemn. ℈ij,	Opii gr. i.

Troch.

Continentur in	
Troch. è Violis solut. ℈iiſs,	Scammon. gr. iv. Turpeth. gr. xxiv.
Trypher. maj. ʒvi,	Scor. ferri. Myrobal. ā ℈i. Moſchi gr. i.
Trypher. solut. ℥ſs,	Diagryd. ℈ſs. Turpeth. gr. xij.
Ung. alb. Camphorat. ʒvi,	Camphor. gr. vij.
Ung Enulat. cum Merc. ℥i,	Hydrargyr. ℈ij.
Ung. Neopolitan. ℥i,	Hydrargyr. ʒi.
Ung Tutiæ, ʒiij,	Lap. Tutiæ ℈i. Lap. Calaminar. ℈ſs.

Cathar-

Catharticorum Simplicium Doses

In Subſtantia.

AGaricus. ℈i. ʒi. ʒij.
Aloë. ℈i. ʒi. ʒij.
Bryon. Rad. ℈i. ʒſs. ʒi.
Carthamus. ʒi. ℥ſs. ʒvi.
Caſia fiſtula. ℥ſs. ℥i. ℥ij.
Cataputia minor. Bacc. n°x. Fol. 4, 5.
Colocynthis. gr. vi. ℈ſs. ℈i.
Ebuli Sem. ℈i. ℈ij, ʒi.
Ebuli Succus. ℥ſs. ʒv, ʒvi.
Ebuli cort. ʒi. ʒiſs, ʒij.
Elaterium. gr. 1, 2, 3.
Epithymum. ʒi. ʒj, ℥ſs.
Eſulæ cort. gr. vi, xij. xv.
Euphorb. gr. iij. 6, 12.
Frangul. cort. intern. ʒi, ʒiſs, ʒij.
Gratiolæ Fol. ℈i, ℈j. ʒi.
Gutta Gamandræ. ℈ſs. ℈i, ʒſs.
Helleb. nigr. gr. xv. ℈i. ℈ij.
Hermodactyl. ℈ij, ℈iv, ʒij.

Jalapium

Julapium ℈i, ʒi, ℈iv.
Ireos Succus ℥ſs, ℥j, ℥iij.
Lap. Armen. ʒſs, ʒi, ʒiſs.
Lap. Lazuli. ʒſs, ʒi, ʒiſs.
Manna. ℥i, ℥ij ℥iij.
Mechoacana. ℈j ʒiſs, ʒij.
Mezerei Fol. cort. gr. vi, xij, xv.
Myrobalani. ʒj, ʒvi, ℥i.
Opopanax ʒſs, ℈ij, ʒi.
Polypod. ʒij, ʒvi, ℥i.
Rhabarb ʒi, ʒiſs, ʒij.
Ricini nuclei. n° 4, 8, 12.
Roſar. Dam. Succus. ℥ſs, ℥iſs, ℥ij.
Sagapenum. ʒſs, ℈ij, ʒi.
Scammonium. gr. vi, xij, ℈i.
Sena. ℈ij, ʒiſs, ʒij.
Soldanella. ʒſs, ℈ij, ʒi.
Spina Cervina. Baccæ, n° 30, 40, 50. Succ. ʒij, ℥ſs, ʒvi.
Tamarindi. ℥i, ℥ij, ℥iij.
Turpethum, ℈ij, ʒi, ℈iv.

Hiſce addi pt.

Aquæ Minerales. ℔iij ad ℔viij.
Braſſicæ jus. ad ℔i.
Crem. Tartari. ʒij, ʒiij, ℥ſs.
Geniſtæ Flores. Succus. ℥ſs, ʒvi, ℥i.

Gum.

Gum. Guajaci. ʒi, ℈iv, ʒij.
Lac Ebutyratum. ℔ij, ℔iij.
Lac recèns mulctum. ad ℔i.
Mercurialis. Mi coctum in brodio.
Ol. Sem. Lini. ℥ij, iv, vi.
Perſici Flores. Succus. ℥ſs, ʒvi, ℥i.
Pruna Damaſc. macerata. n° 12, 16, 20.
Pruni Sylv. Flores. Succus. ℥ſs ad ℥i.
Sambuci turiones pulv. ʒi, ʒij.
Serum Lactis. ℔ij, iij, iv.
Terebinth. Venet. ʒiij, ℥ſs, ʒvi.
Violarum Succus. ℥i, ℥iſs, ℥ij.

INDEX.

INDEX

Morborum, Curationum, &c.

A.

Anodyna,

Con-

E. Ecco-

E.

F.

Febri-

I.

Opiat

S. Sali-

S.

Tarta-

V.

Clavis ad paucula reſeranda

In PHARMACOP. BATEANA.

Album Cânis ——— Stercus album canis.
Anaphromeli ——— Mel ſpumæ expers.
Apyrothium ——— Sulphur Vivum.
Chenocoprus ——— Stercus Anſeris.
Cynocoprus ——— Stercus canis.
Draconthæma ——— Sanguis draconis.
Hagioſpermus ——— Sem. Santonicum.
Hydrocrithe ——— Aq. Hordei.
Hydropege——— Aq. Fontis.
Leptopityron ——— Furfur macer.
Leucelectrum ——— Succinum album.
Leucœnus ——— Vinum album.
Medulla Lactis ——— Butyrum.
Melanoſmegma — — Sapo niger.
Neogala ——— Lac recens.
Oenogala ——— Vini & Lactis, ā p. æ.
Palœtyrus ——— Caſeus vetus.
Phyſalus——— Bufo.
Pyrœnus ——— Alcohol vini.
Sulphur Cœleſte ——— Alcohol vini.
Xylagium ——— Lignum ſanctum.
Zibach, vel Ziabach·· Mercurius.

FINIS.

APPENDIX

AD

Pharmacopœiam Bateanam

Ex Autographo Eximii Authoris nunc primum desumpta.

Place this after Page 227.

LECTORI CANDIDO.

SElectiſſima Remedia quæ tibi exhibent ſequentes paginæ ex Autographo eximii domini Doctoris Bates, cujus mihi copiam fecit (pro ſingulari qua pollet morum ſuavitate & benefaciendi ſtudio) illuſtriſſima Domina Domina James Authoris noſtri digniſſima filia, diligenter ſelegi & publici juris feci. Quamvìs enìm hæc quæ reſtituo Præſcripta duntaxàt inter ægros curandos, raptìm exarata, & typis minimè deſtinata fuerunt atq; adèo minùs forsàn accurata cuipiam eſſe videantur ; perſuaſiſſimus tamèn ſum, quòd nèc Reipublicæ Medicæ inutilia, nec tanto Authore prorsùs indigna uſu reperientur : proindèq; iniquum planè, imò nefas fore judicavi, ſi aut invidus in privatum uſum reconderem ; aut negligens perire ſinerem. Porrò

tantus

tantus reverà fuit Bateus Præſcribendi artifex, ut parùm verecundum eum eſſe oportet, quiſquis, Emendationis prætextu, illius vel extemporanea immutare moliretur: Et propterèa nec quippiam mutilando, nec (præter paucula de viribus) adjiciendo, ſed ipſiſſima Autographi verba fidelitèr tranſcribendo, ſpartam hanc ornare ſategi.

Hiſce ità præfatis rectà jàm ad Appendicem ipſam te relegarem, niſi quòd æquum, imò & (Lector benevole) tibi gratum fore duxi ut priùs te moneam, quòd plurima ex Remediis Pharmacopœiâ Bateanâ jàm proſtantibus in hoc Manuſcripto reperi; eàq; Induſtrius vir Dominus Shipton ſummâ fide, & integritate edidit.

T. Fuller M. D.

APPENDIX

AD

Pharmacopœiam Bateanam.

Apozema Cephalicum.

℞ RAD. Pæon. mar. ℥iiſs. Valerianæ ℥iij. Cal. aromat. ℥ſs. Fol. Beton. Miij. Roriſmar. Mſs. Paſſal. ſol. exacin. Mij. coq. in Hydropeg. q. ſ. ſub finem addendo Sem. Carui ℥i. Col. adde Sacch. albi ℥iij. clarific. reducendo ad ℔iij. *Doſ.* ℥iv. *tèr in die.*

Apoz. Ictericum.

℞ Rad. Cichor. ℥iſs. Fol. Fragar. (cum Rad.) Fol. Pentaphyl. ā Mj. Uvar. Corinth. ℥iij. Jujub. ℥ij. Sem. Aquileg. ℥i. coq. in ▽ font. q. ſ. ad ℔ij. col. adde Syr. è 5 Rad. ℥ij. m. *Dentur* ℥*iv, tèr in die.*

Apoz.

Apoz. Phthisicum.

℞ Rad. Chinæ incisæ ʒiij. Ras. Eboris ʒi. Ras. CC. ʒiſs. Dactyl. N° 4. infunde in Aq. font. q. s. per noctem tepidè: manè adde Fol. Arnogloſs, Bugulæ, Agrimon. Veron. Pauli, Virgæ aur. Alth. Capil. Ven. Summit. Rubi ā p. iij. Hord. p. ij. Uvar. paſs. enucl. Mſs, Coq ad ℔ij. Col. adde Conſ. Roſ. rub. ℥ij. ſtent ſimul per ℈iij. & f. Col.

Apoz. de Pomis.

℞ Pom. redolent. (cum cort. & ſem. contuſ.) n° ij. Rad. Scorzon. ℥i. Rad. Gram. Acetoſæ, Aſpar. Cichor. Fœnic. ā ℥ſs. Fol. Fragar. cum toto, Lujulæ, Borag. ā Mj. Raſ. Ebor. cc. ā ʒiij. Tamar. ʒvj. Uvar. Corinth. ℥iij. coq. in Hydropeg. q. ſ. ad ℔iſs. col. adde Syr. de 5 Rad. & Aurant. ā ℥ij. m.

Sitim ſedat; Succos Atrabilarios corrigit; Obſtructiones reſerit; Urinam ciet. Febricantibus, & Melancholicis ſubvenit. *Doſ.* ℥iv, *tèr in die.*

Apoz. Splanchnicum.

℞ Rad. 5 Aper. ā ℥iſs. Troch. de Cappar. de Rhab. ā ʒvi. Fol. Chamædr. Miv, menth. Miſs. Ling. Cerv. Mj. Sem. Cochlear. Naſturt. aq. ā ℥i, Cort. Saſſaph. ℥ſs. Uvar. paſſ. ℥x. Lumbric. præp. ℥i. Coq. in Hydropeg. ℔vi, & Leucœni ℔ij. ad ℔v. Col. infunde

Fol.

Fol. Cochl. mar. Mvi, col. adde Spir. Ment. comp. ʒiij, m. *Ad viſcerum obſtructiones, & Scorbutum.*

Aqua ferrata.

℔ Baturæ ferri (mundatæ ab omni ſorditie, & exſicc.) ℥viij. Aq. Lact. comp. ℔iſs. macerentur, obſignato vaſe, in B. M. per horas 48 ; f. Col. *Doſ. liquoris clari* ℥ij, *omni mane per longum tempus.*

Aq. Fragorum comp.

℞ Fruct. Fragor. matur. ℔ij. Album. Ovor. (in aquam agitat.) N° 10. Fol. Cichor. Caudæ equinæ, Plantag. Virgæ aur. Roſ. rub. Fruct. Alkek. ā Miij. Jujub. Sebeſt. ā ʒvi, Glycyrrh. rec. raſæ ℥iv, Rad Alth. Sem. Pepon. contuſ. ā ℥vi, Sem. Cydon. Malvæ, Alth. ā ℥ſs. Lact. ℔viij. macerentur per biduum; & deiǹ Deſtil. in B. M. Calculoſis confert.

Aq. Glycyrrhizæ.

℞ Glycyrrh. Angl. rec. contuſ. ℔ſs. Lact. ebutyrati cong. j. m. Deſtil. Organis communibus. Pectoralis, & Antinephritica audit.

Aq. Menthæ comp.

℞ Fol. Menthæ pulv. Sem. Agni caſti ā ℥ij. Sem. Plantag. ℥i. Terebint. Ven. ℥vi, Decocti fortis Plantag. ℥xij. Succi Limon. ℥vi. Deſtil. ad lenem cinerum calorem.

Aq.

Aq. Phthisica.

℞ Sem. Pepon. Melon. ā ℥iv. Portul. ℥vi. Fol. Pilosel. Plantag. ā Mviij. Consolidæ maj. Germin. querc. ā Mvi. Seri Lact. cong. iv. Dest. s. a. Bibat Patiens ℔i. cum Lact. recent. ℔i. & Sacch. candi ℥i. bis in die per totum Mensem Aprilem, vel Maium.

Aq. Plantaginis comp.

℞ Fol. Plantag. Centinod. Portul. ā Mvi. Pilosel. Mviij. Veronicæ mar. Equiseti ā Miv. Rad. Sigil. Solom. ℥vi. Rad. Buglossi ℥iv. Seri Lact. ℔xij. Destil. Hæmoptoicis, & Phthisicis convenit.

Aq. Pomorum comp.

℞ Pomor. redolent. (cum cort. & sem. contus.) ℔xij. Fol. Melis. Scord. ā Mx. pul. Rad. Torment. & Zedoar. ā ℔ss. Mac. Nuc. Mosch. ā ℥ij. Lact. recent. ℔x. Dest. s. a. In Febre, & Affectu Hypochondriaco confert.

Aq. Sanguinis.

℞ Sang. Vitul. rec. mactati ℔iv. Lact. Vaccini ℔vi. Summit. Rubi Idæi Mvi. Rad. Tussilag. ℥iv. Glycyrth. rec. ℔ss. Passul. sol. ℥x. m. Destil. Alembico Rosaceo, cavendo Empyreuma.

℞ Hujus Aquæ ℥xij. Tabul. Diatrag. frig. ℥iss. m. sumat æger ℥iv. omni mane, cum duplâ quantitate Lactis Asinini. ad Tabem.

Aq.

Aq. Saponariæ comp.

℞ Fol. Saponar. rec. Mxx. Fumar. Scabiosæ ā Mvi. Lig. Guajaci pul. ℔i. Rad. Sarsap. crassè contus. ℔iss. Aq. Saponar. simpl. Cong. iv. Distil. communibus Organis.

Ad Sanguinem depurandum, & Affectus Cutaneos. ℞ Hujus Aquæ ℔ij. Sacch. albi ℥ij. m. Propin. ℔ss. pro vice, tèr in die.

Aq. Scorbutica.

℞ Fol. Agrimon. Cichor. Phyllit. Hepat. nobil. ā Mviij. Absinthii utriusq; Cochlear. utriusq; Nasturt. aq. Becab. ā Mvi. Ment. aq. Mv. Scabiosæ, Prasii ā Miv. Rad. Ari crassè contus. ℥iv. Lig. Sant. albi pul. ℔ss. Aq. still. Lumbric. simpl. ℔ij. Aq. Antiscorb. nost. ℔vi. Leucœni ℔iv. præp. Destil.

Balneum Psoricum.

℞ Rad. Ireos nost. Bryon. albæ, Farinæ Lupin. & Fabar. ā ℔iss. Fol. Borag. Genistæ incis. ā Mxx. m. pro Decocto.

Vel,

℞ Rad. Bryon. alb. ℔iss. Fol. Borag. Sambuci ā Mxviij. Tart. albi ℔i. m. pro Decocto.

Balneum Venustatis.

℞ Hord. mund. ℔ij. Orizæ ℔i. Lupin. crassè pul. ℔iij. Furfuris macri ℔viij. Fol. Viol. Borag. ā Mx. coq. in Aq. font. q. s.

Ad Cutim detergendam, poliendam, & emolliendam. *Boche-*

Bochetum.

℞ Rad. Sarsapar. ℥viij. Lig. Guajaci ℥ij. infunde ☿ xij. in Hydropeg. (vel Hydrocrith.) ℔xij. adde Uvar. pass. enucl. ℔ss. Coq. ad consump. dimidii, addendo sub finem Glycyrth. recent. ℥i. f. Col. pro potu ordinario.

Bolus Hæmorrhoidalis.

℞ Pulp. Cassiæ rec. extr. ʒiij. Fl. Sulph. ℈i. Pul. Glyc. ℈ss. f. bol. sumatur manè, & superbibatur haustus seq. ℞ Decoc. Pect. (cum Rad. Alth. incoct.) ℥iij. Mannæ ℥i. Syr. Viol. Oxym. scil. ā ℥ss. Valet etiàm ad Asthma, & affectus Thoracicos.

Bolus Nephriticus.

℞ Terebint. Ven. coct. & pulv. ʒi. Oc. 69 ℈i. □ ⊕-lati ℈ss. ⊖ Succini gr. iv. Syr. Alth. q. s. f. bol. sumatur manè, superbib. Serum Nephriticum.

Bolus è Terebinthinâ.

℞ Cassiæ rec. extrac. ʒiij. Terebint. Ven. ʒi. pul. Rhab. ʒss. f. bol. sumatur horâ somni; mane sequenti bibantur Infus. Bened. ℥vi. In affectibus Venereis, &c.

Cataplasma Anginosum.

℞ Mel. Ros. ℥iv. Cynocopis pul. ℥ij. Pulp. Cassiæ ℥j. m.

Vel,

℞ Mel. Ros. Cynocop. ā ℥iss. Croci ʒiss. Farinæ

Farinæ Tritici ℥iij. Aceti q. ſ. m. f. Catap. tepidè ſub mento applicandum.

Catapl. Arthriticum.

℞ Mucilag. ſem. Cydon. (Aq. Lact. extrac.) ℥viij. Uv. Malagenſ. (exacinat. & in pulpam contuſ.) ℔i. m. agitando ſuper prunas, f. pulticula adhibenda locis affectis, & renovanda ſextâ quâq; horâ.

Catapl. Cardiacum.

℞ Cort. Citri cond. ℥ſs. Alkerm. ʒiij. Conſ. flor. Borag. ℥ij. contunde optimè cum Mellis Anthoſ. ℥ſs. ſpec. Diamoſc. dulc. ℈ij. Croci ℈i. m. & adhibe Cordis regioni; ad Syncopen, Tremores, & Palpitationem.

Catap. Cydoniatum.

℞ Cydon. cond. (in pulp. contuſ.) ℥iij. Diaſc. mel. Roſ. ā ℥ij. Pul. Ter. ſigil. ʒiij. Boli Armen. ʒij. f. pulticula adhibenda ventriculo, vel umbilico; & renovanda 12ª quâq; horâ.

Ad Vomitum, Diarrhæamvè ſiſtend. & Abortum prohibendum.

Catap. Diſcutiens.

℞ Rad. Enulæ rec. Ireos noſt. ā ℥iv. Alth. ℥viij. Fol. Scord. naſturt. aq. ā Mvi. Ebuli, Abſint. Cicutæ, Malvæ ā Miv. Flor. Samb. p. xx. Fl. Geniſtæ p. xxvi. coq. in ▽ q. ſ. ad mollitiem; contuſ. in pulpam admiſce Gum.

Gum. Ammon. (in Aceto ſoluti) ℥iv. Farinæ Fabar. & Lini ā ℥vi. Ol. Irini ℥iv. Ol. Geniſtæ ℥iij. m. f. Catapl. pro Splene.

Catapl. Diureticum.

℞ Fol. Parietar. Miij. Coq. in Lact. q. ſ. ad contabaſcentiam; dein contunde cum Cepis (ſub cineribus priùs coctis) N° iij. Rad. Raph. ſylv. ℥iij. Vitel. Ovor. N° ij. Ol. Scorpion. ℥i. Ung. Dialth. ℥ij. f. Catapl. vel Perinæo, vel locis dolentibus applicandum, in Paroxyſmo Calculoſo.

Catap. Emolliens.

℞ Rad. Alth. rec. ℔ſs. Rad. Lil. alb. ℥iv. Fol. Malv. Alth. Sambuci Abſint. Melil. Flor. Samb. ā Mij. coq. in ▽ ad mollitiem; adde Farinæ ſem. Lini ℔ſs. Fabar. ℥ij. Sevi Vervec. ℔ſs. Ol. Lumbric. ℥iij. m. f. Catap. & Liquor. colatus ſervetur pro Fotu.

Catap. Febrifugum.

℞ Rad. Bryon. albæ recent. ℥iv. Fol. Rutæ Miij. ſem. ſinap. ℥ij. ſem. coriand. ℥ij. Spir. ſulph. ʒi. Aceti ſcil. ℥ij. m. f. Catap.

Vel,

℞ Rad. Bryon. recent. ℥ij. Fol. Sabinæ, Rutæ, Erigeri ā Mij. Sapon. nig. ℥ij. Muſtardæ, Salis nig. ā ℥i. m. f. Catap. pro Carpis, & Plantis pedum.

Catap.

Catap. Hæmorrhoidale.

℞ Rad. Alth. Cynogl. (ad putrilaginem in Aq. coct.) ā ℥j. Mucilag. ſem. Cydon. Ung. Hæmorrhoid. ā ℥i. Vitel. Ov. N° 1. Plumbi uſti pulv. ʒvi. m. f. Catapl. applicand. poſt Fotum.

Catapl. Spleneticum.

℞ Fol. Nicot. ſicc. Miij. irrig. cum Aceti Roſ. ℥iij. adde Fol. Cicutæ rec. Miv. Malvæ, Viol. ā Miſs. contunde, & coq. in ▽ q. ſ. cum Farinæ Sem. Lini ℥iij. adde Ol. Roſ. ℥iij. Croci ʒi. f. Catap.

Catap. ad Tonſillas.

℞ Pul. Cynocop. ℥i. Croci ʒſs. Sang. drac. ʒiſs. Mel. Roſ. ℥ij. m. f. Catap.

Caudela Analeptica.

℞ Alæ mediocr. ℔i. Dactyl. inciſ. N° vi. Rad. Eryng. candefact. quant. 4 digitorum, Flor. Hormini, Lamii ā Mj. Aven. decortic. pul. cochl. j. Coq. & expreſſioni adde ſacch. alb. q. ſ. ut f. Caudela.

Cerevisia Cephalica.

℞ Rad. Pæon. mar. ℥iiſs. Valerianæ ℥iij. Ireos Florent. Calami arom. ā ℥ſs. Enulæ ʒiij. Fol. Beton. Miij. Capil. Ven. Tuſſilag. ā Mij. Roriſmar. Mj. Flor. Paralyſ. ſicc. Miv. Flor. Salv. p. vi. Sem. carui ℥i. Uvar. paſſ. enucl. ℔i. f. Saccul. ſuſpend. cong. v. Cerev. pro potu communi.

Vel,

Vel,

℞ Rad. Pæon. mar. ℥ij. Enulæ ℥iij. ſterc. Pavon. ſicc. & craſsè pulv. ℥xij. Uvar. paſſ. ℥xij. f. Saccul. pro cong. ij. Cerev. Ad Vertiginem, & Epilepſiam.

Cerev. Corroborans.

℞ Raſ. dent. Hippopotami ℥iv. Virgæ Hippopot. & Eboris ā ℥iij. Rad. Conſolidæ maj. Sigil. Solom. ā ℥vi. Fol. Equiſeti, Piloſel. Plantag. Alchymil. ā Miij. Uvar. paſſ. enucl. ℔iſs. m. f. Saccul.

Cerev. Diuretica.

℞ Bac. Junip. contuſ. ℥iv. Fruct. Cynorrhod. (ſicc. & craſsè pulv.) ℔ſs. Fol. Alth. Parietar. Aparines ā Miv. Abſinth. Mij. Uvar. paſſ. enucl. ℔iſs. f. Saccul. pro cong. vi. ad potum communem.

Cerev. Scorbutica.

℞ Fol. Ling. Cerv. Cochlear. utriuſq; Becab. ā Mvij. inciſa minutiſſimè, & paſtâ obvoluta coq. in furno; adde poſt-modùm Raſ. Ebor. Sem. Coriand. ā ℥iv. Uv. paſſ. ℔iſs. f. Saccul. pro cong. vij. Cereviſ.

Vel,

℞ Fol. Cochl. utriuſq; Cardamines, Becab. ā Mvj. Hepaticæ, Agrimon. Ling. Cerv. ā Mij. Abſint. Rom. Mj. Rad. Raph. ruſt. ℥iij. Rad. 5 Aper. Cichor. ā ℥ij. Sem. Carui ℥iſs.

Cort.

Cort. extern. Limon. N° vi. Uvar. paſſ. exacin. ℔ij. f. Saccul. pro cong. vi.

Cerev. cum Succis.

℞ Succ. cochl. ℔iv. ſuc. Becab. ℔ij. Cereviſ. Lupulatæ, & non Lupul. ā cong. iiſs. adde in Sacculo Fol. Cochl. Mvi. Salv. Mij. Paſſul. ℔ij. Mal. Aurant. inciſ. N° iv. pro potu ordinario.

Cerev. Traumatica.

℞ Fol. Piloſel. Equiſeti ā Mviij. Veron. mar. Millefòl. Alchimil. ā Mvi. Uvar. paſſ. ℔iſs. Coq. in Hydrocrith. cong. iij. ad ij. col. adde Alæ cong. iv. ſuſpenſ. in vaſe Uvar. paſſ. enucl. ℔i. pro potu com.

Colyrium Metallicum.

℞ Croci Metall. ſubtil. pulv. ʒi. ⊖i albi ℈ſs. ▽ Roſ. rub. ℥ſs. ▽ Flor. cichor. ſylv. per deliqu. ℥iiſs. macera tepidè per ☿ vi. f. Filtratio.

Inſtilletur gt. j. tepidè in oculum tèr in die, ad maculas, & nebulas detergendas.

Decoctum Bechicum.

℞ Rad. Helenii ℥i. Glycyrth. ℥ij. Fol. Tuſſilag. Scabioſæ ā Mij. Sem. Aniſi (ſub finem add.) ℥ſs. coq. in Hydrocrithes q. ſ. ad ℔iſs. col. adde Syr. Viol. ℥ij. de Hyſſopo, Jujub. ā ℥i. croci (nodulo incluſi) ℈ſs. m. *Doſ.* ℥iv, *tèr in die, ad Tuſſim, & Catarrhum.*

Dec.

Dec. Chinæ comp.

℞ Rad. Chinæ incis. ℥i. infunde in Hydrocrit. ℔vi. adjectis Fol. Hed. terr. miv. Tussilag. capil. Ven. ā mij. Uvar. pass. Dactyl. ā ℥iij. coq. ad consump. tertiæ partis; col. adde sacch. candi ℥ij. clarif. sumatur haustus tepidè tèr in die: ad Tussim, & dispositionem Phthisicam.

Dec. Cretaceum.

℞ Cretæ albæ pulv. ℔ss. coq. in Hydropeg. ℔iij. ad ℔ij. post crassioris partis subsidentiam, tenuis liquor instar lactis effundatur, cui adde sacch. perl. q. s. bibatur affatim.

Dec. Cretaceum comp.

℞ Cretæ pul. ℥iij. coq. in ▽ Germin. querc. ℔iiss. ad tertiæ partis consumpt. addendo panni Anchusati quantum tingat; col. adde Cons. Ros. rub. ℥ij. infunde & f. expres. cui adde pul. Terræ Lemn. ʒij. (aliquando addit Author Syr. è Rubo Idæi ℥iij.) Ad Diarrhæam, & Hæmorrhagias internas.

Dec. Cydoniatum.

℞ Mal. cydon. incis. Nº ij. ▽ font. ℔ij. coq. ad ℔ij. adde cinnam. contus. ʒij. stent simùl ad frigiditatem; col. adde sacch. candi albi ℥ij. bibantur ℥iij. tertiâ quâq; horâ, contra Vomitionem: & ℥iv. tèr in die, contra Abortum.

Dec.

Dec. Guajaci Purgans.

℞ Raſ. Guajaci ℥iv. ſant. albi, Rad. Chinæ ā ℥i. Sarſapar. ℥ij. infunde ſ. a. in ▽ font. ℔vi. per ☓ viij. adde Mechoac. ℥iſs. Jalap. ℥ſs. ſem. carth. Hermodact. Sennæ ā ℥ij. Flor. Roriſm. Stæchad. ā p. iij. Fol. Salv. Beton. ā mj. Uv. paſſ. enucl. ℥vi. coq. ad conſumpt. tertiæ partis, f. col. adde Syr. Roſ. ſol. ℥viij. clarif. cum Alb. Ov. Doſ. ℥v.

Dec. Laxativum.

℞ Rad. 5 Aper. ā ʒiij. Tamarind. ℥i. Sennæ ʒij. Uv. Corinth. ℥iv. coq. in ▽ font. ℔iſs. ad conſump. tertiæ partis col. adde Syr. Roſ. ℥ij. m. propin. ℥v. bis in die.

Dec. Paſſularum comp.

℞ Uv. paſſ. enucl. ℥iv. coq. in Hydrocrith. q. ſ. circa finem addendo Cort. Pomor. redolent. mij. remotis ab igne adde Glycyrrh. raſ. ʒvi. ſtent ſimùl ad frigiditatem f. col. ad ℔iij.

Dec. Pectorale incraſſans.

℞ Rad. alth. ℥iſs. Rad. & Fol. Tuſſilag. ā miſs. Sem. Malvæ ℥ſs. Jujub. N° xx. Uvar. paſſ. ℥iv. Glycyrth. ʒij. coq. in Hydropeg. q. ſ. ad ℔ij. col. adde ſacch. candi rub. ℥iſs. clarif. ſumantur cochl. vi. vel viij. ſæpiùs in die.

Dec. Pleuriticum.

℞ Sulph. Animalis ℥iv. Fol. Scabiosæ mij. Sem. Card. Mariæ ℥ſs. nuc. moſch. ʒij. Aq Ulmar. & Card. Mariæ ā ℔iſs. coque parùm, f. Expreſſ. adde ſucci Aurant. ℥iij. Syr. Papav. Rhæad. ℥iv. clarif. bibatur ad libitum contra ſitim.

Dec. Raparum comp.

℞ Rad. Rapar. inciſ. Nº vi. Uvar. paſſ. enucl. ℥iv. Fol. Tuſſilag. mij. Sem. 4 Frig maj. ā ℥ſs. Sem. Bombac. Coriand. ā ʒiij. coq in ▽ font. q. ſ. ad ℔iij. col. adde ſucc. Aurant. ℥ij. Sacch. candi albi ℥ij. m. Doſ. ℥iv. tertiâ quâq; horâ.

Decoc. Santalinum.

℞ Lig. Santali albi ℥ij. Rad. Sarſapar ℥viij. Chinæ ℥i. Raſ. Eboris ℥iſs. infunde in Hydrocrithes ℔xiv. adde Uv. paſſ. & Corinth ā ℥iij. coq. ad conſump. tertiæ partis, f. col.

Decoc. Sarſæ attemperans.

℞ Rad. Sarſæ ℥vi. Chinæ ℥i. infunde in Hydropeg. ℔viij. coq. cum Uv. paſſ. enucl ℥viij. ad conſumpt. tertiæ partis, infund. Fol cochl. mar. miv. f. col.

Dec. Sarſæ Cephalicum.

℞ Rad. Sarſæ ℥vi. Lig. Saſſaph. ℥i. infunde in ▽ font. ℔ix. adde Rad. Pæon. ma Valerianæ ā ℥ſs. Fol. Beton. miv. Anth

p. i

p. iij. nuc. mosc. N° iv. Passal. enucl. ℥ij. coq. ad consumpt. tertiæ partes f. col. Dos. ℥v. tèr in die.

Dec. Sarsæ exsiccans.

℞ Rad. Sarsapar. opt. incis. ℥viij. Ras. Guajaci ℥ij. infunde per ☧ 12. in Aq. font. ℔xij. adde Uvar. pass. enucl. ℔ss. coq. ad consumpt. dimidii, addendo sub finem Glycyrrh. recent. ℥i. f. col. Dos. ℔ss. tèr vel quatèr in die.

Dec. Sarsæ Traumaticum.

℞ Rad. Sarsæ ℥iij. Chinæ ℥ss. Fol. Bugulæ, Pilosel. Veronicæ ā Miss. Alchimil. Mj. Uv. pass. ℥vi. infunde, & coq. in Hydropeg. q.s. col. ℔iv. adde sacch. candi albi ℥iv. clarif. Dos. ℥vi. tèr in die.

Dec. Scorzoneræ.

℞ Rad. Scorzon. ℥iij. cort. citri cond. ℥ij. ccc. pulv. ℥i. Sem. carui ʒvi. coq. in ▽ font. ℔iv. ad consump. tertiæ partis f. col. clarif. adde Succi Aurant. ℥i. Sacch. opt. ℥iij. m. Bibatur ad libitum in Febribus.

Electuarium Æthiopicum.

℞ Æthiop. miner. ʒi. Troch. de Viper. pul. ʒvi. Gum. Guajaci ʒss. Extrac. Guajaci comp. ℥iss. Syr. Garyoph. q. s. f. Elect. cap. ʒiij. bis in die, & superbibatur haustus Decocti Santali. Ad affectus cutaneos, & Luem Veneream.

Elect. de Althæà.

℔ Pulp. Rad. Alth. (in Aq. hord. coct. contuf. & per fetac. traject.) ℥ij. Pulp. Jujub. & Sebeft. ā ℥i. Spec. Diatrag. frig. ʒiij. facch. Penid. ℥j. Syr. de Nymph. q. f. f. Elect. cujus Dof. ʒiij. bis in die, cum Lacte Afinino. Refrigerat; Incraffat; Catarrhos fiftit; & Tabidis conducit.

Elect. Cardiacum temperatum.

℞ Pulp. Confervæ Lujulæ ℥iv. cort. citri cond. ℥ifs. Pul. è Chel. comp. ʒj. Syr. de fucco citri ℥iij. m. fum. ʒiij. tèr in die, cum Julap. Card.

Elect. de Eryngio.

℞ Pulp. Rad. Eryngii cond. ℥iv. nuc. mofc. cond. ℥j. Conf. flor. Hormini ℥i. Lamii ℥ij. Pulv. Priapi Hippopot. ʒvi. Syr. de cond. rad. Eryngii ℥iv. m. Infignitèr corroborat, & inftaurat. Detur qu. Caftaneæ horis fomni, & mane; fuperbibatùrq; hauftus Caudelæ Analepticæ.

Elect. de Guajaco.

℞ Rad. Eryng. candefact. ℥iij. Scorzon. candefac. ℥ifs. contunde irrigando cum Spir. Hormini comp. ℥ij. exprime per fetaceum, adde Extrac. Guajāci ℥i. Ceruffæ ♁ij. ʒvi. f. Elect. Sanguinem depurat, & Spiritus reficit.

Elect.

Elect. Incrassans.

℞ Pulp. rad. consolidæ maj. ℥iij. Rad. Alth. Conf. flor. Nymph. ā ℥ij. Spec. Diatrag. frig. ℥ſ. Sacch. opt. ℥v. Syr. de Mucilag. ℥ij. m. f. Elect. cujus Dos. ʒiij. tèr in die.

Elect. Lætificans.

℞ Cort. citri cond. ℥iſs. Conf. flor. Garyoph. Calendulæ ā ℥i. Spec. Lætif. Galeni ʒj. Pul. Off. de corde cervi ʒſs. Aquæ Melissæ comp. ʒiiſs. Syr. Garyoph. ℥i. m. f. Elect. Cardiacum est; & ad cordis palpitationem specificè inservit. Dos. ʒiij. tèr in die, cum Julapio cardiaco.

Elect. Laxativum.

℞ Pulp. Cassiæ rec. extrac. ℥iij. Pulv. Rad. Jalap. & Sem. carui ā ʒiij. Syr. de Pomis Regis Saporis ℥iij. m. sumantur ʒiij, quotiès opus fuerit ad alvum laxandam, horâ ante prandium, sine custodiâ.

Elect. Nenupharinum.

℞ Confer. fl. Nenuphar. ℥iij. consolidæ maj. rad. consolidæ cond. ā ℥i. contunde pulpam cum Sem. Lactucæ ℥iſs. irrigando cum Syr. de Nymph. ℥iv. f. expref. per setaceum; adde Rad. Nymph. pul. ʒii. Spec. Diatrag. frig. ʒiſs. m. f. Elect.

Refrigerat; Incrassat; Instaurat; Urinæ ardorem extinguit. Dentur ʒiii. tèr in die, cum haustu Jusculi de Chinâ. *Elect.*

Elect. Paralyticum.

℞ Conf. fl. Salviæ ℥iij. Anthûs ℥i. cochl. marinæ ℥vi. Pul. sem. cochl. ℥iss. Spec. Dianth. & Arom. Rof. ā ℈iv. Syr. de Stæch. ℥iij. Ol. Succini rectif. ℈i. m. f. Elect. cujus Dof. ʒiij. tèr in die.

Elect. Pectorale Incrassans.

℞ Pulp. Ficuum (Aq. Hord. extrac.) ℥i. Conf. Rof. rub. ℥ij. Lohoch sani, Syr. Capil. Ven. ā ℥iij. m. f. Elect.

El. Purgans.

℞ Pulv. sancti ʒiij. Jalap. ℈iv. Sem. carui ℈ij. Elect. Lenitivi ℥iv. Syr. Rof. cum Agar. ℥iss. m. f. Elect. Dof. ʒvi. manè.

El. de Satyrio.

℞ Rad. Satyrii cond. & per setaceum traject. ℥iv. Rad. Confolidæ cond. & similiter præp. ℔i. Pulv. Priapi Taur. ℥i. Priapi Hippopot. ℥iss. Dent. Hippopot. & Eboris ā ʒvi. Gum. Anime ℥ii. Mastiches ʒi. nuc. mofch. ℥ss. Syr. de Symph. ℥viij. m. f. Elect. Analepticum, & Aphrodisiacum.

Sumat Patiens ℥ss. bis in die, superbibendo manè Lactis Caprini ℔i. cum Sacch. Rof. edulcor: Vel haustum Decocti fol. Confol. maj cum flor. Hyperici: Et horâ somni superbibendo Aq. Hormini comp. ʒi.

Elect. de Symphyto.

℞ Pulp. Rad. Consol. maj. Sacch. opt. ā ℥iij. coq. in Electuarii consist. adde Virgæ Hippopot. pul. ℥ss. Syr. de nuc. mosch. ℥i. m. Sumatur ℥ss. horâ somni, & horâ *j.* ante prandium; superbibendo largum haustum Decocti fol. Consol. maj. in liqu. posset. cum Dactylis præp. Ad Dorsi imbecilitatem; Gonorrhæam; Fluorem album, &c.

Elect. de Terebinthinâ.

℞ Pulp. Cassiæ ℥iii. Tereb. Ven. coct. & Cypr. coct. & Pulv. ā ʒii*j*. Rhab. ʒi. Gum. Arab. Spec. Diatrag. frig. ā ℈iv. Syr. de Alth. q. s. m. Dos. ʒiij. omni manè, superbib. Emulsionis haustum. Ad ardorem Urinæ; Affectus Nephriticos; & Venereos.

Elect. Tolutanum.

℞ Bals. de Tolu pulv. ℥ss. Cons. Ros. rub. ℥iss. Liquam. Sacch. Candi q. s. m. Ad Phthisin.

Elect. Traumaticum.

℞ Cons. flor. Papav. Rhæad. & Ros. rub. ā ℥iss. Pul. Lap. Hibern. ʒvi. Syr. de Symph. q. s. m. Dos. ʒii*j*. tèr in die.

Emplastrum contra Abortum.

℞ Pul. Rad. Bistortæ, Sem. Coriand. ā ʒii. Nuc. Cupres. Lig. Sant. rub. Hypocist. ā ʒi. Coral. rub. Succini ā ℈iv. Labdani, Mastich. ā ℥ss.

ā ℥ſs. Thuris, Bdellii ā ʒij. Ol. Maſtich. ℥i. Ceræ citr. ℥iiſs. Terebinth. Cypr. opt. ℥ii. m. f. Empl. ſ. a.

Vel,

℞ Empl. Diapalm. (Aceto Roſ. lot.) ʒvi. Balſ. de Tolu, Terebint. Ven. Ceræ citr. ā ℥ſs. Sant. rub. Boli, Coral. rub. ā ʒi. Terræ ſigill. ʒiv. f. Empl. exteriùs tangendum Spir. Roſ. gt. ij pro Dorſi regione, ſyndone rubrâ tegendum.

Empl. Album.

℞ Ung. Albi, Ceræ albæ ā ℥vi. f. Empl. ad inflammationes, & Eroſiones, etiam ad Hæmorrhoides internas.

Empl. de Balauſtiis.

℞ Pulv. Balauſt. Roſ. rub. Cinnam. Maſtich. ā ʒi. Balſ. Tolat. ʒij. Terebint. Ven. (in Vino rubro auſtero coctæ) Ceræ citr. ā ʒiij. m. f. Empl. pro Dorſo, ad imbecilitatem, & dolores.

Empl. Cypreum.

℞ Terebint. Cypr. ʒiij. Balſ. Tolut. ʒiſs. Diapalm. (Aceto Roſ. loti) ℥vi. f. Empl. Ad Lumbaginem, &c.

Empl. Spleneticum.

℞ Empl. è bac. Lauri ʒvi. Tacamah. ℥ſs. Balſ. Peruv. ʒi. Ceræ ʒij. m. f. Empl. ſ. a. Syndone contegendum.

Empl.

Emp. Tolutanum.

℞ Balf. Tolutani ʒvi. Balf. Peruv. q. f. f. Empl. pro regione Ventriculi.

Emulfio Analeptica.

℞ Aq. Hord. ℔iv. Poma iv. curtipendula, Fol. Tuffilag Miv. Jujub. ℥iv. coq. ad ℔ij. ℞ Col. ℔ifs. Amygd. dulc. excortic. N° iij. Sem. Pepon. Piftach. ā ℥i. Rad. Eryng. candefact. ℥ fs. Sem. Bombacis ʒiij. f. Emulf. f. a. cui adde Aq. Rof. rub. ʒifs. Dof. ʒiij. tepidè tertiâ quâq; horâ.

Emulf. Hæmoptoica.

℞ Fol. Tuffilag. Mij. Dactyl. Jujub. ā ℥ij. Hord. ʒi. Glycyrrh. ʒiij. coq. in ▽ font. q. f. Col. ℔iij. adde Cretæ fubtil. pulv. ʒi. Sem. 4. frig. maj. ā ʒiij. Portul. Papav. albi ā ℥fs. f. Emulf. cui adde Syr. Myrt. de Portul. ā ℥ij. m. Bib. ℥iv. tèr in die.

Emulf. Icterica.

℞ Sem. Aquileg. ʒvi. contuf. affunde Aq. Chelidon. ℥vi. f. Emulf. cui adde facch. perl. ℥fs. fumatur pars dimidia pro vice bis in die.

Vel,

℞ Rad. Cichor. ʒifs. Fol. cum Rad. Fragar. & Pentaphyl. ā Mi. Jujub. ʒij. Uvar. Corinth. ℥iij. coq. in aq. font. q. f. ad ℔ii. f. col. & cum Sem. Aquileg. ℥i. Amygd. dulc. decort.

N° iv. f. Emulſ. cui adde Syr. de 5 Rad. ℥ii. m. Doſ. hauſtus plenus bis in die.

Emulſ. Nenupharina.

℞ Rad. Nenuphar. ℥iv. infunde, & coq. in Hydropeg. chalybeatæ ℔vi. ad conſumpt. tertiæ partis, adjectis Dactyl. N° vi. Rad. Sigil. Solom. ℥ii. Fol. Conſolidæ utriuſq; Flor. Lamii ad Mii. f. col. ℞ Hujus decocti ℔ij. Dactyl. ſuprascript. N° iij. Amygd. d. decort. N° xij. f. Emulſ.

Ad Urinæ ardorem; Fluorem album; Gonorrhæam, &c.

Emulſ. Phthiſica.

℞ Hydrocrit. ℔iv. Jujub. ℥iv. Fol. Capill. Ven. Tuſſilag. ā Miſs. Sem. Viol. Bombac. Tortul. ā ʒij. Aniſi ʒiſs. coq. ad conſumpt. tertiæ partis f. col. cui clarificatæ adde Sem. Melon. Cucumer. ā ℥i. Amygd. dulc. decort. N° vi. Nuc. Pinear. ℥ſs. f. Emulſ. ſ. a. adde ▽ Roſ. rub. ℥iv. Sacch. candi albi ℥i. m. Propin. ℥iv. tepidè quartâ quâq; horâ.

Emulſ. de Sarſâ.

℞ Rad. Sarſæ inciſ. ℥iij. Rad. Nymph. ℥iſs. Raſ. Ebor. ʒiij. infunde in ▽ font. ℔iij. per horas viij. adde Uvar. paſſ. enucl. ℥iv. coq. ad ℔ij. cum col. & Sem. Pepon. ℥i. Lactucæ, Cannab. ā ʒvi. Amygd. dulc. decort. N° *viij.* Album. Ov. (priùs in Aquam agitat. cum ā ▽ Roſ.)

▽ Rosf.) N° ij. Sacch. candi ℥ij. f. Emulſ. Doſ. ℔ſs. mane, & horâ ſomni. Refrigerat; incraſſat; edulcorat.

Emulſ. de Scorzonerâ.

℞ Rad. Scorzon. recent. ℥j. coq. cum Hord. perl. cochl. iv. in ▽ font. ℔iij ad ℔ij. f. col. Contunde Rad. Scorzon. cum Sem. Pepon. & Melon. ā ℥i. Amygd. d. decort. N° iij. & cum Aq. Hord. præſcriptæ claræ ℔i. f. Emulſ. cui adde Sacch. candi albi ℥i. Aq. Ment. comp. gt. iv. Bibatur dimidium horâ ſomni, alteràq; pars mediâ nocte. In Febribus.

Emulſ. Somnifica.

℞ Sem. Papav. albi contuſ. ʒvi. Amygd. dulc. decort. N° ij. Aq. Citri, Papav. Rhæad. ā ℥ij. f. Emulſ. adde Aq. Mariæ ℈i. Manûs Chriſti perl. ℥ſs. m. ſumatur horâ ſomni.

Enema Conſolidans.

℞ Lact. (cum Fol. Conſol. maj. & Flor. Roſ. rub. ā Mij. coct.) ℔ij. Album Ov. conquaſſ. N° ij. Sacch. candi albi ℥iij. m. pro ij. Enemat. ad Inteſtinorum eroſionem, Diarrhæam, & Dyſenteriam.

Vel,

℞ Fol. Conſol. utriuſq; Plantag. ā Mvi. Sem. Cydon. ʒij. Sem. Coriand. ℥iv. coq. in ▽ & Lact. ā q. ſ. ad ℔iij. col. adde Sacch. Roſ.

Rof. ℥vi. miſce cum Ovo toto (exempto cortice) optimè conquaſſato, pro iv. Enemat.

Enem. Hæmorrhoidale.

℞ Fol. Chelid. min. Sambuci, Linariæ, Verbaſci Viol. ā Mij. Cicutæ, Hyoſcy. ā M.ſs. Sem. Lini ℥iſs. coq. in ▽ font. q. ſ. ℞ C l. ℔iſs. Vitel. Ov. N° j. f. Injectio ſæpè per Syringam immitendam in Anum.

Enema Sanativum.

℞ Ped. Ovil. N° xij. Lumbric. præp. ℥ij. Fol. Hyper. cum floribus Miv. Alth. Conſol. maj. ā Miij. Rad. Torment. ℥iv. ▽ font. q. ſ. f. Decoct. pro Clyſteribus, ad Dyſenteriam.

Epicarpia.

℞ Cretæ (in crucibulo ignitæ, & in Aceto Samb. extinctæ) ℥i. Sapon. nig. ℥ij. m. f. Ung. pro carpis, contra Febrem Intermittentem.

Epithema contra Abortum.

℞ Succi Cydon. ℔i. Vini rub. auſteri ℥iv. m. huic immergatur panis toſtus, inſpergendus poſteà pulv. ſequenti, & inter duo linteola adhibeatur Umbilici regioni ; renovando tèr in die, & nocte.

Pulv. dict. ℞ Nuc. Moſch. ʒi. Cinnam. ʒij. Mac. ʒi. f. Pulv.

Conducit

Conducit etiàm ad Vomitum, Diarrhæam, & Hypercatharſiu ſedandam.

Epithema Stomachicum.

℞ Fol. Abſint. Ment. ā Mij. Mac. ʒiij. contunde, & f. Sacculus immergendus Aceto Roſaceo ; expreſſus admoveatur calidè Ventri, renovando 4â quâq; horâ, ad eoſdem uſus cum priori.

Expreſſio Citrea.

℞ Cort. citri cond. ℥iij. Conſ. Garyoph. ℥iſs. Sem. Fænic. dulc. ʒiij. Aniſi ʒij. Carui ℥ſs. ſpec. Aromat. Roſ. ʒi. ▽ Lumbric. Magiſt. ℔ſs. Aq. Meliſſæ ℔iſs. macera tepidè per horas 4 col. adde Syr. Garyoph. ℥iij. m. Spiritus reficit ; & Flatus diſcutit.

Expreſ. Hæmoptoica.

℞ Sem. Papav. albi ℥i. Hyoſcy. albi ℥ſs. Conſ. Roſ. rub. ℥iſs. contunde optımè ſæpè irrigando Aquæ Portul. ℥viij. f. Expreſ. adde Syr. è Roſ. ſicc. ℥i. ſumantur cochl. iv. ſæpè urgente ſanguinis ſputo ; ſc. horæ quoq; dimidio.

Expreſ. Scorbutica.

℞ Fol. Naſturt. Aq. Becab. ā Mix. Pini Mvi. Rad. & fol. Tarax. Ling. Cerv. ā Miv. contuſ. affunde Aq. Antiſcorb. noſt. ℔ij. f. Expreſ.

Expref. adde Sacch. candi ℥vi. trajice fæpè per Manicam Hippoc. fupra cortic. Saffaph. contuf. ℥ſs. Dof. ℥iv. bis in die.

Fotus ad Calculum.

℞ Fol. Alfines Miv. Alth. Viol. Malvæ, Parietar. ā Miij. Cherefol. Flor. Chamæm. Sambuci ā mij. Sem. Lini ℥iv. Anethi ℥iij. coq. in ▽ font. q. f. f. col.

Fot. ad Cancrum.

℞ Rad. Tormentil. ℥j. Herb. Elatines Miij. Verbafci, Plantag. Agrimon. ā Mij. Caprifol. Scabiofæ, Summit. Rubi, Equifeti, Flor. Rof. rub. ā Mi. Balauft. Mſs. Alum. rupei ℥i. coq. in Aq. Fabror. q. f. ad ℔v. col. adde Vini rub. aufteri ℥iv. fucci folani, & Sempervivi ā ℥iij. m.

Fot. Cephalicus.

℞ Fol. falv. Primulæ veris, Flor. Chamæm. ā Miv. Rad. Pæon. ℥vi, coq. in ▽ font. q. f. ad ℔iv. f. col. quâ foveatur caput quotidiè manè horæ fpatio.

Fot. Crinificus.

℞ Fol. Abrotani Miij. Gum. Labd. ℥i. Adip. Urfini ℥iij. Mellis ℥iv. coq. in Vini Hifpan. ℔iv. ad tertiæ partis confump. addendo fub finem nuc. mofch. ℥i. Mac. ʒiij. Caryoph.

oph. ℥i. f. col. quâ foveatur pars affecta bis in die, per horæ spatium pro vice: in ung. posteà Unguento Crinifico.

Fot. Emmenagogus.

℞ Fol. Artemis. Matricar. ā Mij. Puleg. Miij. Calamint. Fl. Chamæm. ā Miſs. Rad. Cyclam. ℥ij. Ireos ℥iv. Lil. alb. ℔ſs. Bac. Junip. ſem. Anethi ā ℥iij. coq. in aq. q. ſ. col. Convenit etiàm ad dolores Colicos.

Fot. Hæmorrhoidalis.

℞ Rad. cum Fol. Scrophular. utriuſq; ā Mij. Fol. Linar. Sambuci Milleſol. Verbaſci ā Miij. Malvæ, Viol. ā Miſs. ſem. Lini ℥iv. coq. in aq. q. ſ. ad mollitiem, f. col.

Fot. Spleneticus.

℞ Rad. Bryon. albæ, Alth. Petroſel. ā ℥iſs. Fol. Melil. Tamariſci, Chamæm. Malvæ, Agrimon. ā Mi. ſem. lini ℥iv. ſem. cymini ℥*ij*. Flor. Lil. alb. Malvæ, Chamæm. Anethi ā p. *ij*. coq. in ▽ fontis q. ſ. ad ℔*iij*. addendo in fine, Vini albi, & Aceti ā ℥*iij*. f. col.

Gargariſma de Acaciâ.

℞ Vini rub. auſteri ℔*ij*. Acatiæ ℥i. Syr. de Roſ. ſicc. ℥iv. m. potentèr aſtringit; detergit; & Ulcera ſanat.

Gargar.

Gargar. Anginosum.

℞ Spong. Sambuc. N° x. Fic. N° *xij*. Sem. Fænugr. ʒ*iij*. S. Lini ʒ*ij*. Mivæ fruct. Rubi Idæi (cum nucleis contusæ) ℥*iv*. Cynocopri ℥ifs. Succi Agrest. ℥iv. coq. in ▽ font. ℔iv. ad ℔ij. col. adde Syr. de Rubo Idæo, Diamor. ā ℥ifs. clarific.

Gargar. Astringeus.

℞ Flor. Balaust. ʒi. Rof. rub. ficc. ʒij. Aq. Hord. ℔ij. Spir. ⊕li ℈i. macerentur tepidè horæ spatio: Col. adde Syr. de Rubo Idæo ℥*iij*. m.

Gargar. Benedictum.

℞ Aq. Benedictæ fortis ℔*ij*. Mellis Rof. ℥*iv*. m. f. Garg. ad Oris ulcera, &c.

Garg. Emolliens.

℞ Rad. Alth. ℥*j*. Fol. Malvæ M*j*. Sem. Lini ʒ*ij*. Fænugr. ʒifs. Glycyrth. ʒ*iij*. Fic. incif. ℥*iv*. coq. in ▽ f. q. ad ℔*ij*. f. Col.

Gargar. de Ficubus.

℞ Fic. ping. incif. ℥*iv*. coq. in Aq. font. ℔*iij*. (adject. fub finem Sem. Fænugr. ℥fs.) ad ℔*ij*. f. col.

Gargar.

Gargar. ad Inflammationem.

℞ Fol. Plantag. Pentaph. Torment. ā Miſs. Flor. Roſ. rub. ſic. p. *iv*. ſpong. ſamb. N° *xvj*. Sem. Fænugr. ʒ*iij*. Cynocopri, Miv. fruct. Rubi Idæi (cum ſem. contuſ. in pulpam) ā ℥*iij*. coq in ▽ font. q. ſ. Col. ℔*ij*. adde Syr. de Roſ. ſicc. Mel. Roſ. ā ℥*ij*. clarif.

Hauſtus Febrifugus.

℞ Succi Plantag. ℥*iij*. Ther. Lond. ʒ*j*. Syr. de 5 Rad. ℥*j*. m. ſumatur horâ *j*. ante paroxyſmum; & ſudor provocetur.

Vel,

℞ Succi Arnogloſſi ℥*iv*. Mellis ℥i. ▽ Roſ. rub. & Succi Aurant. ā ℥*ij*. clarif. cum Alb. Ovi, & divid. in *ij*. partes, quarum j. ſumatur hor. *ij*. ante Paroxyſmum; & altera ingruente Paroxyſmo.

Hydromel Bechicum.

℞ Fol. Cynogloſ. Conſolidæ maj. ā M*iij*. Hed. terr. M*vj*. Uvar. paſſ. enucl. ℥v. Fic. ℥*iv*. Sem. Urticæ ℥iſs. Aniſi ʒ*iij*. coq. in ▽ f. ℔*viij*. cum Mellis ℥*vj*. ad conſumpt. tertiæ partis col. Doſ. ℥*iv*. quatèr, vel quinquiès in die tepidè.

Hydrom.

Hydrom. Traumaticum.

℞ Fol. Hyper. Sanic. Bugulæ ā Mij. Pyrolæ, Confolidæ utriufq; Plantag. ā Mifs. Pilofel. Miifs. Uvar. paff. enucl. ℥*viij*. coq. in ▽ font. ℔*vj*. ad ℔*iij*. col. adde Mellis ℥vi, clarif. Dof. ℥*iv*. tèr in die.

Infufum Benedictum.

℞ Raf. Sant. rub. ℥iij. Flor. Rof. rub. ficc. Mfs. Aq. Bened. ℔iij. infunde frigidè xij. horas col. adde Sacch. Rof. q. f. propin. ℔fs. tèr in die, ad Catarrhum; & ad Ulcera.

Infuf. Cardiacum.

℞ Cort. citri cond. ℥iij. Sem. Fœnic. d. ʒvi. Carui, Anifi ā ʒfs. Flor. Calend. ficc. ℥fs. Croci ℈j. Spec. Lætif. Galeni ʒj. Suc. Chermes ʒvj. ▽ Meliffæ ℔iifs. f. Infuf. tepida per horas *viij*. Col. adde Syr. Garyoph. ℥iij. m. f. Julap. Vires reficit; & Flatus difcutit.

Infufum Carminativum.

℞ Sem. Anifi, Fœnic. dulc. ā ʒij. contufis affunde Aq. font. calentis ℥xij. f. Infuf. per *iij*. horas: Col. adde ▽ Angel. comp. ℥iv. Syr. Caryoph. ℥ij. m.

Infuſ. Cephalicum.

℞ Sterc. Pavon. ſicc. ℥iij. ▽ Salv. Vini albi ā ℔i. f. Infuſ. per noctem: Col. adde Sacch. ℥ij. f. Julap Specificè medetur Vertigini.

Infuſ. Glycyrthizæ.

℞ Glycyrth. Angl. recent. raſæ, & contuſæ ℥iv. huic affunde ▽ ſont. ebullientis ℔ij. ſinatur refrigerare; col. adde Aq. Theriacal. ſtil. ℥iv. Syr. de ſucco citri ℥ij. m. ſumantur ℥iv. ad placitum. Ad Sitim, & Tuſſim, in Febribus moleſtam.

Injectio Aluminoſa.

℞ Alum. ʒij. Camph. ʒſs. Troch. alb. Rhaſ. ʒiij. ▽ Sperniolæ ℥vi. ▽ Roſ. rub. ʒx. Vini albi ℥iv. macerentur tepidè per ⧗ xij. Col. injiciatur bis, tervè in die.

Injectio ad Cancrum.

℞ Decocti pro fotu ſupraſcripto ad Cancrum ℔j. Tutiæ præp. ♁ crudi (in ▽ Solani loti) Plumbi uſti (in ▽ Sperniolæ loti) ā ʒiij. Troch. alb Rhaſ. Boli Armen. Sacch. ♄ ā ʒij. m. f. Injectio.

Inject.

Inject. Detergens.

℞ Rad. Gent. Ariftol. rot. ā ℥ſs. Fol. Scord. Fœniculi, fummit. Centaur. min. Hyper. ā Mj. Myrrhæ ℥ſs. coq. in Aq. font. q. ſ. ad ℔iſs. col. adde Spir. Vini opt. ℔ſs. m.

Julapium Catharticum.

℞ Fol. Sennæ ʒſs. Sem. Coriand. ℈iv. f. Infuſ. in ▽ Cichor. ℥iv. & Succi Aurant ℥ij. per vj. horas; Col. adde Syr. Samb. ℥j. m. pro hauftu matutino.

Julapium Citreum.

℞ Pulp. cort. citri cond. ʒiij. contunde cum ▽ Borag. ʒi. & f. Expreſ. dein adde Aq. citri totius ℥iij. Succi Chermes ʒij. Syr. Garyoph. ʒvi. Sacch. perlati ʒiij. m. Cap. cochl. v. in languoribus.

Julapium Cydoniatum.

℞ Aq. Cydon. fimpl. ℥vi. Aq. Ment. ℥iſs. Syr. Granator. ℥j. m. fumat fæpè cochl. *ij.* vel *iij.* Contra Vomitum, & Abortum.

Julap.

Julap. Diureticum.

℞ Aq. Aparin. ℔iſs. Syr. Alth. ℥iv. Sp. Nitri ℈ij. vel q. ſ. m. Doſ. ℥vi. pro vice.

Julap. Gravidarum.

℞ Aq. Roriſmar. ℥iv. ſacch. opt. ℥i. m. ſumatur cochl. j. ſæpè contra Abortum.

Vel,

℞ Aq. Rubi Idæi ℔i. Balſ. Embrion. ℥iv. Coral. rub. ℈iv. Manûs Chriſti perl. ℥iſs. m. f. Jul. contra Abortum.

Jul. de Hormino.

℞ Aq. Hormini ſimpl. ℥xij. Aq. Meliſſæ ℥vi. Sp. Hormini ℥ij. ſacch. perl. ℥iij. m. Fluore albo debilitatis ſubvenit.

Jul. ad Sitim.

℞ Aq. Fragor. ℔ij. ſucci Aurant. ℥iiſs. Syr. Viol. ℥iij. m. propin. hauſtus bis, terrè in die.

Jul. Stypticum.

℞ Succi Millefol. opt. clarific. ℔iſs. ſacch. albi ℥ij. m.

Juſcu-

Juſculum Chinæ comp.

℞ Rad. Chinæ, Nymph. ā ℥iij. Raſ. Sant. alb. ℥iſs. ſem. Lactucæ ℥i. ſem. Papav. albi ʒx. ſem. frig. 4. maj. ā ʒvi. m. divide in partes tres æquales: Uva pars pro vice ccq. cum Pullo Gallin. & fruſto Carnis Vitul. in Aq. f. q. ſ. ut f. Juſcul. col. Refrigerat, Incraſſat, Edulcorat, Nutrit.

Linimentum Paralyticum.

℞ Ol. Exceſtrenſ. ℥iij. Ol. ſtill. Cinnam. Garyoph. Nuc. Moſch. ā ʒſs. Ol. ſuccini ſuaveolent. Ol. Salviæ, Roriſmar. ā ℈i. m. Cum hoc illin: locus obtuſi ſenſus tepidè, horâ ſomni, adverſus ignem luculentum, manu multùm demulcendo.

Litus Dorſalis.

℞ Sacch. ♄ ʒiij. diſſolve in ▽ Sperm. Ranar. ℥iſs. miſce cum Ung. Roſ. ℥iv. adde Ol. ſtil. Nuc. Moſch. gt. iv. m. Cum iſto illinatur Dorſi regio bis in die, quando maximus calor ſentitur, & commotio; ſeposito pro eo tempore Emplaſtro: vel quandocùnq; depoſuerit Emplaſtrum, Pruritûs, vel Puſtularum causâ.

Lohoch de Albuminibus.

℞ Album. Ovar. (in aqueam ſubſtantiam conquaſſat:) ℥ij. Sacch. candi albi ℥iſs. m. ad Oris calorem, & eroſionem.

Lohoch

Lohoch Anginosum.

℞ Spong. Samb. N° 12. Cynocop. ℥i. Fruct. Rubi Idæi (cum afficulis in mivam redact.) ℥i. coq. in Aq. font. ℔i. donec tertia pars solùm supererit, f. Expreff. adde Syr. de Moris, Rubi Idæi ā ℥i. f. Lambativum.

Loh. Hæmoptoicum.

℞ Conf. Rof. rub. veter. ℥iij. Syr. de Symph. ℥ij. de Nymph. Portul. ā ℥ifs. Pulv. Sem. Hyofcy. ʒiifs. Papav. albi, Coral. rub. ā ʒifs. Spir. 🜂 gt. vi. m. sumatur cochleatìm.

Loh. Incrassans.

℞ Pulv. Rad. Alth. ℥fs. Spec. Diatrag. frig. ʒi. Pulv. Glycyrth. ʒifs. Ol. Amygd. dulc. ʒx. Sacch. Penid. ℥i. Syr. Jujub. ℥iv. m. lambatur sæpè cochl. j.

Loh. Mucilaginosum.

℞ Mucilag. Sem. Cydon. (🜄 Prunellæ extrac.) ℥iv. Syr. de Moris Viol. ā ℥i. m. Ad Oris inflammationem, ariditatem, & crosiones.

Magisterium Benzoïni.

℞ Benzo. puriff. pulv. ℥iv. affunde Pyrœni ℔i. Infunde tepidè in Lagenâ; viz. donec Benzoe diffolvetur: Postea Aquæ Lactis q. f. affusâ, præcipitetur: Pulvis albus præcipitatus ab aquâ feparetur, & lentiffimo igne ficcetur.

Inter

Inter Expectorantia summum jure merito tenet locum. ℞ Hujus Magisterii ℥ſs. Sacch. candi albi ℈viij. f. pul. divid. in partes viij. sumatur j. omni mane ex cochleari Alæ Maciatæ, vel Syrupi cujuslibet appropriati.

Mistura Catarrhalis.

℞ Sem. Papav. albi (Syrupo Capil. Ven. irrorati) ʒv. contuſ. adde Succi Aurant. ʒiij. Syr. de Mecon ℥x. m sumatur cochl. j. horâ 8â vesp. Post horam semis cochl. j; & horâ 9â aliud: posteà mediâ nocte, si Tussis urgeat.

Mist. Purgans Hæmoptoica.

℞ Album Ovor. N° vi. conquassentur diligentèr, & adde Syr. de Pomis purg. ℥iij. m. sumatur dimiduum in haustu Cerevis. omni mane.

Mist. Tubularis Cephalica.

℞ Fol. Beton. Rorismar. sicc. & incis. ā ℥ſs. Ol. Succini rectif. ʒſs. f. Mist. Hystericis etiàm convenit.

Nepenthe.

℞ Opii (tenuitèr dissecti, supra laminam ferri calefactam exsiccati, & pulv.) ʒiſs. dissolve in Aceti Sambuc. ℥iv. & col. Postcà ad Balnei calorem exhalando, & miscendo Ambrægris. ℈i. Extrac.Croci ℈ij. Succ.Glycyrth. ʒiij. Ol. still. Majoranæ ℈ſs. Ol. still. Nuc. Mosc.

Mosch. gt. xvi. ſucci cherm. ℥i. fiat extractum molle. Apud Authorem occulatur ſub titulo ſulphuris Vitrioli Magiſtralis.

Oleum Juniperi comp.

℞ Bacc. Junip. contuſ. ℥iij. ſucc. cochl. mar. Becab. Naſturt. aq. ā ℥iv. Ol. Lumbric. ℥viij. coq. ad conſumpt. ſuccorum, col. adde Ol. Rhodii ℈j. m. Ad dolores Scorbuticos.

Oxymel Hæmoptoicum.

℞ Rad. Alth. Conſolidæ maj. Urticæ ā ℥i. Fol. Pimpinel. Pulmonar. macul. Hed. terr. ā Miſs. Dactyl. N° vi. Sebeſt. N° xx. coq. in q. ſ. Poſcæ ā ℔iij. col. adde Mellis ℥iv. clarif. bib. ℥iv. tèr indies, & aliàs pitiſſetur.

Pedilavium.

℞ Fol. Puleg. Roriſmar. Salv. ā Miv. Angel. Miij. Bac. Junip. ℥iv. coq. in Aq. q. ſ. ad ℔viij. Ad Cephalalgiam & Vigilias in Febribus, atq; ad Menſes movendos.

Pessaria.

℞ Cort. extern. Aurant. Rad. Angel. ā ʒiſs. Croci ʒi. Flor. Calend. Fol. Dictamni Cret. ā ʒij. f. Pulv. craſſus: miſce cum floccis ſcarlatis, & f. Peſſaria iv. Ad Menſes educendos.

Pilulæ Aphrodiſiacæ.

℞ Balſ. Oriental. veri ʒiiſs. de Tolu ʒij. Terebint. Cypr. ʒiij. Ambræ griſ. ℈ſs. Sem. Erucæ ℈iv. Angel. ℈ij. Xylo aloes ʒi. Caud. Scinci marin. ℈iv. ol. ſtill. nuc. Moſc. ℈j. Syr. de Nuc. Moſc. q. ſ. f. Maſſa Pilul.

Pil. Arthriticæ.

℞ Pul. Rad. Ari ℥ſs. Fol. Beton. Chamæpit. ā ʒiij. Terebint. Cypr. ℥i. Ol. Terebint. ʒij. Ol. ſtill. major. ℈i. m. f. Pil. N° vi. è ʒi. ſumantur iv. manè, & 4 pomerid.

Pil. Camphoratæ.

℞ Camph. ℈ij. Caſtor. ʒi. Aſ. fœt. ℈iv. Sem. Dauci ſylv. ʒiſs. Syr. de Artemiſ. q. ſ. f. Pil. vi. è ʒi. ad affectus Hyſtericos.

Pil.

Pil. Chalybeatæ.

℞ Chalyb. cum 🜍 præp. ʒiij. Spec. Hieræ ſimpl. ʒij. Fæc. Bryon. ℈j. Syr. Zz. q. ſ. f. Pil. vi. è ʒi. ſum. ij. horâ ſomni, & iij. mane.

Vel,

℞ Luti chalyb. ʒij. Spec. Arom. Roſ. Jalap. ā ʒi. Extrac. Croci gr. xij. Syr. de Succo Citri q. ſ. f. Pil. xij. è ʒi. ſumat. №. iv. omni mane, ſuperbibendo Aq. Lumbric. Magiſtr. ℥i. ex hauſtu Alæ Maciatæ.

Pil. Corroborantes.

℞ Terebint. Cypr. ℥i. Pulv. Priapi Tauri ʒx. Trochiſc. Gordon. ʒij. Troch de Ter. Lemn. ʒiiſs. Gum. Anime ʒvi. Coral. rub. Leucelectri ā ʒiij. Cinnam. ʒij. Syr. de Symph. q. ſ. f. Pil. vi. è ʒi. ſumantur iij. mane, & veſp.

Ad Dorſi debilitatem, & dolorem; ad Gonorrhæam, & Fluorem album.

Pil. Diureticæ.

℞ Terebint. Chienſ. puriſſ. ℥iſs. Lap. Prunel. pul. ℥ſs. Nuc. Moſch. pul. ʒij. m. f. Maſſa.

Vel,

℞ Terebint. Ven. (lotæ, & coctæ in ▽ Saxifrag.) ʒiiiſs. Oc. 69 ℈iv. ⊖ Succini ℈ij. Sem. Geniſtæ ʒſs. Ol. ſtil. Nuc. Moſc. ℈ſs. f. pil. Doſ. ʒſs.

Pil. Emmenagogæ.

℞ Gum. Ammon. (Tinct. Caſt. præp.) ʒſs. Aloes Roſ. ʒiſs. Bdellii (Tinct. Caſt. præp.) ℈j, Myrrhæ gr. xv. ⊖ Abſint. ℈ſs. f. Pil. vi. è ʒi. ſum. ij. mane, & ſerò per dies duos, tèr quatervè in Menſe.

Pil. Gummoſæ.

℞ Maſtich. Succini ā ʒiſs. Gum. Anime ʒij. Benzo. alb. ʒi. ex his fiat Alcohol. ℞ Terebint. Cypr. opt. ℥i. Liquidambræ veræ ʒvi. liquentur lento △e; liquatis adde pulveres prædictos: adde poſteà ▽ Plantag. & Roſ. rub. ā ℥iv. coque lentè agitando, donec maſſa lenteſcat, & cogi poteſt in pilulas. f. Pil. N° vi. è ʒi. Doſ. ij. mane, & veſperi.

Ad Lumbaginem; Dorſi debilitatem, &c.

Vel,

Vel,

℞ Balſ. Peruv. ℈i. Terebint. Cypr. ℥i. Maſtic. Gum. Anime ā ℈vi. Styrac. ℥ſs. Spec. Arom. Roſ. Diatrion Santal. ā ʒi. Syr. de Coral. comp. q. ſ. f. Pil. N° vi. è ℈i.

Pil. è Mercurio vivo.

℞ Mercur. vivi prot è extincti ℈ij. Extrac. Euſtachii ℈iſs. Scammon. (Aceto præp.) ʒiſs. f. Pil. vi. è ℈i. ſumantur iv. omni mane: & intra horæ ſpatium ſugatur Caſſiæ ex cannâ ℥iſs. Ad dolores nocturnos, & vagos Scorbuticos; item ad ſtrumas.

Pil. Reſinoſæ.

℞ Reſ. Jalap. ℈ſs. Sp. Vini gt. aliquot f. Pil. ix. Doſ. N° iij. mane.

Pil. Reſtringentes.

℞ Croci Martis aſtring. ʒiij. Colcoth. ⊖i (ab omni acrimoniâ frequenti ablutione vindicati) ʒiiſs. Maſtich. Olib. ā ℈iiiſs. Boli, Cupul. Gland. Flor. Balauſt. ā ℈ij. Gum. Arab. Tragac. ā ℈iſs. Oſſis Sepiæ ℈iij. f. Pulv. &

N 3 cum

cum Tereb. Cypr. ℥ij. & Syr. Nymph. ℥iſs. (vel q. ſ.) ol. ſtill. Cinnam. Ment. ā ℈ſs. f. Pil. vi è ʒi. Sumantur iij. tèr in die ; ſuperbibaturq; hauſtus Emulſ. Dactylorum.

Pil. Spleneticæ.

℞ Troch. de Myrr. ℈ij. Caſtor. ℈ſs. Fæc. Bryon. ℈j. Rhab. ℈iv. Spec. Hieræ ſimpl. ℈ij. ⊖ ♂ ʒi. Tereb. Ven. q. ſ. f. Pil. vi. è ʒi. ſumantur iij. horâ ſomni ; manè bibantur Aq. Tunbrigenſ. Hyſtericis etiàm ſuccurrunt.

Pulvis contra Abortum.

℞ Coral. rub. Margarit. præp. ā ʒi. Sant. citrini, Eboris præp. ā ʒiij. Bac. Kermes ʒij. Sacch. perl. ʒſs. f. Pulv. ſubtilis ; divid. in partes 42. ſumatur j. omni mane ex Ovi recentis tepefacto vitello.

Pulv. Capillaris.

℞ Succini ℥ſs. Flor. Roſ. rub. ʒiij. Orizæ ℥iſs. m. f. Pulv. inter Capillos inſpergendus.

Pul. Croci comp.

℞ Croci ℈iv. Eboris ℥ſs. Sacch. candi albi ℥i. m. f. Pulv. in partes viij. divid. ſumatur j. bis in die. Ad Icterum. *Pul.*

Pul. Euphragii comp.

℞ Fol. Euphrag. ℥i. Sem. Fœnic. dulc. ʒiij. Mac. ʒi. Sacch. opt. ℥i. f. Pulv. de quo ſumatur cochl. j. poſt paſtus. Ad viſûs debilitatem, & Cephalalgiam.

Pul. Pepticus Cephalicus.

℞ Sem. Coriand. ʒvi. Carui, Fœnic. dulc. ā ʒiij. Aniſi ʒij. Rad. Pæon. mar. ʒiſs. Sem. ejuſdem ℈ij. Cranii hum. ℈iv. Cort. exter. Citri, Aurant. Limon. candefact. ā ʒiij. Flor. Roriſmar. candefact. Sacch. Roſ. ā ℥iſs. f. Pulv. ſumatur ʒi. poſt paſtus.

Pul. Sternutatorius.

℞ Fol. Majoranæ ſicc. ʒiſs. Nicot. ʒſs. Nuc. Moſc. ʒi. Ol. ſtill. Majoranæ gt. iij. m. f. Pul.

Vel,

℞ Nicot. Majoranæ ā ʒi. Rad. Helleb. alb. ℈ij. Euphorb. ℈j. Elater. ℈ſs. Moſchi gr. iv. m. f. Pulv.

Sacculus Aromaticus.

℞ Nuc. Moſc. Cinnam. ā ʒiij. Mac. Garyoph. ā ʒiſs. m. f. Pulv. pro Sacculo interbaſtato rotundo, qui regioni Ventriculi, vel Umbilici adhibeatur calidè, inſperſo vino Hiſpanico. Ad Nauſeam, Vomitum, Ventriculi imbecilitatem, Diarrhæam, Dolores Colicos, *&c.*

Sacculi Cephalici.

℞ Sem. Carui ℥ſs. Pæon. ʒiij. Mac. Nuc. Moſch. ā ʒiiſs. Fol. Verbenæ Primuli veris, Beton. ā Miij. Flor. Roriſmar. Paralyſ. ā Mj. Bacc. Junip. ℥iſs. f. Pulv. craſſus; undè Sacculi fiant duo interpuncti. Coq. in Aq. font. q. ſ. f. Expreſ. adhibeantur alternatim calidè Capiti per horæ ſpatium manè.

Sacc. Colici.

℞ Fol. Abſint. Lauri, Puleg. Calamint. Origani, Centaur. min. Flor. Chamæm. ā Miij. Sem. Anethi, Fænic. dulc. Aniſi ā ℥ij. f. Sacculi duo pro Abdomine. Valent etiam ad Menſes evocandos.

Sacc.

Sacc. Nuchalis.

℞ Sem. Cymini ℥ij. Macropiper. ʒvi. m. f. Pulv. qui interbaſtatus inter duo linteola, irrigetur Aquâ Anthûs; exſiccetûr; & calidè Nuchæ adhibeatur. Ad Catarrhum, & Defluxiones.

Sacc. Stomachicus.

℞ Fol. Abſint. ſicc. Ment. ā Mij. Macis ʒiij. ex contuſis f. Sacculus immergendus Aceto Roſaceo; exprimendus; calidè Ventriculo adhibendus; & quartâ quaq; horâ renovandus. Ad Vomitum ſiſtendum.

Serum Nephriticum.

℞ Lactis ℔ij. Vini Rhen. ℔i. f. Poſſetum clarum ad ℔ij. cui adde Syr. Roſ. Sol. ℥ij. Syr. Alth. ℥i. Lapid. Prunel. ʒi. m. bibatur manè.

Ser. Pſoricum.

℞ Fol. Agrimon. Scabioſæ ā Mj. Hepaticæ Miſs. Fumar. Tarax. Argentinæ ā Mij. contuſ. infunde in Seri Lact. ℔iiſs. coque

N 5 parùm,

parùm, & expreſſ. adde Sacchari ℥iſs. clarific.

Succi Scorbutici.

℞ Succ. Cochl. mar. Naſturt. aq. ā ℥xij. Tarax. ℥vi. Aurant. Sacch. ā ℥iv. clarif. cum Alb. Ov. Doſ. ℥iv. bis in die cum Elect. Scorb. ʒiij.

Suffumigium Peſtilentiale.

℞ Aceti acerrimi ℔i. Rad. Zedoar. ℥i. Fol. Rutæ ℥ſs. m. cum hâc miſturâ ſuffumigetur perpetuò Cubiculum.

Tabulæ Cardiacæ.

℞ Cort. exter. Citri cond. ʒiij. Limon. ℥ſs. Aurant. ʒij. Confect. Sem. Fænic. dulc. ʒiiſs. Coriand. ʒiij. Carui ʒi. Incidantur omnia ferè in pulverem, & levitèr contundantur: admiſce Nuc. Moſc. pul. ʒſs. Spec. Aromat. Roſ. ℈iv. Ambræ griſ. ℈ſs. Sacch. opt. ℥vi. Mucilag. Sem. Cydon. (Aquâ Meliſſæ extrac.) q. ſ. f. Tab. ſ. a.

Tab.

Tab. Diamargariton.

℞ Margarit. præp. ʒſs. Corallii rub. Leucelectri ā ʒij. Magiſter. cc. & Ebor. ā ℈iij. Sacch. albi ℥iv. Mucilag. *S*em. Cydon. q.ſ.f. Tab.

Tab. Tartareæ comp.

℞ Cryſtal. 🜂 ſubtil. pulv. ʒij. Lap. prunel. ʒſs. Pul. Glycyrth. ʒiij. Sacch. albiſſ. ℥ij. Mucilag. Sem. Cydon. q. ſ. f. Tab. ſ. a. pendentes ℈j. teneatur j. frequentèr in ore, quando Tuſſis viſcidior fuerit, & craſſa ; aut Sitis urget.

Vinum Ecphracticum.

℞ Chalyb. præp. ʒvi. Rad. Enulæ rec.℥ij. Fol. Abſint. utriuſq. ā Mij. Uvar. Corinth. ℥vi. Sennæ ℥ij. Vini albi ℔iv. Infunde frigidè 24 horas. Col. claræ Doſ. ℥iv. omni mane.

Vinum

Vinum Sidereum.

℞ Limat. ♂ ℥vi. igniantur, & extinguantur in Vini Rhen. ℔iv. ad sextam vicem. Col. adde Cinnam. ℥ij. Cort. exter. Citri, Aurant. ā ʒi. Caryoph. ℈ij. Cort. Winter. ʒij. Sacch. albi ℥iv. f. Infus. per triduum, f. col. clara, cui adde Aq. Mirab. ℔ſs. m. Propin. ℥iij. omni mane. Ad Cachexiam, & Diarrhæam.

Unguentum Balsamicum.

℞ Balſ. Peruv. ʒx. Balſ. Tolut. ʒij. m. f. Ung. ad Herpetem, &c.

Ung. ad Cancrum.

℞ Unguenti albi camphorati, Diapompholi. & Rub. deſiccat. ā ℥ij. Ung. Popul. Sevi Cerv. ā ℥i. Tutiæ præp. ♁ij. crudi (in 🜄 Solani loti) Plumbi uſti loti, ā ʒij. Litharg. Cerusſæ (in 🜄 Plantag. lotæ) Boli Armenæ ā ʒi. Succi Elatines, Solani, & Sempervivi ā ℥i. Agitentur omnia in Mortario plumbeo: adde Plumbi (Mercurii tantillo amalgamati) ℥i. m. f. Ung.

Vel,

Vel,

℞ Ol. Rof. (diù in Mortario plumbeo ducti) ℥xij. Ceruffæ pulv. ℥iv. Litharg. & Plumbi crudi pulv. ā ℥ij. Tutiæ præp. Cinerum Cancror. fluviatil. ā ℥i. Succi Cicutæ, Solani, Sempervivi ā ℥ifs. m. f. Ung.

Ung. ad Eryfipelas.

℞ Sapon. com. ℥iv. Ol. Sambuc. ℥i. m. Pars hujus inducta papyro nigræ adhibeatur tepidè locis affectis, renovando bis in die.

Ung. Mercuriale.

℞ Ung. è flor. Aurant. ℥ij. Ol. Amygd. dulc. ℥fs. Hydrarg. ℥i. m. f. Ung. ad Salivationem excitandam.

Ung. Muliebre.

℞ Ung. è flor. Aurant. ℥fs. Ol. Amygd. dulc. ℥i. Zibet. Mofchi ā ℈fs. m. pro Utero.

Ung.

Ung. de Ovo.

℞ Vitel. Ov. Nº j. Pul. Croci ℈j. Ung. Popul. ʒvj. m. f. Ung. ad Hæmorrhoidum dolorem.

Ung. Paralyticum.

℞ Ung. Martiati ℥iij. Nervini ℥ij. Ol. ſtill. Nuc. Moſch. Caryoph. ā ʒiſs. Spir. Salis ℈iv. m. cum iſto inung. pars affecta, tegendo panno Scarlato.

Ung. Pectorale.

℞ Ung. è florib. Aurant. ℥ij. Ol. Mac. expreſ. ℥ſs. Ol. Amygd. dulc. ℥i. Ol. ſtill. Macis ʒſs. Sperm. Ceti ʒiſs. m. f. Ung.

Ung. de Sedo.

℞ Succi Sedi maj. Butyri Martialis ā ℥iv. coq. ad conſump. ſucci, adde Zz. pulv. ʒij. f. Ung. ad Scabiem.

Uvæ

Uvæ Corinthiacæ laxativæ.

℞ Sennæ ℨiiſs. Aq. Malvæ ℔ij. macer. per ☿ iv. tepidè f. Col. in quâ Uvar Corinth. ℥iv. macerentur, & coquantur (adject. Syr. de Pomis Regis Saporis ℥iij.) ad Uvarum mollitiem ; & ſimùl conſerventur.

Sumantur cochl. ij. ante jentaculum, quoties Alvus aſtricta fuerit.

Finis Appendicis.

INDEX

Morborum, Curationum, &c.

IN

APPENDICE.

A.

Dyfen-

E.

F.

G.

H.

I.

L.

M.

N.

O.

P. Para-

P.

R.

S.

Sterili-

Indicis Finis.

Catalogue of Physick Books, Printed for *Samuel Smith* and *Benjamin Walford.*

1. THE Anatomy of Humane Bodies, with Figures drawn after the Life, by some of the best Masters of *Europe*, and curiously Engraven in 114 Copper Plates, illustrated with large Explications containing many new Discoveries, and Chirurgical Observations: To which is added an Introduction explaining the Animal Oeconomy, with a copious Index, by *William Cowper*. *Oxford*, Printed at the *Theatre* on large Imperial Paper, in fol. 1698. Price 5 *l.*

2. Jo. Raii Historia Plantarum Generalis: Accesserunt Lexicon Botanicum & Nomenclator Botanicus, 2 vol. folio.

3. ——Synopsis Methodica Stirpium Britannicarum tum Indigenis, tum in agris cultis, locis suis dispositis, additis Generum Characteristicis, specierum Descriptionibus, & Virium Epitome, Edit. 2. cum respons. ad D. Rivinum & D. Tournefort, in 8°

4. ——Stirpium Europæarum extra Britannias nascentium Sylloge.

5. ——Synopsis Methodica Animalium Quadruped & Serpentini Generis, &c. in 8°

6. Praxeos Mayernianæ in Morbis Internis præcipue Gravioribus & Chronicis Syntagma. —Id. Syntagma Alterum, 1. De Febribus. 2. De Morbis Externis. 3. De Arthridite. 4. De Lue Veneræa, in 2 vol. in 8°

7. D. R. Morton de Morbis Universalibus Accutis, vol. 1. in 8°

8. ——Id. de febribus inflamatoriis & de Variolis, &c. vol. 2. in 8°

9. D. Guil. Cole Nova Hypothesis ad Explicanda febrium intermittentiam symtoma, in 8°

10. Pharmacopeiæ Colleg. Reg. Londini Remedia Omnia succintè descripta: Edit. 3. Aucta, 1699. per J. Shipton, in 12°

11. Dale

11. Dale Pharmacologia seu Manuductio ad Materiam Medicam, in 12°

12. D. Sydenhami Processus Integri in morbis fere omnibus curandis, nec non de phthisi Tractatulo, 12° 1695.

13. M. Lister Exercitatio Anatomica, de Cochleis, de Buccinis Fluviatilibus & Marinis, 2 vol. 8°. cum figuris Æneis.

14. —— Id. Exercitat. octo Medicinales. 1. De Hydrope. 2. De Diabete. 3. De Hydrophobia. 4. De Lue Venerea. 5. De scorbuto. 6. De Arthridite. 7. De Calculo Humano. 8. De Variolis, in 12°

15. Dr. *Bates*'s Dispensatory translated into English, by D. *Salmon*; the 2d Edit. with Emendations, and large Additions, in 8°. 1700.

16. Dr. *Morton*'s Treatise of Consumptions, wherein the Differency, Nature, Causes, Signs and Cure, of all sorts of Consumptions, are explained, in 8°.

17. *Cowper*'s *Myotomia Reformata*; Or, A New Administration of all the Muscles of Humane Bodies, with a Graphical Description of the Bones, and other Anatomical Observations, illustrated with Figures after the Life. In 8°. 1694.

18. The Anatomy of the Brain, containing its Mechanism and Physiology: Together with some new Discoveries and Corrections of Ancient and Moderh Authors upon that subject. To which is annexed a particular Account of Animal Functions and Muscular Motion, with sculptures. By Dr. *H. Ridley*, 8°. 1695.

19. *Osteologia Nova*: Or, some new Observations of the Bones, and the Parts belonging to them; with the manner of Accretion and Nutrition, communicated to the *Royal Society*. To which is added a Discourse of the Cartilages. By Dr. *Havers*, 8°. 1691.

20. Mr. *Boyle*'s Medicinal Experiments: Or, a collection of choice and safe Remedies, in 12°. 1696. 3d Edition, in 3 Parts.

21. Dr. *Sydenham*'s Practice of Physick; The Signs, Symptoms, Causes, and Cures of Diseases. Translated into English by Dr. *Salmon*, with large Annotations and practical Observations, in 12°.

22. The Natural History of Chalybeat and Purging Waters of *England*, with their particular Essays and Uses. By *B. Allen*, M. B. in 8°. 1679.